

Date/Time: 2020-10-07 10:43:12 -0400
OS Version: Mac OS X 10.13.6 (Build 17G13035)
Architecture: x86_64
Report Version: 26

Data Source: Stackshots

Command: Terragen 4
Path: /Applications/Terragen 4.app/Contents/MacOS/Terragen 4
Identifier: uk.co.planetside.Terragen-4
Version: v4.1.25.0 (1.0)
Parent: launchd [1]
PID: 13332

Event: hang
Duration: 1.70s (process was unresponsive for 142 seconds before sampling)
Steps: 17 (100ms sampling interval)

Hardware model: iMac12,1
Active cpus: 4

Time Awake Since Boot: 93000s

Fan speed: 998 rpm

Timeline format: stacks are sorted chronologically
Use -i and -heavy to re-report with count sorting

Heaviest stack for the main thread of the target process:

```
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015]
17 ??? (Terragen 4 + 3741) [0x10fcd2e9d]
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 5174060) [0x111b9d32c]
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 4859615) [0x111b506df]
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d]
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34]
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b]
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox + 194692)
[0x7fff2a098884]
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990) [0x7fff2a098d96]
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
17 __CFRunLoopRun + 2427 (CoreFoundation + 533515) [0x7fff2adb940b]
17 __CFRunLoopDoTimers + 346 (CoreFoundation + 568426) [0x7fff2adc1c6a]
```

```

17 __CFRunLoopDoTimer + 1108 (CoreFoundation + 569716) [0x7fff2adc2174]
17 __CFRUNLOOP_IS_CALLING_OUT_TO_A_TIMER_CALLBACK_FUNCTION__ +
20 (CoreFoundation + 570612) [0x7fff2adc24f4]
17 __NSFireTimer + 83 (Foundation + 626153) [0x7fff2cf4bde9]
17 ??? (<0EF43A43-4C20-3853-8087-DE79EE5DAC71> + 7964) [0x11169af1c]
17 ??? (<0EF43A43-4C20-3853-8087-DE79EE5DAC71> + 8237) [0x11169b02d]
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 777667) [0x11176bdc3]
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 1461791) [0x111812e1f]
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 1437941) [0x11180d0f5]
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 294323) [0x111ed6db3]
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 294764) [0x111ed6f6c]
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 309599) [0x111eda95f]
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 3026981) [0x112172025]
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 343611) [0x111ee2e3b]
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16]
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824]

```

```

Process:      Terragen 4 [13332]
Path:         /Applications/Terragen 4.app/Contents/MacOS/Terragen 4
Architecture: x86_64
Parent:       launchd [1]
UID:          501
Task size:    4631.23 MB
Note:         Unresponsive for 142 seconds before sampling
Note:         1 idle work queue thread omitted

```

```

Thread 0x23175f      DispatchQueue 1      17 samples (1-17)      priority 46
(base 46)
<thread QoS user interactive (requested user interactive), process unclamped,
process received importance donation from WindowServer [215], IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (Terragen 4 + 3741) [0x10fcd2e9d] 1-17
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 5174060)
[0x111b9d32c] 1-17
17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> + 4859615)
[0x111b506df] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)

```

```

[0x7fff2a098d96] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
    17 __CFRunLoopRun + 2427 (CoreFoundation + 533515)
[0x7fff2adb940b] 1-17
    17 __CFRunLoopDoTimers + 346 (CoreFoundation + 568426)
[0x7fff2adc1c6a] 1-17
    17 __CFRunLoopDoTimer + 1108 (CoreFoundation + 569716)
[0x7fff2adc2174] 1-17
    17
    __CFRUNLOOP_IS_CALLING_OUT_TO_A_TIMER_CALLBACK_FUNCTION__ + 20
    (CoreFoundation + 570612) [0x7fff2adc24f4] 1-17
        17 __NSFireTimer + 83 (Foundation + 626153) [0x7fff2cf4bde9]
1-17
    17 ??? (<0EF43A43-4C20-3853-8087-DE79EE5DAC71> + 7964)
[0x11169af1c] 1-17
    17 ??? (<0EF43A43-4C20-3853-8087-DE79EE5DAC71> +
8237) [0x11169b02d] 1-17
    17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> +
777667) [0x11176bdc3] 1-17
    17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> +
1461791) [0x111812e1f] 1-17
    17 ??? (<BC341302-AF0A-3996-99E5-6F9AD79B08F7> +
1437941) [0x11180d0f5] 1-17
    17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> +
294323) [0x111ed6db3] 1-17
    17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C>
+ 294764) [0x111ed6f6c] 1-17
    17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C>
+ 309599) [0x111eda95f] 1-17
    17 ???
(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 3026981) [0x112172025] 1-17
    17 ???
(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 343611) [0x111ee2e3b] 1-17
    17 __psynch_cvwait + 10 (libsystem_kernel.dylib +
117270) [0x7fff52f0fa16] 1-17
    *17 psynch_cvcontinue + 0 (pthread + 38948)
[0xfffff7f810fa824] 1-17

```

```

Thread 0x23189c      Thread name "com.apple.NSEventThread"      17
samples (1-17)      priority 46 (base 46)
<thread QoS user interactive (requested user interactive), process unclamped,
process received importance donation from WindowServer [215], IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17

```

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x231fe0 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process unclamped, process received
importance donation from WindowServer [215], IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 3025936)
[0x112171c10] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 778464)
[0x111f4d0e0] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 777299)
[0x111f4cc53] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 363076)
[0x111ee7a44] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 390715)
[0x111eee63b] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560934)
[0x1273c5f26] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 575398)
[0x1273c97a6] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
448369) [0x1273aa771] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
575398) [0x1273c97a6] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
560585) [0x1273c5dc9] 1-17

```

17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
560585) [0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
560585) [0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
714577) [0x1273eb751] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
319151) [0x12738aeaf] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069>
+ 321343) [0x12738b73f] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C>
+ 165250) [0x111eb7582] 1-17
17 ???
(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 128257) [0x111eae501] 1-17
17 _pthread_mutex_lock_slow + 253
(libsystem_pthread.dylib + 5320) [0x7fff530d54c8] 1-17
17 __psynch_mutexwait + 10 (libsystem_kernel.dylib
+ 117318) [0x7fff52f0fa46] 1-17
*17 psynch_mtxcontinue + 0 (pthread + 31325)
[0xfffff7f810f8a5d] (blocked by pthread mutex owned by Terragen 4 [13332] thread
0x231fe1) 1-17

```

```

Thread 0x231fe1      17 samples (1-17)      priority 46 (base 46)
<thread QoS user interactive (requested default, requested override user interactive),
process unclamped, process received importance donation from WindowServer [215],
IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 3025936)
[0x112171c10] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 778464)
[0x111f4d0e0] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 777299)
[0x111f4cc53] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 363076)
[0x111ee7a44] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 390715)
[0x111eee63b] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560934)
[0x1273c5f26] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17

```

17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 575398)
[0x1273c97a6] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> + 560585)
[0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
448369) [0x1273aa771] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
575398) [0x1273c97a6] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
560585) [0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
560585) [0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
560585) [0x1273c5dc9] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
714577) [0x1273eb751] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069> +
319151) [0x12738aeaf] 1-17
17 ??? (<C1020DBC-12E7-3979-8A44-58CA436B6069>
+ 321343) [0x12738b73f] 1-17
17 ??? (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C>
+ 165259) [0x111eb758b] 1-17
17 ???
(<C1020DBC-12E7-3979-8A44-58CA436B6069> + 64834) [0x12734cd42] 1-17
17 ???
(<C1020DBC-12E7-3979-8A44-58CA436B6069> + 57519) [0x12734b0af] 1-17
17 ???
(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 164612) [0x111eb7304] 1-17
17 ??? (<BC341302-
AF0A-3996-99E5-6F9AD79B08F7> + 593790) [0x11173ef7e] 1-17
17 ??? (<BC341302-
AF0A-3996-99E5-6F9AD79B08F7> + 97482) [0x1116c5cca] 1-17
17 ??? (<BC341302-
AF0A-3996-99E5-6F9AD79B08F7> + 1819342) [0x11186a2ce] 1-17
17 ??? (<0EF43A43-4C20-3853-8087-
DE79EE5DAC71> + 8237) [0x11169b02d] 1-17
17 ??? (<BC341302-
AF0A-3996-99E5-6F9AD79B08F7> + 1445881) [0x11180eff9] 1-17
17 ??? (<BC341302-
AF0A-3996-99E5-6F9AD79B08F7> + 1450335) [0x11181015f] 1-17
17 ???
(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 308719) [0x111eda5ef] 1-17
17 ???
(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 309599) [0x111eda95f] 1-17
17 ???

(<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 3026981) [0x112172025] 1-17
 17 ???
 (<D6C584A4-2E0B-3B24-9B58-6F4291F6E16C> + 343611) [0x111ee2e3b] 1-17
 17 __psynch_cvwait + 10
 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
 *17 psynch_cvcontinue + 0 (pthread +
 38948) [0xfffff7f810fa824] 1-17

Binary Images:

0x10fcd2000 - 0x10fcd2fff uk.co.planetside.Terragen-4 v4.1.25.0 (1.0)
 <5EB67B65-580E-31C8-AB64-601AE7AE237F> /Applications/Terragen 4.app/
 Contents/MacOS/Terragen 4
 0x111699000 - ??? ???
 <0EF43A43-4C20-3853-8087-DE79EE5DAC71>
 0x1116ae000 - ??? ??? <BC341302-
 AF0A-3996-99E5-6F9AD79B08F7>
 0x111e8f000 - ??? ???
 <D6C584A4-2E0B-3B24-9B58-6F4291F6E16C>
 0x12733d000 - ??? ???
 <C1020DBC-12E7-3979-8A44-58CA436B6069>
 0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
 <3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
 AppKit.framework/Versions/C/AppKit
 0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
 <8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
 Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1)
 <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
 pthread.kext/Contents/MacOS/pthread
 *0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: 6H4HRTU5E3.com.avast.osx.secureline.avastsecurelinehelper [9788]

Path: /Applications/AvastSecureLine.app/Contents/Library/LoginItems/
6H4HRTU5E3.com.avast.osx.secureline.avastsecurelinehelper.app/Contents/MacOS/
6H4HRTU5E3.com.avast.osx.secureline.avastsecurelinehelper
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 39.51 MB

Process: accountsd [2043]
Path: /System/Library/Frameworks/Accounts.framework/Versions/A/Support/
accountsd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 42.38 MB (-8192 B)
CPU Time: <0.001s (89.9K cycles, 41.8K instructions, 2.15c/i)
Note: 2 idle work queue threads omitted

Thread 0x164d DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (accountsd + 2602) [0x10606da2a] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x2157 Thread name "com.apple.NSURLConnectionLoader" 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17

17 -[__CoreSchedulingSetRunnable runForever] + 722 (CFNetwork + 2384216) [0x7fff29ef8158] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10606d000 - 0x10606dfff accountsd (677.3.0.14)
<9C7D6BA2-5E24-35A8-BADF-6EE697EC6BA9> /System/Library/Frameworks/
Accounts.framework/Versions/A/Support/accountsd
0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
<46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/
CFNetwork.framework/Versions/A/CFNetwork
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: adid [35154]
Path: /System/Library/PrivateFrameworks/CoreADI.framework/Versions/A/adid
Architecture: x86_64
Parent: launchd [1]
UID: 265
Sudden Term: Tracked (allows idle exit)
Task size: 4992 KB
Note: 1 idle work queue thread omitted

Thread 0x7e13d 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x1072dd000 - 0x107471fff adid (4.19) <FC2CF85B-F9E9-302E-8FB0-1DEE4BA24650> /System/Library/PrivateFrameworks/CoreADI.framework/Versions/A/adid
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AirPlayUIAgent [2313]
Path: /System/Library/CoreServices/AirPlayUIAgent.app/Contents/MacOS/AirPlayUIAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 12.75 MB
CPU Time: <0.001s (254.4K cycles, 71.4K instructions, 3.57c/i)
Note: 1 idle work queue thread omitted

Thread 0x1b26 DispatchQueue 1 17 samples (1-17) priority 46
(base 46) cpu time <0.001s (146.1K cycles, 31.6K instructions, 4.62c/i)
<thread QoS user interactive (requested user interactive), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox + 194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990) [0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x1d99 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 46 (base 46)
<thread QoS user interactive (requested user interactive), process sudden termination
clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x101708000 - 0x101711fff com.apple.AirPlayUIAgent 2.0 (366.76.2)
<99C6E4D2-754F-3853-BD46-A5524C299F13> /System/Library/CoreServices/
AirPlayUIAgent.app/Contents/MacOS/AirPlayUIAgent
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AirPlayXPCHelper [122]
Path: /usr/libexec/AirPlayXPCHelper
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 11.94 MB
Note: 1 idle work queue thread omitted

Thread 0x48e DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:
0x1016fb000 - 0x1016fcfff AirPlayXPCHelper (366.76.2) <B7680A01-B679-38D7-936F-57C870A27084> /usr/libexec/AirPlayXPCHelper
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: airportd [199]
Path: /usr/libexec/airportd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 12.83 MB
Note: 1 idle work queue thread omitted

Thread 0x3ed DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (airportd + 318555) [0x10a508c5b] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

```

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Thread 0x84a DispatchQueue 79 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default, ipc override default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

```

17 <truncated backtrace> 1-17
17 ??? (airportd + 416478) [0x10a520ade] 1-17
17 CFReadStreamRead + 380 (CoreFoundation + 496252) [0x7fff2adb027c] 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2874188) [0xfffff80004bdb4c] 1-17
*17 VNOP_READ + 106 (kernel + 2931002) [0xfffff80004cb93a] 1-17
*17 spec_read + 667 (kernel + 2973291) [0xfffff80004d5e6b] 1-17
*17 cdev_read + 379 (IO80211Family + 447212) [0xfffff7f81e592ec]
1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

```

Thread 0x643 DispatchQueue 80 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default, ipc override default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

```

17 <truncated backtrace> 1-17
17 ??? (airportd + 417681) [0x10a520f91] 1-17
17 CFReadStreamRead + 380 (CoreFoundation + 496252) [0x7fff2adb027c] 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2874188) [0xfffff80004bdb4c] 1-17
*17 VNOP_READ + 106 (kernel + 2931002) [0xfffff80004cb93a] 1-17
*17 spec_read + 667 (kernel + 2973291) [0xfffff80004d5e6b] 1-17

```

*17 cdev_read + 379 (IO80211Family + 447212) [0xfffff7f81e592ec]
1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Thread 0x3ef 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default, ipc override default), process sudden
termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2874188) [0xfffff80004bdb4c] 1-17
*17 VNOP_READ + 106 (kernel + 2931002) [0xfffff80004cb93a] 1-17
*17 spec_read + 667 (kernel + 2973291) [0xfffff80004d5e6b] 1-17
*17 cdev_read + 379 (IO80211Family + 447212) [0xfffff7f81e592ec] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Thread 0x84b Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x233920 17 samples (1-17) priority 4 (base 4)
<thread QoS background, process sudden termination clean, thread darwinbg,
process darwinbg, IO tier 2>
*17 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] 1-17

Binary Images:

0x10a4bb000 - 0x10a5f0fff airportd (1370.4)
<8B242842-5EEF-3C83-B96C-918EA676D16D> /usr/libexec/airportd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
 <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
 <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
 pthread.kext/Contents/MacOS/pthread
 *0xffffffff7f81dec000 - 0xffffffff7f81e9bfff com.apple.iokit.IO80211Family 12.0 (1200.12.2)
 <8643F87E-C3F9-3E0F-B1DA-172CC512B5BC> /System/Library/Extensions/
 IO80211Family.kext/Contents/MacOS/IO80211Family
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: akd [35139]
 Path: /System/Library/PrivateFrameworks/AuthKit.framework/Versions/A/
 Support/akd
 Architecture: x86_64
 Parent: launchd [1]
 UID: 501
 Sudden Term: Tracked (allows idle exit)
 Task size: 11.70 MB
 Note: 2 idle work queue threads omitted

Thread 0x7e0ee 17 samples (1-17) priority 4 (base 4)
 <thread QoS background (requested default), process sudden termination clean,
 thread darwinbg, process darwinbg, IO tier 2>
 17 <truncated backtrace> 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Thread 0x7e141 Thread name "com.apple.NSURLConnectionLoader" 17
 samples (1-17) priority 4 (base 4)
 <thread QoS background (requested default), process sudden termination clean,
 thread darwinbg, process darwinbg, IO tier 2>
 17 <truncated backtrace> 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x105bf5000 - 0x105ca2fff akd (181.0.0.42)
<30CE8FDA-4F3F-389A-8446-0D7A3C2C1DA2> /System/Library/PrivateFrameworks/
AuthKit.framework/Versions/A/Support/akd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: amfid [32874]
Path: /usr/libexec/amfid
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 8284 KB
Note: 1 idle work queue thread omitted

Thread 0x77c0c DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:
0x108a6b000 - 0x108a79fff amfid (270.70.5) <D96D140D-
F834-35D9-83E8-4CF59614769F> /usr/libexec/amfid
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: analyticsd [34348]
Path: /System/Library/PrivateFrameworks/CoreAnalytics.framework/Support/
analyticsd
Architecture: x86_64
Parent: launchd [1]
UID: 263
Sudden Term: Tracked (allows idle exit)
Task size: 7984 KB
CPU Time: <0.001s (523.9K cycles, 223.3K instructions, 2.35c/i)
Note: 1 idle work queue thread omitted

Thread 0x7d442 DispatchQueue 1 17 samples (1-17) priority 4


```

(base 4)    cpu time <0.001s (523.9K cycles, 223.3K instructions, 2.35c/i)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (analyticsd + 237679) [0x10078606f] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

Binary Images:

```

0x10074c000 - 0x1007f4fff analyticsd (27.4) <8E3EF070-
F585-3472-932A-CE6256C8765C> /System/Library/PrivateFrameworks/
CoreAnalytics.framework/Support/analyticsd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    appleeventsd [73]
Path:       /System/Library/CoreServices/appleeventsd
Architecture: x86_64
Parent:     launchd [1]
UID:        55
Task size:  8032 KB
Note:       2 idle work queue threads omitted

```

```

Thread 0x458      DispatchQueue 11      17 samples (1-17)      priority 4 (base
4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO
tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

```

Binary Images:

0x103b0d000 - 0x103b0dfff appleeventsd (735.2) <F51FA9D0-ACE3-3D79-8F8E-FE7ECF3C4E1F> /System/Library/CoreServices/appleeventsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AppleSpell [10149]

Path: /System/Library/Services/AppleSpell.service/Contents/MacOS/AppleSpell

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 169.12 MB

Note: 1 idle work queue thread omitted

Thread 0xb5f3 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (AppleSpell + 7064) [0x105d49b98] 1-17
17 -[NSSpellServer run] + 73 (Foundation + 2093845) [0x7fff2d0b2315] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x105d48000 - 0x105e4afff com.apple.AppleSpell 2.4 (430.2)
<4376D815-7907-3720-99D5-1E861D485303> /System/Library/Services/
AppleSpell.service/Contents/MacOS/AppleSpell
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: apsd [98]
Path: /System/Library/PrivateFrameworks/ApplePushService.framework/apsd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 16.37 MB
Note: 1 idle work queue thread omitted

Thread 0x276 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (apsd + 532954) [0x107b791da] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x1964 Thread name "com.apple.NSURLConnectionLoader" 17
samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x1985 Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x107af7000 - 0x107bf4fff apsd (625.1.2.1) <E03B25CF-E1E3-349F-8E30-128CACBF7BE3> /System/Library/PrivateFrameworks/ApplePushService.framework/apsd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122) <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122) <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1) <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: aslmanager [68063]
Path: /usr/sbin/aslmanager
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 5332 KB
Note: 1 idle work queue thread omitted

Thread 0x1016d5 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 3>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10d120000 - 0x10d129fff aslmanager (356.70.1) <F750B22D-F8A0-3C81-AA7C-8F7E67506C74> /usr/sbin/aslmanager
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-

A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AssetCache [68059]
Path: /usr/libexec/AssetCache/AssetCache
Architecture: x86_64
Parent: launchd [1]
UID: 235
Sudden Term: Tracked (allows idle exit)
Task size: 12.67 MB
Note: 1 idle work queue thread omitted

Thread 0x1016a9 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (AssetCache + 9411) [0x1029394c3] 1-17
17 ??? (AssetCache + 96458) [0x10294e8ca] 1-17
17 ??? (AssetCache + 97282) [0x10294ec02] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x102937000 - 0x102ca0fff AssetCache (214)
<07014CAC-3722-3E21-9677-31E8CA844417> /usr/libexec/AssetCache/AssetCache
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/

Foundation.framework/Versions/C/Foundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AssetCacheLocatorService [25037]

Path: /System/Library/PrivateFrameworks/AssetCacheServices.framework/
Versions/A/XPCServices/AssetCacheLocatorService.xpc/Contents/MacOS/
AssetCacheLocatorService

Architecture: x86_64

Parent: launchd [1]

UID: 235

Sudden Term: Tracked (allows idle exit)

Task size: 5728 KB

Note: 1 idle work queue thread omitted

Thread 0x1ca8ac 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Thread 0x1ca8c6 Thread name "com.apple.NSURLConnectionLoader" 17
samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x107885000 - 0x1078befff com.apple.AssetCacheLocatorService 82.1
(82.1) <0D52D1A9-DA56-3485-B827-F2DC89F4756D> /System/Library/
PrivateFrameworks/AssetCacheServices.framework/Versions/A/XPCServices/
AssetCacheLocatorService.xpc/Contents/MacOS/AssetCacheLocatorService
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: assistantd [2132]

Path: /System/Library/PrivateFrameworks/AssistantServices.framework/
Versions/A/Support/assistantd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 26.18 MB
Note: 1 idle work queue thread omitted

Thread 0x17d7 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (assistantd + 40190) [0x10863dcfe] 1-17

17 ??? (assistantd + 41950) [0x10863e3de] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x108634000 - 0x108a84fff assistantd (1737.24.34.3)
<9D5ACCD5-2B45-3839-8321-809DF7FE2632> /System/Library/PrivateFrameworks/AssistantServices.framework/Versions/A/Support/assistantd

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AudioComponentRegistrar [11487]
Path: /System/Library/Frameworks/AudioToolbox.framework/
AudioComponentRegistrar
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 9084 KB
Note: 1 idle work queue thread omitted

Thread 0x1899d DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (AudioComponentRegistrar + 6938) [0x10d2c8b1a] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10d2c7000 - 0x10d2c8fff AudioComponentRegistrar (975.4.21.24)
<602876FE-99AF-3984-951A-9289D9592F13> /System/Library/Frameworks/
AudioToolbox.framework/AudioComponentRegistrar
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xffffffff8000200000 - 0xffffffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: AudioComponentRegistrar [40724]
Path: /System/Library/Frameworks/AudioToolbox.framework/
AudioComponentRegistrar
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 5856 KB
Note: 1 idle work queue thread omitted

Thread 0x99652 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (AudioComponentRegistrar + 6938) [0x1053dfb1a] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x1053de000 - 0x1053dffff AudioComponentRegistrar (975.4.21.24)
<602876FE-99AF-3984-951A-9289D9592F13> /System/Library/Frameworks/
AudioToolbox.framework/AudioComponentRegistrar
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: auditd [13732]
Path: /usr/sbin/auditd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 2236 KB
Note: 1 idle work queue thread omitted

Thread 0x2334d7 DispatchQueue 1 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (auditd + 11585) [0x10a218d41] 1-17
17 mach_msg_server + 369 (libsystem_kernel.dylib + 77652) [0x7fff52f05f54] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10a216000 - 0x10a219fff auditd (39)
<5F927D84-7B15-3936-9D99-E9C31F04407F> /usr/sbin/auditd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: authd [155]
Path: /System/Library/Frameworks/Security.framework/Versions/A/XPCServices/authd.xpc/Contents/MacOS/authd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 9532 KB
Note: 1 idle work queue thread omitted

Thread 0x479 DispatchQueue 10 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

```
17 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 1-17
17 _pthread_wqthread + 1387 (libsystem_pthread.dylib + 12649) [0x7fff530d7169]
1-17
17 _dispatch_worker_thread3 + 101 (libdispatch.dylib + 14165) [0x7fff52d87755]
1-17
17 _dispatch_root_queue_drain + 902 (libdispatch.dylib + 15148) [0x7fff52d87b2c]
1-17
17 _dispatch_client_callout + 8 (libdispatch.dylib + 7608) [0x7fff52d85db8] 1-17
17 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 38394)
[0x7fff52d8d5fa] 1-17
17 ??? (authd + 18161) [0x108ce86f1] 1-17
17 au_sdev_read_aia + 528 (libbsm.0.dylib + 60396) [0x7fff50cfcbec] 1-17
17 fgetc + 52 (libsystem_c.dylib + 246895) [0x7fff52e4a46f] 1-17
17 __srget + 14 (libsystem_c.dylib + 273977) [0x7fff52e50e39] 1-17
17 __srefill1 + 24 (libsystem_c.dylib + 273694) [0x7fff52e50d1e] 1-17
17 __read_nocancel + 10 (libsystem_kernel.dylib + 117738)
[0x7fff52f0fbea] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xffffffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xffffffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xffffffff8000744403]
1-17
*17 ??? (kernel + 5523045) [0xffffffff8000744665] 1-17
*17 ??? (kernel + 2874188) [0xffffffff80004bdb4c] 1-17
*17 VNOP_READ + 106 (kernel + 2931002) [0xffffffff80004cb93a]
1-17
*17 spec_read + 667 (kernel + 2973291) [0xffffffff80004d5e6b]
1-17
*17 ??? (kernel + 5057012) [0xffffffff80006d29f4] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094)
[0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983)
[0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xffffffff8000381e3d] 1-17
```

Thread 0x498 DispatchQueue 11 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

```
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17
```

Binary Images:

0x108ce4000 - 0x108d07fff com.apple.authd 1.0 (58286.70.15)
<5A2BE6C4-8457-3E94-8A32-B54B5353D2B5> /System/Library/Frameworks/
Security.framework/Versions/A/XPCServices/authd.xpc/Contents/MacOS/authd
0x7fff50cee000 - 0x7fff50cfefff libbsm.0.dylib (39) <18D57879-
A717-3466-9637-1704EE59A32A> /usr/lib/libbsm.0.dylib
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52e0e000 - 0x7fff52e97fff libsystem_c.dylib (1244.50.9)
<25DD83D8-80CA-3DFF-8626-FE704911F19C> /usr/lib/system/libsystem_c.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: autofsd [110]
Path: /usr/libexec/autofsd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 4408 KB
Note: 1 idle work queue thread omitted

Thread 0x8a0 DispatchQueue 11 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested default), process sudden termination clean, timers tier 3
(coalesced), IO tier 1>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10b129000 - 0x10b129fff autofsd (270.40.2)
<00CD28ED-1584-3ECE-9E9B-F10440116852> /usr/libexec/autofsd
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: automountd [13727]
Path: /usr/libexec/automountd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 8820 KB
Note: 1 idle work queue thread omitted

Thread 0x2331f8 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (automountd + 6953) [0x10a2c1b29] 1-17
17 __semwait_signal + 10 (libsystem_kernel.dylib + 118146) [0x7fff52f0fd82] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xffffffff8000290fc0] 1-17

Thread 0x2331fc Thread name "shutdown" 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (automountd + 7409) [0x10a2c1cf1] 1-17
17 __sigwait + 10 (libsystem_kernel.dylib + 118842) [0x7fff52f1003a] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xffffffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xffffffff8000802588] 1-17
*17 __sigwait_nocancel + 522 (kernel + 5412346) [0xffffffff80007295fa] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xffffffff8000381e3d] 1-17

Thread 0x2331fd Thread name "timeout" 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (automountd + 7690) [0x10a2c1e0a] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xffffffff7f810fa824] 1-17

Thread 0x2331fe Thread name "cache cleanup" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (automountd + 47527) [0x10a2cb9a7] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Thread 0x2331ff Thread name "wait for flush indication" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (automountd + 7840) [0x10a2c1ea0] 1-17
17 __ioctl + 10 (libsystem_kernel.dylib + 115706) [0x7fff52f0f3fa] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 ioctl + 1324 (kernel + 5528156) [0xfffff8000745a5c] 1-17
*17 fo_ioctl + 67 (kernel + 5196675) [0xfffff80006f4b83] 1-17
*17 ??? (kernel + 2876315) [0xfffff80004be39b] 1-17
*17 VNOP_IOCTL + 191 (kernel + 2931471) [0xfffff80004cbb0f] 1-17
*17 spec_ioctl + 113 (kernel + 2974465) [0xfffff80004d6301] 1-17
*17 autofs_ioctl + 413 (autofs + 19121) [0xfffff7f821fbab1] 1-17
*17 msleep + 98 (kernel + 5427330) [0xfffff800072d082] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e]

1-17
*17 thread_block_reason + 175 (kernel + 545983)
[0xfffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Thread 0x233211 Thread name "upcall receiver" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (automountd + 11667) [0x10a2c2d93] 1-17
17 mach_msg_server_once + 271 (libsystem_kernel.dylib + 76887)
[0x7fff52f05c57] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10a2c0000 - 0x10a2d8fff automountd (270.40.2) <06C567B9-D045-3D56-8AF3-B042B0E18D4B> /usr/libexec/automountd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1) <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
*0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1) <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/MacOS/pthread
*0xffffffff7f821f7000 - 0xffffffff7f821fefff com.apple.filesystems.autofs 5.0 (3.0) <C865A375-E424-3C76-8BB4-2322629CFA55> /System/Library/Extensions/autofs.kext/Contents/MacOS/autofs
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: Avast (Avast Security) [4406]
Path: /Applications/Avast.app/Contents/MacOS/Avast
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 35.14 MB

Process: Avast VPN Action [4537]
Path: /Applications/AvastSecureLine.app/Contents/Applications/Avast VPN Action.app/Contents/MacOS/Avast VPN Action
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 16.77 MB

Process: Avast VPN Status [10524]
Path: /Applications/AvastSecureLine.app/Contents/Applications/Avast VPN Status.app/Contents/MacOS/Avast VPN Status
Architecture: x86_64
Parent: launchd [1]
UID: 501

Sudden Term: Tracked
Task size: 16.75 MB

Process: awdd [34861]
Path: /System/Library/PrivateFrameworks/WirelessDiagnostics.framework/
Support/awdd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 8444 KB
Note: 1 idle work queue thread omitted

Thread 0x7db03 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (awdd + 21935) [0x1067895af] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:
0x106784000 - 0x106874fff awdd (930) <443580CB-F592-3F55-A77B-5713E356DEC9> /System/Library/PrivateFrameworks/
WirelessDiagnostics.framework/Support/awdd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: backgroundtaskmanagementagent [2137]

Path: /System/Library/CoreServices/backgroundtaskmanagementagent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 5900 KB
Note: 1 idle work queue thread omitted

Thread 0x181d 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10e8e3000 - 0x10e8fbfff backgroundtaskmanagementagent (71.21)
<2EDC9F55-020C-3461-93A4-1708458BFAD2> /System/Library/CoreServices/backgroundtaskmanagementagent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: backupd-helper [94]
Path: /System/Library/CoreServices/backupd.bundle/Contents/Resources/backupd-helper
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 23.57 MB
Note: 1 idle work queue thread omitted

Thread 0x290 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10003f000 - 0x10005afff backupd-helper (283.8.1)
<E2A37935-0066-355D-9CF2-5659AA85EADA> /System/Library/CoreServices/backupd.bundle/Contents/Resources/backupd-helper
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: bird [33004]
Path: /System/Library/PrivateFrameworks/CloudDocsDaemon.framework/
Versions/A/Support/bird
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 13.43 MB
Note: 1 idle work queue thread omitted

Thread 0x78338 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (bird + 6065) [0x1037137b1] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x103712000 - 0x103713fff bird (575.14)
<2276CB47-791C-390D-9318-BD3AF2C99ABF> /System/Library/PrivateFrameworks/
CloudDocsDaemon.framework/Versions/A/Support/bird
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-

```
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

```
Process:      bluetoothd [119]
Path:         /usr/sbin/bluetoothd
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Sudden Term:  Tracked
Task size:    11.49 MB
Note:         1 idle work queue thread omitted
```

```
Thread 0x287          DispatchQueue 1          17 samples (1-17)          priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (bluetoothd + 768365) [0x10bb9196d] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17
```

```
Thread 0x4aa          Thread name "com.apple.CFSocket.private"          17 samples
(1-17)          priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17
```

```
Binary Images:
0x10bad6000 - 0x10bd36fff bluetoothd (6007.4.20)          <8A106A55-
```

```

B992-3E0B-BBDC-542E39691862> /usr/sbin/bluetoothd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    CalendarAgent [2055]
Path:       /System/Library/PrivateFrameworks/CalendarAgent.framework/
Executables/CalendarAgent
Architecture: x86_64
Parent:     launchd [1]
UID:        501
Sudden Term: Tracked (allows idle exit)
Task size:  30.11 MB
Note:       2 idle work queue threads omitted

```

```

Thread 0x16b5      17 samples (1-17)      priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (CalendarAgent + 6108) [0x101ec17dc] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

```

Thread 0x4d39      Thread name "com.apple.NSURLConnectionLoader"      17
samples (1-17)      priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17

```

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Binary Images:

0x101ec0000 - 0x101ec1fff CalendarAgent (399.5.1)
<F865210B-6092-3016-84A7-733515F65B0B> /System/Library/PrivateFrameworks/
CalendarAgent.framework/Executables/CalendarAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: CallHistoryPluginHelper [2403]
Path: /System/Library/PrivateFrameworks/CallHistory.framework/Support/
CallHistoryPluginHelper
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 17.10 MB
Note: 1 idle work queue thread omitted

Thread 0x1bf9 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (CallHistoryPluginHelper + 5507) [0x10be46583] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10be45000 - 0x10be46fff CallHistoryPluginHelper (823)
<41B06824-1837-3EC0-9254-259AF51B8F11> /System/Library/PrivateFrameworks/
CallHistory.framework/Support/CallHistoryPluginHelper
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27aff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: callservicesd [2539]
Path: /System/Library/PrivateFrameworks/TelephonyUtilities.framework/
callservicesd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 26.01 MB
Note: 1 idle work queue thread omitted

Thread 0x1dac DispatchQueue 1 17 samples (1-17) priority 4 (base
4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (callservicesd + 1001923) [0x10aa7e9c3] 1-17
17 autoreleasepool<A>(invoking:) + 56 (libswiftObjectiveC.dylib + 15464)
[0x7fff4e075c68] 1-17
17 ??? (callservicesd + 1002108) [0x10aa7ea7c] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)

[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10a98a000 - 0x10aaf9fff callservicesd (975.11.5.1)
<7C8705C2-07AE-30D7-AC9B-41BC5F0F5354> /System/Library/PrivateFrameworks/
TelephonyUtilities.framework/callservicesd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff4e072000 - 0x7fff4e077fff libswiftObjectiveC.dylib (900.8.49.1)
<CC36ECB4-5503-322D-A93E-91442C757FA2> /System/Library/PrivateFrameworks/
Swift/libswiftObjectiveC.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: CalNCService [2208]
Path: /System/Library/PrivateFrameworks/CalendarNotification.framework/
Versions/A/XPCServices/CalNCService.xpc/Contents/MacOS/CalNCService
Architecture: x86_64
Parent: launchd [1]
Responsible: CalendarAgent [2055]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 25.18 MB
Note: 1 idle work queue thread omitted

Thread 0x196b DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

```

17 main + 111 (CalNCService + 48854) [0x103abbed6] 1-17
17 -[NSXPCListener resume] + 165 (Foundation + 487061) [0x7fff2cf29e95] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670)
[0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x103ab0000 - 0x103abffff com.apple.CalendarNotification.CalNCService
1.0 (550.4.2) <5470D76A-6C2A-30A0-9A75-8768697274CA> /System/Library/
PrivateFrameworks/CalendarNotification.framework/Versions/A/XPCServices/
CalNCService.xpc/Contents/MacOS/CalNCService
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    cfprefsd [157]
Path:       /usr/sbin/cfprefsd
Architecture: x86_64
Parent:     launchd [1]
UID:        0
Sudden Term: Tracked
Task size:  3248 KB

```


Note: 4 idle work queue threads omitted

Thread 0x35e DispatchQueue 11 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10fed4000 - 0x10fed4fff cfprefsd (1455.122)
<A2ABE09A-2A7A-3572-B1AD-CF4D629B3335> /usr/sbin/cfprefsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cfprefsd [2030]

Path: /usr/sbin/cfprefsd

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 4700 KB

Note: 4 idle work queue threads omitted

Thread 0x15c2 DispatchQueue 11 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x106e91000 - 0x106e91fff cfprefsd (1455.122)
<A2ABE09A-2A7A-3572-B1AD-CF4D629B3335> /usr/sbin/cfprefsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cfprefsd [2712]
Path: /usr/sbin/cfprefsd
Architecture: x86_64
Parent: launchd [1]
UID: 205
Sudden Term: Tracked (allows idle exit)
Task size: 1268 KB
Note: 1 idle work queue thread omitted

Thread 0x2020 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10498f000 - 0x10498ffff cfprefsd (1455.122)
<A2ABE09A-2A7A-3572-B1AD-CF4D629B3335> /usr/sbin/cfprefsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ckkeyrolld [84233]
Path: /usr/sbin/ckkeyrolld
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 13.27 MB (-8192 B)
CPU Time: <0.001s (78.3K cycles, 41.8K instructions, 1.87c/i)
Note: 2 idle work queue threads omitted

Thread 0x12cc4a DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x104d5b000 - 0x104d71fff ckkeyrolld (736.16)

<AB434F85-48FD-3C0E-8C39-6B181A13A177> /usr/sbin/ckkeyrolld
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cloudd [2044]
Path: /System/Library/PrivateFrameworks/CloudKitDaemon.framework/Support/
cloudd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 26.45 MB
CPU Time: <0.001s (349.7K cycles, 112.6K instructions, 3.10c/i)
Note: 3 idle work queue threads omitted

Thread 0x165b DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, process
unclamped, process received importance donation from secd [2041], process received
importance donation from imagent [2316], IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (cloudd + 10298) [0x10e45283a] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x10e450000 - 0x10e455fff cloudd (736.16)
<DCDAE888-7E82-347B-A482-F92830534D5B> /System/Library/PrivateFrameworks/
CloudKitDaemon.framework/Support/cloudd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

```

0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      CloudKeychainProxy [35140]
Path:         /System/Library/Frameworks/Security.framework/Versions/A/Resources/
CloudKeychainProxy.bundle/Contents/MacOS/CloudKeychainProxy
Architecture: x86_64
Parent:       launchd [1]
UID:          501
Sudden Term:  Tracked (allows idle exit)
Task size:    4972 KB
Note:         1 idle work queue thread omitted

```

```

Thread 0x7e0ef      DispatchQueue 1      17 samples (1-17)      priority 4 (base
4)

```

```

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (CloudKeychainProxy + 38922) [0x101fcb80a] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

```

Binary Images:

```

0x101fc2000 - 0x101fd5fff com.apple.security.cloudkeychainproxy3 10.0
(58286.70.15) <B564C986-41EC-3393-B757-D6A339CD3F64> /System/Library/
Frameworks/Security.framework/Versions/A/Resources/CloudKeychainProxy.bundle/
Contents/MacOS/CloudKeychainProxy

```

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cloudpaired [2317]
Path: /System/Library/CoreServices/cloudpaired
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 15.23 MB
Note: 1 idle work queue thread omitted

Thread 0x1b56 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x104ed9000 - 0x104f04fff cloudpaired (6007.4.20)
<A3B60F7E-96E6-3EA4-B403-3B652EDFB9F5> /System/Library/CoreServices/
cloudpaired
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cloudphotosd [38465]
Path: /System/Library/CoreServices/cloudphotosd.app/Contents/MacOS/
cloudphotosd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)

Task size: 25.30 MB

Note: 1 idle work queue thread omitted

Thread 0x8d925 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 115 (cloudphotosd + 736088) [0x10b8b9b58] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x8d939 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 4 (base 4)
<thread QoS background (requested user interactive), process sudden termination
clean, thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10b806000 - 0x10b8f5fff com.apple.cloudphotosd 3.0 (3291.13.230)
<D44FAA7A-BA77-321C-8E9C-BD5CEE244785> /System/Library/CoreServices/
cloudphotosd.app/Contents/MacOS/cloudphotosd
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: colorsync.useragent [38452]
Path: /System/Library/Frameworks/ColorSync.framework/Support/
colorsync.useragent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 5528 KB
Note: 1 idle work queue thread omitted

Thread 0x8d893 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Binary Images:

0x10bfd3000 - 0x10bfd6fff colorsync.useragent (3325)
<4FFCD9AC-06F9-34D9-B8CA-B125B7F79636> /System/Library/Frameworks/
ColorSync.framework/Support/colorsync.useragent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: colorsyncd [38453]
Path: /usr/libexec/colorsyncd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 3756 KB
Note: 1 idle work queue thread omitted

Thread 0x8d89a 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10222b000 - 0x10222dfff colorsyncd (3325)
<7C64A8D8-9979-3551-AD12-2527E4A6B804> /usr/libexec/colorsyncd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.AccountPolicyHelper [35146]
Path: /System/Library/PrivateFrameworks/AccountPolicy.framework/
XPCServices/com.apple.AccountPolicyHelper.xpc/Contents/MacOS/
com.apple.AccountPolicyHelper
Architecture: x86_64
Parent: launchd [1]
UID: 0

Sudden Term: Tracked (allows idle exit)
Task size: 4548 KB
Note: 1 idle work queue thread omitted

Thread 0x7e120 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x102fd4000 - 0x102fdefff com.apple.AccountPolicyHelper 1.0 (1)
<EB57C2D6-484E-39D3-A63F-90CDD6F357AE> /System/Library/PrivateFrameworks/
AccountPolicy.framework/XPCServices/com.apple.AccountPolicyHelper.xpc/Contents/
MacOS/com.apple.AccountPolicyHelper
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.AmbientDisplayAgent [2039]
Path: /System/Library/PrivateFrameworks/AmbientDisplay.framework/Versions/A/
XPCServices/com.apple.AmbientDisplayAgent.xpc/Contents/MacOS/
com.apple.AmbientDisplayAgent
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 9452 KB
Note: 1 idle work queue thread omitted

Thread 0x160b DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, process
unclamped, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 320 (com.apple.AmbientDisplayAgent + 11861) [0x10c1c7e55] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

```

    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x1638      17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, process
unclamped, IO tier 0>
    17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
    17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
    17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
    17 ??? (com.apple.AmbientDisplayAgent + 14076) [0x10c1c86fc] 1-17
    17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

    0x10c1c5000 - 0x10c1ccfff com.apple.AmbientDisplayAgent 1.0 (110)
<E600AFA1-B628-3502-9C11-A5655B1C47E9> /System/Library/PrivateFrameworks/
AmbientDisplay.framework/Versions/A/XPCServices/
com.apple.AmbientDisplayAgent.xpc/Contents/MacOS/com.apple.AmbientDisplayAgent
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/

```

libsystem_pthread.dylib

0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)

<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.appkit.xpc.openAndSavePanelService [13726]

Path: /System/Library/Frameworks/AppKit.framework/Versions/C/XPCServices/

com.apple.appkit.xpc.openAndSavePanelService.xpc/Contents/MacOS/

com.apple.appkit.xpc.openAndSavePanelService

Architecture: x86_64

Parent: launchd [1]

Responsible: Preview [13594]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 48.36 MB

Note: 1 idle work queue thread omitted

Thread 0x2331a1 DispatchQueue 1 17 samples (1-17) priority 46
(base 46)

<thread QoS user interactive (requested user interactive), process sudden termination
dirty, IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main + 208 (com.apple.appkit.xpc.openAndSavePanelService + 29592)
[0x10e2b8398] 1-17

17 NSViewServiceApplicationMain + 2903 (ViewBridge + 10942) [0x7fff4f90dabe]
1-17

17 -[NSXPCSharedListener resume] + 16 (ViewBridge + 19477) [0x7fff4f90fc15]
1-17

17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17

17 _xpc_objc_main + 580 (libxpc.dylib + 68955) [0x7fff5311ad5b] 1-17

17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17

17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17

17 -[NSViewServiceApplication

nextEventMatchingMask:untilDate:inMode:dequeue:] + 92 (ViewBridge + 19952)

[0x7fff4f90fdf0] 1-17

17 -[NSApplication(NSEvent)

_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17

17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17

17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox
+ 194692) [0x7fff2a098884] 1-17

17 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 1-17

17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17

```

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation +
536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x2331e9      Thread name "com.apple.NSEventThread"      17
samples (1-17)      priority 46 (base 46)
<thread QoS user interactive (requested user interactive), process sudden termination
dirty, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x10e2b1000 - 0x10e2bbfff
com.apple.appkit.xpc.openAndSavePanelService 1.0 (1) <6927926E-
BE20-3B1A-8FC3-74F5FB69D0AC> /System/Library/Frameworks/AppKit.framework/
Versions/C/XPCServices/com.apple.appkit.xpc.openAndSavePanelService.xpc/
Contents/MacOS/com.apple.appkit.xpc.openAndSavePanelService
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff4f90b000 - 0x7fff4f9dafff com.apple.ViewBridge 343.2 (343.2)
<0A295791-B763-3E58-A9DD-8E4F40E815C9> /System/Library/PrivateFrameworks/

```

ViewBridge.framework/Versions/A/ViewBridge
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.CloudPhotosConfiguration [4418]
Path: /System/Library/PrivateFrameworks/CloudPhotoServices.framework/
Versions/A/Frameworks/CloudPhotosConfigurationXPC.framework/Versions/A/
XPCServices/com.apple.CloudPhotosConfiguration.xpc/Contents/MacOS/
com.apple.CloudPhotosConfiguration
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 19.19 MB
Note: 1 idle work queue thread omitted

Thread 0x2fe2 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 24 (com.apple.CloudPhotosConfiguration + 10395) [0x10f71889b] 1-17
17 +[CPSCConfigurationService run] + 53 (com.apple.CloudPhotosConfiguration + 10717) [0x10f7189dd] 1-17
17 -[CPSCConfigurationService run] + 199 (com.apple.CloudPhotosConfiguration + 10929) [0x10f718ab1] 1-17
17 -[NSXPCListener resume] + 165 (Foundation + 487061) [0x7fff2cf29e95] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 __xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10f716000 - 0x10f727fff com.apple.CloudPhotosConfiguration 3.0
(3291.13.230) <BEAD1D6D-8ECD-3733-B896-B3E1DB7D0714> /System/Library/
PrivateFrameworks/CloudPhotoServices.framework/Versions/A/Frameworks/
CloudPhotosConfigurationXPC.framework/Versions/A/XPCServices/
com.apple.CloudPhotosConfiguration.xpc/Contents/MacOS/
com.apple.CloudPhotosConfiguration
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.CodeSigningHelper [658]
Path: /System/Library/Frameworks/Security.framework/Versions/A/XPCServices/
com.apple.CodeSigningHelper.xpc/Contents/MacOS/com.apple.CodeSigningHelper
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 6400 KB
Note: 1 idle work queue thread omitted

Thread 0xa8a DispatchQueue 11 17 samples (1-17) priority 4 (base
4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10382a000 - 0x10382bfff com.apple.CodeSigningHelper 1.0 (1)
<D6B75007-5336-3EAA-AA00-6AFC1F65F363> /System/Library/Frameworks/
Security.framework/Versions/A/XPCServices/com.apple.CodeSigningHelper.xpc/
Contents/MacOS/com.apple.CodeSigningHelper
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.CommerceKit.TransactionService [76320]
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/
XPCServices/com.apple.CommerceKit.TransactionService.xpc/Contents/MacOS/
com.apple.CommerceKit.TransactionService
Architecture: x86_64
Parent: launchd [1]
Responsible: storeassetd [2542]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 10.17 MB
Note: 1 idle work queue thread omitted

Thread 0x11c5c5 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x101c6e000 - 0x101e4dfff com.apple.CommerceKit.TransactionService
1.0 (658.2) <BE4D38F7-D2AA-369B-ADA4-D1428FF1808F> /System/Library/
PrivateFrameworks/CommerceKit.framework/Versions/A/XPCServices/
com.apple.CommerceKit.TransactionService.xpc/Contents/MacOS/
com.apple.CommerceKit.TransactionService
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.ctkpcscd [219]
Path: /System/Library/Frameworks/PCSC.framework/Versions/A/XPCServices/

com.apple.ctkpcscd.xpc/Contents/MacOS/com.apple.ctkpcscd

Architecture: x86_64

Parent: launchd [1]

Responsible: securityd [105]

UID: 0

Sudden Term: Tracked (allows idle exit)

Task size: 7528 KB

Note: 1 idle work queue thread omitted

Thread 0x4d7 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x108496000 - 0x1084a0fff com.apple.ctkpcscd 1.0 (1)
<D19EBE01-3BDF-395A-9B90-DACA673EA260> /System/Library/Frameworks/
PCSC.framework/Versions/A/XPCServices/com.apple.ctkpcscd.xpc/Contents/MacOS/
com.apple.ctkpcscd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.dock.extra [2184]

Path: /System/Library/CoreServices/Dock.app/Contents/XPCServices/
com.apple.dock.extra.xpc/Contents/MacOS/com.apple.dock.extra

Architecture: x86_64

Parent: launchd [1]

Responsible: Dock [2035]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 23.93 MB

CPU Time: <0.001s (241.6K cycles, 67.2K instructions, 3.59c/i)

Note: 1 idle work queue thread omitted

Thread 0x18f3 DispatchQueue 1 17 samples (1-17) priority 46
(base 46) cpu time <0.001s (144.6K cycles, 36.1K instructions, 4.00c/i)
<thread QoS user interactive (requested user interactive), process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (com.apple.dock.extra + 4160) [0x101afd040] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17


```

17 _xpc_objc_main + 580 (libxpc.dylib + 68955) [0x7fff5311ad5b] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x199d      Thread name "com.apple.NSEventThread"      17
samples (1-17)    priority 46 (base 46)
<thread QoS user interactive (requested user interactive), process sudden termination
dirty, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x101afc000 - 0x101afffff com.apple.dock.extra 1.0 (1)
<17676438-3F66-3F10-B245-F2DF2829CA5B> /System/Library/CoreServices/
Dock.app/Contents/XPCServices/com.apple.dock.extra.xpc/Contents/MacOS/

```

```

com.apple.dock.extra
    0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
    0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
    0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
    *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      com.apple.geod [38471]
Path:         /System/Library/PrivateFrameworks/GeoServices.framework/Versions/A/
XPCServices/com.apple.geod.xpc/Contents/MacOS/com.apple.geod
Architecture: x86_64
Parent:       launchd [1]
UID:          501
Sudden Term:  Tracked (allows idle exit)
Task size:    15.98 MB (+8192 B)
CPU Time:     <0.001s (247.9K cycles, 62.4K instructions, 3.98c/i)
Note:         2 idle work queue threads omitted

```

```

Thread 0x8dcb7      DispatchQueue 1      17 samples (1-17)      priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
  17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
  17 ??? (com.apple.geod + 117269) [0x100692a15] 1-17
  17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
  17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
      17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

```

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Thread 0x8dcd1 Thread name "NetworkLoad" 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 _runNetworkThread + 480 (GeoServices + 85274) [0x7fff43cbfd1a] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]

1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0xc326a Thread name "com.apple.NSURLConnectionLoader" 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17

17 -[__CoreSchedulingSetRunnable runForever] + 722 (CFNetwork + 2384216) [0x7fff29ef8158] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]

1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x23427b 9 samples (1-9) priority 4 (base 4)

<thread QoS background, process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

*9 wq_unpark_continue + 0 (pthread + 15235) [0xffffffff7f810f4b83] 1-9

Binary Images:

0x100676000 - 0x10069afff com.apple.geod 1.0 (1363.24.8.15.58)
<18D77B79-045A-368A-93C6-1A1293B18C22> /System/Library/PrivateFrameworks/
GeoServices.framework/Versions/A/XPCServices/com.apple.geod.xpc/Contents/
MacOS/com.apple.geod
0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
<46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/
CFNetwork.framework/Versions/A/CFNetwork
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff43cab000 - 0x7fff445edfff com.apple.GeoServices 1.0 (1363.24.8.15.58)
<9686AD86-FE07-3604-B91C-D372FF641E8E> /System/Library/PrivateFrameworks/
GeoServices.framework/Versions/A/GeoServices
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.hiservices-xpcservice [38057]
Path: /System/Library/Frameworks/ApplicationServices.framework/Versions/A/
Frameworks/HIServices.framework/Versions/A/XPCServices/com.apple.hiservices-
xpcservice.xpc/Contents/MacOS/com.apple.hiservices-xpcservice
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 5456 KB
Note: 1 idle work queue thread omitted

Thread 0x8b577 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,

thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10a923000 - 0x10a927fff com.apple.hiservices-xpcservice 1.22 (625)
<A38455CF-B9B0-3E77-8EAF-428AAA0C0EFE> /System/Library/Frameworks/
ApplicationServices.framework/Versions/A/Frameworks/HIServices.framework/Versions/
A/XPCServices/com.apple.hiservices-xpcservice.xpc/Contents/MacOS/
com.apple.hiservices-xpcservice
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.ifdreader [44658]

Path: /System/Library/CryptoTokenKit/com.apple.ifdreader.slotd/Contents/
MacOS/com.apple.ifdreader

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Task size: 8940 KB

Note: 1 idle work queue thread omitted

Thread 0xc6459 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main + 1115 (com.apple.ifdreader + 6238) [0x10dd4385e] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

[0xfffff8000251950] 1-17

Binary Images:

0x10dd42000 - 0x10dd4efff com.apple.ifdreader 1.0 (1)
<C84D1C22-9AF0-36EA-92A1-6D6F23CCD486> /System/Library/CryptoTokenKit/
com.apple.ifdreader.slotd/Contents/MacOS/com.apple.ifdreader
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.iTunesLibraryService [283]
Path: /Library/Frameworks/iTunesLibrary.framework/Versions/A/XPCServices/
com.apple.iTunesLibraryService.xpc/Contents/MacOS/com.apple.iTunesLibraryService
Architecture: x86_64
Parent: launchd [1]
Responsible: assistantd [2132]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 8960 KB
Note: 1 idle work queue thread omitted

Thread 0x175b61 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x101ec7000 - 0x101f96fff com.apple.iTunesLibraryService 12.8.2 (12.8.2)
<2B75092C-BDB0-3F66-8DDE-B0CE41689803> /Library/Frameworks/
iTunesLibrary.framework/Versions/A/XPCServices/com.apple.iTunesLibraryService.xpc/
Contents/MacOS/com.apple.iTunesLibraryService
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.MediaLibraryService [68066]
Path: /System/Library/Frameworks/MediaLibrary.framework/Versions/A/
XPCServices/com.apple.MediaLibraryService.xpc/Contents/MacOS/
com.apple.MediaLibraryService
Architecture: x86_64
Parent: launchd [1]
Responsible: cloudphotosd [38465]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 32.34 MB
Note: 1 idle work queue thread omitted

Thread 0x1016be DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 100 (com.apple.MediaLibraryService + 4242) [0x10bceb092] 1-17
17 -[NSXPCListener resume] + 165 (Foundation + 487061) [0x7fff2cf29e95] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670)
[0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10bcea000 - 0x10bcf4fff com.apple.MediaLibraryService 1.4.0 (751)
<CA4D631D-87BE-3167-B0DB-0849DE3FF073> /System/Library/Frameworks/
MediaLibrary.framework/Versions/A/XPCServices/com.apple.MediaLibraryService.xpc/
Contents/MacOS/com.apple.MediaLibraryService
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

```

0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      com.apple.Notes.datastore [2930]
Path:         /System/Library/PrivateFrameworks/NotesShared.framework/Versions/A/
XPCServices/com.apple.Notes.datastore.xpc/Contents/MacOS/
com.apple.Notes.datastore
Architecture: x86_64
Parent:       launchd [1]
UID:          501
Sudden Term:  Tracked (allows idle exit)
Task size:    7820 KB
Note:         1 idle work queue thread omitted

```

```

Thread 0x21083e      DispatchQueue 1      17 samples (1-17)      priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 187 (com.apple.Notes.datastore + 8880) [0x10cdb52b0] 1-17
17 ??? (com.apple.Notes.datastore + 5610) [0x10cdb45ea] 1-17
17 -[NSXPCListener resume] + 165 (Foundation + 487061) [0x7fff2cf29e95] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670)
[0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

```


[0xfffff8000251950] 1-17

Binary Images:

0x10cdb3000 - 0x10cdbafff com.apple.Notes.datastore 1.0 (876.1)
<82489C55-4ABF-37DA-8C08-0F61170B75DB> /System/Library/PrivateFrameworks/
NotesShared.framework/Versions/A/XPCServices/com.apple.Notes.datastore.xpc/
Contents/MacOS/com.apple.Notes.datastore
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.PerformanceAnalysis.animationperfd [729]
Path: /System/Library/PrivateFrameworks/PerformanceAnalysis.framework/
Versions/A/XPCServices/com.apple.PerformanceAnalysis.animationperfd.xpc/Contents/
MacOS/com.apple.PerformanceAnalysis.animationperfd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 5860 KB
Note: 2 idle work queue threads omitted

Thread 0xc01 DispatchQueue 11 17 samples (1-17) priority 4 (base
4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x103412000 - 0x10341bfff com.apple.PerformanceAnalysis.animationperfd
1.2 (2) <4D0CE616-8290-3103-8104-B432FA47C59C> /System/Library/
PrivateFrameworks/PerformanceAnalysis.framework/Versions/A/XPCServices/

com.apple.PerformanceAnalysis.animationperfd.xpc/Contents/MacOS/
com.apple.PerformanceAnalysis.animationperfd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.photomodel [38470]
Path: /System/Library/PrivateFrameworks/PhotoLibraryPrivate.framework/
Versions/A/Frameworks/PhotoLibraryServices.framework/Versions/A/XPCServices/
com.apple.photomodel.xpc/Contents/MacOS/com.apple.photomodel
Architecture: x86_64
Parent: launchd [1]
Responsible: photolibraryd [4194]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 17.83 MB
Note: 1 idle work queue thread omitted

Thread 0x8dca0 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10a5b4000 - 0x10a5b9fff com.apple.photomodel 3.0 (3291.13.230)
<8612BAB6-3415-315C-A72E-CF0B6F6D6831> /System/Library/PrivateFrameworks/
PhotoLibraryPrivate.framework/Versions/A/Frameworks/
PhotoLibraryServices.framework/Versions/A/XPCServices/com.apple.photomodel.xpc/
Contents/MacOS/com.apple.photomodel
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.photomoments [38469]
Path: /System/Library/PrivateFrameworks/PhotoLibraryPrivate.framework/
Versions/A/Frameworks/PhotoLibraryServices.framework/Versions/A/XPCServices/
com.apple.photomoments.xpc/Contents/MacOS/com.apple.photomoments
Architecture: x86_64
Parent: launchd [1]
Responsible: photolibraryd [4194]

UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 21.21 MB
Note: 1 idle work queue thread omitted

Thread 0x8dc5d DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x8dcb5 Thread name "NetworkLoad" 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x109dac000 - 0x109db1fff com.apple.photomoments 3.0 (3291.13.230)
<FBFD4EA0-C647-3231-B7D9-4FE8316C317F> /System/Library/PrivateFrameworks/
PhotoLibraryPrivate.framework/Versions/A/Frameworks/
PhotoLibraryServices.framework/Versions/A/XPCServices/
com.apple.photomoments.xpc/Contents/MacOS/com.apple.photomoments
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.apple.quicklook.ThumbnailsAgent [68062]
Path: /System/Library/PrivateFrameworks/QuickLookThumbnailing.framework/
Support/com.apple.quicklook.ThumbnailsAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 10.20 MB
Note: 1 idle work queue thread omitted

Thread 0x1016b9 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

```

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (com.apple.quicklook.ThumbnailsAgent + 44149) [0x101fab7c75] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x101fa1000 - 0x101fb7fff com.apple.quicklook.ThumbnailsAgent (49.3)
<F28D2360-86B8-3BB4-BDC2-863F5E96180B> /System/Library/PrivateFrameworks/
QuickLookThumbnailing.framework/Support/com.apple.quicklook.ThumbnailsAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      com.apple.siri-distributed-evaluation [74737]
Path:         /System/Library/PrivateFrameworks/DistributedEvaluation.framework/
Versions/A/XPCServices/com.apple.siri-distributed-evaluation.xpc/Contents/MacOS/
com.apple.siri-distributed-evaluation
Architecture: x86_64
Parent:       launchd [1]
UID:          501
Sudden Term:  Tracked (allows idle exit)
Task size:    5484 KB
Note:         1 idle work queue thread omitted

```

```

Thread 0x11b3ec      DispatchQueue 1      17 samples (1-17)      priority 4

```

(base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x108ce6000 - 0x108cedfff com.apple.siri-distributed-evaluation 1.0 (1)
<F23ADAFE-E682-366A-9C1C-DE319FED47BD> /System/Library/
PrivateFrameworks/DistributedEvaluation.framework/Versions/A/XPCServices/
com.apple.siri-distributed-evaluation.xpc/Contents/MacOS/com.apple.siri-distributed-
evaluation

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.avast.api.xpc [4669]

Path: /Applications/Avast.app/Contents/XPCServices/com.avast.api.xpc

Architecture: x86_64

Parent: launchd [1]

UID: 0

Task size: 11.83 MB

Note: 1 idle work queue thread omitted

Thread 0x32ad DispatchQueue 1 17 samples (1-17) priority 20
(base 20)

<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (com.avast.api.xpc + 5594) [0x108ec95da] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Thread 0x32ae      17 samples (1-17)      priority 20 (base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 void*
std::__1::__thread_proxy<std::__1::tuple<std::__1::unique_ptr<std::__1::__thread_struct
, std::__1::default_delete<std::__1::__thread_struct> >,
asw::msgcomm::detail::BackgroundThread::GetRunThreadHolder()::$_0> >(void*) + 50
(AvastAVAPI + 387250) [0x108f398b2] 1-17
17 ev_run + 725 (AvastAVAPI + 367141) [0x108f34a25] 1-17
17 poll + 10 (libsystem_kernel.dylib + 123034) [0x7fff52f1109a] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 poll_nocancel + 1096 (kernel + 5534952) [0xfffff80007474e8] 1-17
*17 kqueue_scan + 205 (kernel + 5248157) [0xfffff800070149d] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

```

Binary Images:

```

0x108ec8000 - 0x108eccfff com.avast.api.xpc (0)
<95848D6C-61FD-3626-8593-F6C3EA06C1A1> /Applications/Avast.app/Contents/
XPCServices/com.avast.api.xpc
0x108edb000 - 0x109009fff com.avast.api 1.0 (0)
<EEDACF9E-4650-3E47-BC26-EB144E83214C> /Applications/Avast.app/Contents/
Frameworks/AvastAVAPI.framework/Versions/A/AvastAVAPI
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

Process: com.avast.daemon [262]

Path: /Applications/Avast.app/Contents/Backend/services/com.avast.daemon
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 68.39 MB
CPU Time: <0.001s (79.1K cycles, 23.0K instructions, 3.44c/i)

Thread 0x552 17 samples (1-17) priority 20 (base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 3348 (com.avast.daemon + 15732) [0x106e99d74] 1-17
17 ev_run + 725 (com.avast.daemon + 634149) [0x106f30d25] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x102f 17 samples (1-17) priority 20 (base 20) cpu time
<0.001s (79.1K cycles, 23.0K instructions, 3.44c/i)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 asw::root::ThreadFncWrapper(void*) + 101 (com.avast.daemon + 486453)
[0x106f0cc35] 1-17
17 asw::root::CommonThread(void*) + 243 (com.avast.daemon + 389283)
[0x106ef50a3] 1-17
17 StrUpdateThreadWrapper(void*, bool (*)(void*), void*) + 15
(com.avast.daemon + 329615) [0x106ee678f] 1-17
17 StreamingUpdateClient::StrUpdateThread() + 1775 (com.avast.daemon +
320687) [0x106ee44af] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x1032 17 samples (1-17) priority 20 (base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 void* std::__1::__thread_proxy<std::__1::tuple<void (*)()>>(void*) + 93
(com.avast.daemon + 112669) [0x106eb181d] 1-17
17 watchdog_checker() + 91 (com.avast.daemon + 112315) [0x106eb16bb] 1-17
17 std::__1::condition_variable::wait(std::__1::unique_lock<std::__1::mutex>&)
+ 18 (libc++.1.dylib + 27824) [0x7fff50d13cb0] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16]
1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Thread 0x1033 17 samples (1-17) priority 20 (base 20)

```

<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 void* std::__1::__thread_proxy<std::__1::tuple<void (*)()>>(void*) + 93
(com.avast.daemon + 112669) [0x106eb181d] 1-17
17 watchdog_main() + 73 (com.avast.daemon + 112457) [0x106eb1749] 1-17
17 sleep + 41 (libsystem_c.dylib + 509318) [0x7fff52e8a586] 1-17
17 __semwait_signal + 10 (libsystem_kernel.dylib + 118146) [0x7fff52f0fd82]
1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

```

Binary Images:

```

0x106e96000 - 0x106f53fff com.avast.daemon (0) <2963A096-
BE24-379C-941E-44744B0F764E> /Applications/Avast.app/Contents/Backend/
services/com.avast.daemon
0x7fff50d0d000 - 0x7fff50d63fff libc++.1.dylib (400.9) <142D6292-
F30F-3949-9F37-3C97A579F540> /usr/lib/libc++.1.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52e0e000 - 0x7fff52e97fff libsystem_c.dylib (1244.50.9)
<25DD83D8-80CA-3DFF-8626-FE704911F19C> /usr/lib/system/libsystem_c.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1) <E64F7A49-
CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/
MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      com.avast.hns [572]
Path:         /Applications/Avast.app/Contents/Backend/services/com.avast.hns
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Task size:    6864 KB
CPU Time:     <0.001s (196.3K cycles, 61.2K instructions, 3.21c/i)
Note:         1 idle work queue thread omitted

```

```

Thread 0xa55      DispatchQueue 11      17 samples (1-17)      priority 20
(base 20)

```

```

<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 <truncated backtrace> 1-17

```


17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x102172000 - 0x10220ffff com.avast.hns (0)
<6DAAE976-18A4-34C5-9297-3CC63C518E20> /Applications/Avast.app/Contents/
Backend/services/com.avast.hns
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.avast.hub [2694]
Path: /Library/Application Support/AvastHUB/com.avast.hub.app/Contents/
MacOS/com.avast.hub
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 8968 KB

Process: com.avast.hub.worker [2695]
Path: /Library/Application Support/AvastHUB/com.avast.hub.app/Contents/
Helpers/com.avast.hub.worker
Architecture: x86_64
Parent: com.avast.hub [2694]
Responsible: com.avast.hub [2694]
UID: 501
Task size: 9348 KB
Note: 1 idle work queue thread omitted

Thread 0x182a0a DispatchQueue 11 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10a545000 - 0x10a56afff com.avast.hub.worker (0)
<F72B7EDC-9024-34E3-B4E5-1D47D1808D1A> /Library/Application Support/
AvastHUB/com.avast.hub.app/Contents/Helpers/com.avast.hub.worker
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-

```
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

```
Process:      com.avast.osx.secureline.service [9611]
Path:         /Library/Application Support/AvastSecureLine/*/
com.avast.osx.secureline.service
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Task size:    6292 KB
Note:         1 idle work queue thread omitted
```

```
Thread 0x76db      DispatchQueue 1      17 samples (1-17)      priority 20
(base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 520 (com.avast.osx.secureline.service + 249769) [0x109520fa9] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17
```

```
Thread 0x76de      DispatchQueue 19      17 samples (1-17)      priority 20
(base 20)
<thread QoS utility (requested utility, ipc override utility), timers tier 3 (coalesced), IO
tier 1>
17 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 1-17
17 _pthread_wqthread + 980 (libsystem_pthread.dylib + 12242) [0x7fff530d6fd2]
1-17
17 _dispatch_workloop_worker_thread + 880 (libdispatch.dylib + 109857)
[0x7fff52d9ed21] 1-17
17 _dispatch_root_queue_drain_deferred_wlh + 332 (libdispatch.dylib + 93965)
[0x7fff52d9af0d] 1-17
```

```

17 _dispatch_queue_invoke + 373 (libdispatch.dylib + 37222) [0x7fff52d8d166]
1-17
17 _dispatch_queue_serial_drain + 907 (libdispatch.dylib + 90919)
[0x7fff52d9a327] 1-17
17 _dispatch_client_callout + 8 (libdispatch.dylib + 7608) [0x7fff52d85db8]
1-17
17 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 38394)
[0x7fff52d8d5fa] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

```

Binary Images:

```

0x1094e4000 - 0x109589fff com.avast.osx.secureline.service (0)
<1FC5F4BD-E53C-3B59-8B7C-DD1333B7D5AB> /Library/Application Support/
AvastSecureLine/*/com.avast.osx.secureline.service
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    com.avast.osx.secureline.update-agent [9056]
Path:      /Library/Application Support/AvastSecureLine/*/
com.avast.osx.secureline.update-agent
Architecture: x86_64
Parent:    launchd [1]
UID:      501
Task size: 520 KB

```

```

Thread 0x7245      17 samples (1-17)      priority 20 (base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 __accept + 10 (libsystem_kernel.dylib + 114382) [0x7fff52f0eece] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17

```

```

*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 accept_nocancel + 417 (kernel + 5778529) [0xfffff8000782c61] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xfffff8000381e3d]

```

1-17

Binary Images:

```

0x1021fe000 - 0x1021ffff com.avast.osx.secureline.update-agent (0)
<25E84D03-12F7-376E-A525-2F773EF37422> /Library/Application Support/
AvastSecureLine/*/com.avast.osx.secureline.update-agent
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process: com.avast.service [414]
Path: /Applications/Avast.app/Contents/Backend/services/com.avast.service
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 6292 KB
CPU Time: <0.001s (367.7K cycles, 134.7K instructions, 2.73c/i)
Note: 1 idle work queue thread omitted

```

```

Thread 0x8da DispatchQueue 1 17 samples (1-17) priority 20
(base 20) cpu time <0.001s (367.7K cycles, 134.7K instructions, 2.73c/i)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 1788 (com.avast.service + 20236) [0x10e0d4f0c] 1-17
17 ev_run + 725 (com.avast.service + 1334437) [0x10e215ca5] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0cf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

```

```

Thread 0xe8f 17 samples (1-17) priority 20 (base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

```

Binary Images:

```

0x10e0d0000 - 0x10e25ffff com.avast.service (0)

```

<F6BC75BD-1BE9-3E68-9F65-30F6A8CACF48> /Applications/Avast.app/Contents/
Backend/services/com.avast.service
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.paragon-software.ntfsd [2768]
Path: /Library/Application Support/Paragon Software/com.paragon-software.ntfsd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 6572 KB
Note: 1 idle work queue thread omitted

Thread 0x209b DispatchQueue 11 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x106bbd000 - 0x106bc9fff com.paragon-software.ntfsd (0)
<50FE8ADE-A1DA-3153-B151-C26AB2453505> /Library/Application Support/Paragon
Software/com.paragon-software.ntfsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: com.spitfireaudio.LibraryManagerHelper [91]
Path: /Library/PrivilegedHelperTools/com.spitfireaudio.LibraryManagerHelper
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 10.99 MB
CPU Time: <0.001s (109.0K cycles, 22.2K instructions, 4.92c/i)
Note: 1 idle work queue thread omitted

Thread 0x682 17 samples (1-17) priority 20 (base 20) cpu time
<0.001s (48.9K cycles, 9.9K instructions, 4.94c/i)

```

<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2631364) [0x1061436c4] 1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2630115) [0x1061431e3] 1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2631599) [0x1061437af]
1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2632048) [0x106143970]
1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2625763) [0x1061420e3]
1-17
17
std::__1::condition_variable::__do_timed_wait(std::__1::unique_lock<std::__1::mutex>&
, std::__1::chrono::time_point<std::__1::chrono::system_clock,
std::__1::chrono::duration<long long, std::__1::ratio<1l, 1000000000l> > >) + 93 (libc++.
1.dylib + 27971) [0x7fff50d13d43] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270)
[0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

```

Thread 0x683 17 samples (1-17) priority 20 (base 20) cpu time
<0.001s (60.1K cycles, 12.3K instructions, 4.90c/i)

```

<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2625177) [0x106141e99] 1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2625563) [0x10614201b]
1-17
17 ??? (com.spitfireaudio.LibraryManagerHelper + 2625763) [0x1061420e3]
1-17
17
std::__1::condition_variable::__do_timed_wait(std::__1::unique_lock<std::__1::mutex>&
, std::__1::chrono::time_point<std::__1::chrono::system_clock,
std::__1::chrono::duration<long long, std::__1::ratio<1l, 1000000000l> > >) + 93 (libc++.
1.dylib + 27971) [0x7fff50d13d43] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16]
1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

```

Thread 0x685 17 samples (1-17) priority 20 (base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x105ec1000 - 0x1064f1fff com.spitfireaudio.LibraryManagerHelper (0)
<C21AA002-104D-31C0-B0EE-74D02B8E3102> /Library/PrivilegedHelperTools/
com.spitfireaudio.LibraryManagerHelper
0x7fff50d0d000 - 0x7fff50d63fff libc++.1.dylib (400.9) <142D6292-
F30F-3949-9F37-3C97A579F540> /usr/lib/libc++.1.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: commerce [2264]
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/
Resources/commerce
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 15.53 MB (-8192 B)
CPU Time: <0.001s (70.2K cycles, 40.1K instructions, 1.75c/i)
Note: 2 idle work queue threads omitted

Thread 0x1a36 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested utility), process sudden termination clean, thread
darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (commerce + 132208) [0x10ea17470] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x227b Thread name "com.apple.NSURLConnectionLoader" 17

samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>

17 <truncated backtrace> 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Binary Images:

0x10e9f7000 - 0x10ec08fff commerce (658.2) <D45F6C95-C173-3AEC-B661-D3A6B50C6F2D> /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/Resources/commerce

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122) <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: configd [74]

Path: /usr/libexec/configd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 10.51 MB

CPU Time: 0.002s (2.8M cycles, 1440.6K instructions, 1.97c/i)

Note: 1 idle work queue thread omitted

Thread 0x264 DispatchQueue 1 Thread name "SCDynamicStore"
17 samples (1-17) priority 37 (base 37) cpu time 0.002s (2.8M cycles, 1440.6K
instructions, 1.97c/i)

<thread QoS user initiated (requested user initiated), process sudden termination
clean, IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (configd + 12451) [0x10afd50a3] 1-17

17 ??? (configd + 17526) [0x10afd6476] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

10 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-10


```

10 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-10
10 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-10
*10 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-10
1 __CFRunLoopRun + 2848 (CoreFoundation + 533936) [0x7fff2adb95b0] 11
1 __CFRunLoopDoSource1 + 533 (CoreFoundation + 567333)
[0x7fff2adc1825] 11
1
__CFRUNLOOP_IS_CALLING_OUT_TO_A_SOURCE1_PERFORM_FUNCTION__ +
41 (CoreFoundation + 567513) [0x7fff2adc18d9] 11
1 __CFMachPortPerform + 310 (CoreFoundation + 567846)
[0x7fff2adc1a26] 11
1 ??? (configd + 16388) [0x10afd6004] 11
1 ??? (configd + 15904) [0x10afd5e20] 11
1 ??? (configd + 10494) [0x10afd48fe] 11
1 ??? (configd + 5709) [0x10afd364d] 11
1 ??? (configd + 34364) [0x10afda63c] 11
1 ??? (configd + 26669) [0x10afd882d] 11
1 _SC_CFMachPortCreateWithPort + 52 (SystemConfiguration +
19931) [0x7fff3735cddb] 11
1 _CFMachPortCreateWithPort2 + 1055 (CoreFoundation +
462143) [0x7fff2ada7d3f] 11
1 CFMachPortIsValid + 150 (CoreFoundation + 462454)
[0x7fff2ada7e76] 11
1 _kernelrpc_mach_port_type + 96 (libsystem_kernel.dylib +
27134) [0x7fff52ef99fe] 11
1 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 11
*1 hndl_mach_scall64 + 22 (kernel + 120422)
[0xfffff800021d666] 11
*1 mach_call_munger64 + 509 (kernel + 1508077)
[0xfffff80003702ed] 11
*1 mach_msg_overwrite_trap + 772 (kernel + 393572)
[0xfffff8000260164] 11
*1 mach_msg_receive_results + 807 (kernel + 391911)
[0xfffff800025fae7] (running) 11
6 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 12-17
6 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 12-17
6 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
12-17
*6 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
12-17

```

Thread 0x337

Thread name "Main plugin thread"

17 samples

(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x37f Thread name "InterfaceNamer thread" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (configd + 76311) [0x10afe4a17] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x478 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x47c Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x48b 17 samples (1-17) priority 31 (base 31)
 <thread QoS default (requested default), process sudden termination clean, IO tier 0>
 17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
 17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
 17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
 17 captived_thread + 267 (CaptiveNetworkSupport + 18849) [0x10b1249a1] 1-17
 17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
 [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
 [0xfffff8000251950] 1-17

Thread 0x495 17 samples (1-17) priority 31 (base 31)
 <thread QoS default (requested default), process sudden termination clean, IO tier 0>
 17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
 17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
 17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
 17 ??? (EAPOLController + 18669) [0x10b0ae8ed] 1-17
 17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
 [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
 [0xfffff8000251950] 1-17

Binary Images:

0x10afd2000 - 0x10b02cfff configd (963.50.9)
 <A8A76853-62FA-3ED4-B870-287C4C7C2667> /usr/libexec/configd
 0x10b0aa000 - 0x10b0b0fff
 com.apple.SystemConfiguration.EAPOLController 14.0.0 (14.0) <7C32FAAB-B21E-3E83-9235-D744ACA96B8F> /System/Library/SystemConfiguration/
 EAPOLController.bundle/Contents/MacOS/EAPOLController
 0x10b120000 - 0x10b140fff
 com.apple.SystemConfiguration.CaptiveNetworkSupport 16.0.0 (1.0) <0C9B806C-D7E5-3AE7-BAE7-62853D24F6D7> /System/Library/SystemConfiguration/

CaptiveNetworkSupport.bundle/Contents/MacOS/CaptiveNetworkSupport
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff37358000 - 0x7fff373c8fff com.apple.SystemConfiguration 1.17 (1.17)
<41D509AB-AED3-30FF-BB00-615BB5A8AC00> /System/Library/Frameworks/
SystemConfiguration.framework/Versions/A/SystemConfiguration
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ContactsAccountsService [2481]
Path: /System/Library/Frameworks/AddressBook.framework/Executables/
ContactsAccountsService
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 14.01 MB
Note: 1 idle work queue thread omitted

Thread 0x1d12 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x100c46000 - 0x100c4dfff ContactsAccountsService (1808.8)
<16624E67-F6D6-3A11-B703-3D4DDF413D63> /System/Library/Frameworks/
AddressBook.framework/Executables/ContactsAccountsService
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ContactsAgent [87751]
Path: /System/Library/PrivateFrameworks/ContactsAgent.framework/

Executables/ContactsAgent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 15.29 MB

Note: 1 idle work queue thread omitted

Thread 0x13d005 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main + 102 (ContactsAgent + 8795) [0x7fff3d5fa25b] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Binary Images:

0x107803000 - 0x107803fff ContactsAgent (12)
<3E415E1D-8D1E-37DA-B120-CD7F009E0CE3> /System/Library/PrivateFrameworks/
ContactsAgent.framework/Executables/ContactsAgent

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff3d5f8000 - 0x7fff3d60efff com.apple.ContactsAgent 1.0 (1)
<D04E92FF-633C-35DE-BF93-A2EE2179A9C2> /System/Library/PrivateFrameworks/
ContactsAgent.framework/Versions/A/ContactsAgent

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: contactsdonationagent [2928]

Path: /System/Library/PrivateFrameworks/ContactsDonation.framework/
Versions/A/Support/contactsdonationagent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)
Task size: 19.29 MB
Note: 1 idle work queue thread omitted

Thread 0x22c1 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (contactsdonationagent + 13677) [0x10007e56d] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10007b000 - 0x1000d2fff contactsdonationagent (38.2)
<C0FAED84-00D4-3F1F-8D01-D72684E1A196> /System/Library/PrivateFrameworks/ContactsDonation.framework/Versions/A/Support/contactsdonationagent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: coreaudiod [209]
Path: /usr/sbin/coreaudiod
Architecture: x86_64
Parent: launchd [1]
UID: 202
Sudden Term: Tracked (allows idle exit)
Task size: 13.46 MB
Note: 1 idle work queue thread omitted

Thread 0x4a6 DispatchQueue 1 17 samples (1-17) priority 63 (base 63)

```

<process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (coreaudiod + 171569) [0x104ecee31] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

```

```

Thread 0x4bc          Thread name "HAL Async Logger"          17 samples
(1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 78390) [0x7fff52f06236] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

```

```

Thread 0x5d1          Thread name "SystemSoundServer"          17 samples
(1-17)      priority 61 (base 61)
<process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

```

```

Thread 0x83c          Thread name "Audio HAL Overload Reporting Spool"  17
samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (coreaudiod + 263571) [0x104ee5593] 1-17
17 ??? (coreaudiod + 262405) [0x104ee5105] 1-17
17 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 78390) [0x7fff52f06236]
1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

```

```

Thread 0x2338f8          17 samples (1-17)      priority 31 (base 31)
<process sudden termination dirty, IO tier 0>
*17 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] 1-17

```

Binary Images:

```

0x104ea5000 - 0x105034fff coreaudiod (93.13.6.1)
<9BB14CFC-8A17-352B-912D-F81AC00F7482> /usr/sbin/coreaudiod
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

```

CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
*0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/MacOS/pthread
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: coreauthd [35136]
Path: /System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 9400 KB
Note: 1 idle work queue thread omitted

Thread 0x7e0cf DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:
0x103bee000 - 0x103c19fff coreauthd (425.70.2) <7BE17FDB-CDDA-3AEE-A0A4-A4888F4CB592> /System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: corebrightnessd [121]
Path: /usr/libexec/corebrightnessd
Architecture: x86_64
Parent: launchd [1]

UID: 0
Sudden Term: Tracked
Task size: 9380 KB
Note: 1 idle work queue thread omitted

Thread 0x288 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 582 (corebrightnessd + 5961) [0x10d5c5749] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10d5c4000 - 0x10d5c5fff corebrightnessd (592.70.11)
<1A94976A-6146-3C2C-B4B3-BA53B865F974> /usr/libexec/corebrightnessd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: coreduetd [93]
Path: /usr/libexec/coreduetd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 27.52 MB
Note: 1 idle work queue thread omitted

Thread 0x28f DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination clean,

```

thread darwinbg, process darwinbg, IO tier 2>
  17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
  17 ??? (coreduetd + 225624) [0x1064ab158] 1-17
  17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
  17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
  17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
  17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
  17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
  *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

```

Binary Images:

```

0x106474000 - 0x10650afff coreduetd (915.50.54) <F6C47CB2-
A22A-3EF5-8B45-EDA887EA432D> /usr/libexec/coreduetd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      coreservicesd [156]
Path:         /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/CarbonCore.framework/Versions/A/Support/coreservicesd
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Sudden Term:  Tracked
Task size:    12.16 MB
Note:         1 idle work queue thread omitted

```

```

Thread 0x307      DispatchQueue 1      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
  17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
  17 _CoreServicesServerMain + 710 (CarbonCore + 563987) [0x7fff2bfc9b13] 1-17
  17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
  17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
  17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

```

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x489 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Thread 0x48a 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2955510) [0xfffff80004d18f6] 1-17
*17 ??? (kernel + 5426434) [0xfffff800072cd02] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Binary Images:

0x10de31000 - 0x10de31fff coreservicesd (1178.4.2)
<5BB25B7D-5BCD-3EB8-955B-53F715F76362> /System/Library/Frameworks/
CoreServices.framework/Versions/A/Frameworks/CarbonCore.framework/Versions/A/
Support/coreservicesd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2bf40000 - 0x7fff2c217fff com.apple.CoreServices.CarbonCore 1178.4.2
(1178.4.2) <4692EE3A-11FE-31FD-AF5B-30F892E87A05> /System/Library/
Frameworks/CoreServices.framework/Versions/A/Frameworks/CarbonCore.framework/
Versions/A/CarbonCore
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcfff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: CoreServicesUIAgent [13330]
Path: /System/Library/CoreServices/CoreServicesUIAgent.app/Contents/MacOS/
CoreServicesUIAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 14.89 MB
Note: 3 idle work queue threads omitted

Thread 0x230fe5 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Thread 0x231004 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 37 (base 37)
<thread QoS user initiated (requested user interactive), process sudden termination
clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
 17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
 [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
 [0xfffff8000251950] 1-17

Binary Images:

0x10ee7c000 - 0x10eeabfff com.apple.coreservices.uiagent 180.7.6
 (180.7.6) <60491954-8F58-375F-A97E-3110896DAE92> /System/Library/
 CoreServices/CoreServicesUIAgent.app/Contents/MacOS/CoreServicesUIAgent
 0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
 <3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
 AppKit.framework/Versions/C/AppKit
 0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
 <8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
 Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
 <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: corespeechd [2296]
 Path: /System/Library/PrivateFrameworks/CoreSpeech.framework/corespeechd
 Architecture: x86_64
 Parent: launchd [1]
 UID: 501
 Sudden Term: Tracked
 Task size: 16.64 MB
 Note: 1 idle work queue thread omitted

Thread 0x1b25 DispatchQueue 1 17 samples (1-17) priority 31

(base 31)

```
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (corespeechd + 29168) [0x106a371f0] 1-17
17 ??? (corespeechd + 5320) [0x106a314c8] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17
```

Binary Images:

```
0x106a30000 - 0x106a39fff corespeechd (140.12.53)
<A002AE89-2835-3461-8021-0AD7C4713806> /System/Library/PrivateFrameworks/
CoreSpeech.framework/corespeechd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

Process: corespotlightd [2059]

Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/Metadata.framework/Versions/A/Support/corespotlightd

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 21.09 MB

Note: 1 idle work queue thread omitted

Thread 0x16c2 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 3>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x1862 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 3>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x102e9e000 - 0x102eabfff corespotlightd (1191.8)
<235FFC22-19B6-37A0-BBD6-BFF8DBCD5149> /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/corespotlightd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: coresymbolicationd [259]
Path: /System/Library/PrivateFrameworks/CoreSymbolication.framework/
coresymbolicationd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 4620 KB
Note: 1 idle work queue thread omitted

Thread 0x558 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10d46d000 - 0x10d478fff coresymbolicationd (64026.2)
<CB28F1A0-4F4E-39BF-A23E-8EE01B4033F4> /System/Library/PrivateFrameworks/

CoreSymbolication.framework/coresymbolicationd

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: CrashReporterSupportHelper [2116]

Path: /System/Library/CoreServices/CrashReporterSupportHelper

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 5404 KB

Note: 1 idle work queue thread omitted

Thread 0x1758 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x107162000 - 0x107164fff CrashReporterSupportHelper (938.4.2)

<046FB019-0A10-3299-8496-C48FBD4DF44D> /System/Library/CoreServices/CrashReporterSupportHelper

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cron [318]

Path: /usr/sbin/cron

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 856 KB

Thread 0x610 17 samples (1-17) priority 20 (base 20)

<thread QoS utility (requested utility), process sudden termination clean, timers tier 3 (coalesced), IO tier 1>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (cron + 6724) [0x10d944a44] 1-17

17 sleep + 41 (libsystem_c.dylib + 509318) [0x7fff52e8a586] 1-17
17 __semwait_signal + 10 (libsystem_kernel.dylib + 118146) [0x7fff52f0fd82] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xffffffff8000290fc0] 1-17

Binary Images:

0x10d943000 - 0x10d949fff cron (39)
<E27BD481-9816-3BA0-81D8-F3AC4623CC7D> /usr/sbin/cron
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52e0e000 - 0x7fff52e97fff libsystem_c.dylib (1244.50.9)
<25DD83D8-80CA-3DFF-8626-FE704911F19C> /usr/lib/system/libsystem_c.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ctkahp (Smartcard Agent) [35137]
Path: /System/Library/Frameworks/CryptoTokenKit.framework/ctkahp.bundle/
Contents/MacOS/ctkahp
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 8208 KB
Note: 1 idle work queue thread omitted

Thread 0x7e0da DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x103361000 - 0x103376fff com.apple.ctkahp 1.0 (1)
<BBF6AF50-03F6-3B33-8025-3527B19C14D6> /System/Library/Frameworks/
CryptoTokenKit.framework/ctkahp.bundle/Contents/MacOS/ctkahp
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ctkahp (Smartcard Agent) [35142]
Path: /System/Library/Frameworks/CryptoTokenKit.framework/ctkahp.bundle/

Contents/MacOS/ctkahp

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 8484 KB

Note: 1 idle work queue thread omitted

Thread 0x7e0e5 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x108cb3000 - 0x108cc8fff com.apple.ctkahp 1.0 (1)
<BBF6AF50-03F6-3B33-8025-3527B19C14D6> /System/Library/Frameworks/
CryptoTokenKit.framework/ctkahp.bundle/Contents/MacOS/ctkahp
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ctkd [35143]

Path: /System/Library/Frameworks/CryptoTokenKit.framework/ctkd

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 8204 KB

Note: 1 idle work queue thread omitted

Thread 0x7e0f3 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10039e000 - 0x1003acfff ctkd (281.50.22) <091A5D73-
F169-36C7-BFD0-CF9B41163FCE> /System/Library/Frameworks/

CryptoTokenKit.framework/ctkd

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ctkd [35144]

Path: /System/Library/Frameworks/CryptoTokenKit.framework/ctkd

Architecture: x86_64

Parent: launchd [1]

UID: 259

Sudden Term: Tracked (allows idle exit)

Task size: 7572 KB

Note: 1 idle work queue thread omitted

Thread 0x7e100 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x100fd0000 - 0x100fdefff ctkd (281.50.22) <091A5D73-F169-36C7-BFD0-CF9B41163FCE> /System/Library/Frameworks/
CryptoTokenKit.framework/ctkd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: cupsd [44264]

Path: /usr/sbin/cupsd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 5244 KB

CPU Time: <0.001s (122.4K cycles, 24.0K instructions, 5.09c/i)

Note: 1 idle work queue thread omitted

Thread 0xc4151 DispatchQueue 1 17 samples (1-17) priority 4
(base 4) cpu time <0.001s (122.4K cycles, 24.0K instructions, 5.09c/i)
<thread QoS background (requested default), process sudden termination clean,

thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (cupsd + 98702) [0x10552118e] 1-17

17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17

*17 ??? (kernel + 5250928) [0xfffff8000701f70] 1-17

Thread 0xc4169 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x105509000 - 0x10555efff cupsd (462.2.10)

<47DB6099-6A6F-333B-999E-2CDF699D2EFC> /usr/sbin/cupsd

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: CVMServer [631]

Path: /System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/
CVMServer

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 2440 KB

Note: 1 idle work queue thread omitted

Thread 0xa4a DispatchQueue 11 17 samples (1-17) priority 31
(base 31)

<thread QoS default (requested default), process sudden termination dirty, IO tier 0>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10f49c000 - 0x10f4a5fff CVMServer (162.12)

<22158329-282D-30EA-B2A6-F18A55B5A52B> /System/Library/Frameworks/
OpenGL.framework/Versions/A/Libraries/CVMServer

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dasd [112]
Path: /usr/libexec/dasd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 10.68 MB
Note: 1 idle work queue thread omitted

Thread 0x294 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10bde0000 - 0x10bde1fff dasd (626.60.2)

<DA077982-4E10-3700-BA76-991766F3792D> /usr/libexec/dasd

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: DataDetectorsSourceAccess [50359]
Path: /usr/libexec/DataDetectorsSourceAccess
Architecture: x86_64
Parent: launchd [1]
UID: 257
Sudden Term: Tracked (allows idle exit)
Task size: 3968 KB
Note: 1 idle work queue thread omitted

Thread 0xe3553 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x107cad000 - 0x107caefff DataDetectorsSourceAccess (590.3)
<DA0913BE-DB48-378D-B264-E1CBA1C7360E> /usr/libexec/
DataDetectorsSourceAccess
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dbfseventsd [3428]
Path: /Library/DropboxHelperTools/*/dbfseventsd
Architecture: x86_64
Parent: Dropbox [2173]
Responsible: Dropbox [2173]
UID: 0
Task size: 556 KB

Thread 0x284d 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested user interactive), process unclamped, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (dbfseventsd + 2867) [0x10caeeb33] 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xffffffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xffffffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xffffffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xffffffff8000744665] 1-17
*17 ??? (kernel + 2955510) [0xffffffff80004d18f6] 1-17
*17 ??? (kernel + 5426434) [0xffffffff800072cd02] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xffffffff8000381e3d] 1-17

Binary Images:

0x10caee000 - 0x10caf7fff dbfseventsd (0) <80DC5F36-
CF3D-304D-97C6-3E622C45519E> /Library/DropboxHelperTools/*/dbfseventsd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dbfseventsd [3429]
Path: /Library/DropboxHelperTools/*/dbfseventsd

Architecture: x86_64
Parent: dbfseventsd [3428]
Responsible: Dropbox [2173]
UID: 0
Task size: 4340 KB

Thread 0x2850 17 samples (1-17) priority 31 (base 31)
<IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (dbfseventsd + 3481) [0x10caeed99] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10caee000 - 0x10caf7fff dbfseventsd (0) <80DC5F36-
CF3D-304D-97C6-3E622C45519E> /Library/DropboxHelperTools/*/dbfseventsd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dbfseventsd [3430]
Path: /Library/DropboxHelperTools/*/dbfseventsd
Architecture: x86_64
Parent: dbfseventsd [3429]
Responsible: Dropbox [2173]
UID: 501
Task size: 156 KB

Thread 0x2857 17 samples (1-17) priority 31 (base 31)
<IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (dbfseventsd + 3481) [0x10caeed99] 1-17
17 ??? (dbfseventsd + 10385) [0x10caf0891] 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 5545193) [0xfffff8000749ce9] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]

1-17

*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Binary Images:

0x10caee000 - 0x10caf7fff dbfseventsd (0) <80DC5F36-CF3D-304D-97C6-3E622C45519E> /Library/DropboxHelperTools/*/dbfseventsd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: deleted [50356]
Path: /System/Library/PrivateFrameworks/CacheDelete.framework/deleted
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 6888 KB
Note: 1 idle work queue thread omitted

Thread 0xe3540 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10abaf000 - 0x10abfefff deleted (275.50.16)
<E1D83352-8FAE-3D32-9D8C-0C9696DC5B72> /System/Library/PrivateFrameworks/
CacheDelete.framework/deleted
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: diagnostics_agent [2320]
Path: /System/Library/CoreServices/diagnostics_agent
Architecture: x86_64
Parent: launchd [1]
UID: 501

Task size: 14.84 MB

Note: 1 idle work queue thread omitted

Thread 0x1b5c DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested background), thread darwinbg, process darwinbg, IO tier 3>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10e848000 - 0x10e865fff diagnostics_agent (938.4.2) <622F3D9E-AD04-301F-B423-8C8C5750B231> /System/Library/CoreServices/diagnostics_agent

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: diskarbitrationd [89]

Path: /usr/libexec/diskarbitrationd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 6428 KB

Note: 1 idle work queue thread omitted

Thread 0x273 DispatchQueue 1 17 samples (1-17) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty, IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (diskarbitrationd + 31154) [0x104a8a9b2] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x104a83000 - 0x104a9bfff diskarbitrationd (297.70.3)

```

<4058AF16-12A7-3386-A41C-61D2BC57F339> /usr/libexec/diskarbitrationd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    diskmanagementd [50358]
Path:      /usr/libexec/diskmanagementd
Architecture: x86_64
Parent:    launchd [1]
UID:      0
Task size: 6892 KB
Note:      1 idle work queue thread omitted

```

```

Thread 0xe3549      DispatchQueue 1      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (diskmanagementd + 53848) [0x105de4258] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

```

Thread 0xe354c      17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17
17 ??? (diskmanagementd + 80518) [0x105deaa86] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]

```

1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x1ca73f 17 samples (1-17) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17

17 ??? (diskmanagementd + 80518) [0x105deaa86] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)

[0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]

1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x105dd7000 - 0x105fd2fff diskmanagementd (1429.71.1)
<0E9D7746-4F06-351D-A64A-262A4B0D90FF> /usr/libexec/diskmanagementd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: diskspaced [70393]
Path: /System/Library/PrivateFrameworks/StorageManagement.framework/
Versions/A/Resources/diskspaced
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 9824 KB
Note: 1 idle work queue thread omitted

Thread 0x1eee12 DispatchQueue 11 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested default), process sudden termination clean, timers tier 3
(coalesced), IO tier 1>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x108f51000 - 0x108f55fff diskspaced (60)
<BE5303B4-613F-3A61-B6E6-479D56E85671> /System/Library/PrivateFrameworks/
StorageManagement.framework/Resources/diskspaced
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: displaypolicyd [109]
Path: /usr/libexec/displaypolicyd
Architecture: x86_64
Parent: launchd [1]
UID: 244
Task size: 8336 KB
Note: 1 idle work queue thread omitted

Thread 0x27c DispatchQueue 1 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (displaypolicyd + 10521) [0x10ee57919] 1-17
17 ??? (displaypolicyd + 9701) [0x10ee575e5] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

```

1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x43c      17 samples (1-17)      priority 20 (base 20)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
17 <truncated backtrace> 1-17
    17 __accept + 10 (libsystem_kernel.dylib + 114382) [0x7fff52f0eece] 1-17
    *17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
    *17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
    *17 accept_nocancel + 417 (kernel + 5778529) [0xfffff8000782c61] 1-17
    *17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
    *17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17
    *17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17
    *17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
    *17 machine_switch_context + 205 (kernel + 1580605) [0xfffff8000381e3d]
1-17

```

Binary Images:

```

    0x10ee55000 -    0x10ee88fff displaypolicyd (3.20.18)
<590D7BDF-5782-30A8-B021-94638298F84C> /usr/libexec/displaypolicyd
    0x7fff2ad37000 -    0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff52dbe000 -    0x7fff52ddbfff libdyld.dylib (551.5)          <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 -    0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      distnoted [128]
Path:         /usr/sbin/distnoted
Architecture: x86_64
Parent:       launchd [1]
UID:          241
Sudden Term:  Tracked (allows idle exit)
Task size:    2820 KB
Note:         1 idle work queue thread omitted

```

Thread 0x455 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x107f04000 - 0x107f0dfff distnoted (1455.122)
<F460B63F-1584-31E9-A62F-4F8447B90320> /usr/sbin/distnoted
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: distnoted [2029]
Path: /usr/sbin/distnoted
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 5768 KB
Note: 6 idle work queue threads omitted

Thread 0x15bc DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x1039d0000 - 0x1039d9fff distnoted (1455.122)
<F460B63F-1584-31E9-A62F-4F8447B90320> /usr/sbin/distnoted
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: distnoted [6287]
Path: /usr/sbin/distnoted
Architecture: x86_64
Parent: launchd [1]
UID: 89
Sudden Term: Tracked (allows idle exit)

Task size: 1576 KB
Note: 1 idle work queue thread omitted

Thread 0x4746 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x104812000 - 0x10481bfff distnoted (1455.122)
<F460B63F-1584-31E9-A62F-4F8447B90320> /usr/sbin/distnoted
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dmd [32852]
Path: /usr/libexec/dmd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 10.57 MB
Note: 1 idle work queue thread omitted

Thread 0x76eda 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x102665000 - 0x1026b7fff dmd (10.48) <3C38F2D2-
E71F-3813-B750-6BCC54934D73> /usr/libexec/dmd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: Dock [2035]
Path: /System/Library/CoreServices/Dock.app/Contents/MacOS/Dock
Architecture: x86_64

Parent: launchd [1]
UID: 501
Task size: 34.73 MB
CPU Time: <0.001s (2.2M cycles, 1288.4K instructions, 1.69c/i)
Note: 3 idle work queue threads omitted

Thread 0x15f8 DispatchQueue 1 17 samples (1-17) priority 47
(base 47) cpu time <0.001s (1201.3K cycles, 994.0K instructions, 1.21c/i)
<process frontmost, thread QoS user interactive (requested user interactive), process unclamped, process received importance donation from WindowServer [215], IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (Dock + 24889) [0x106f6d139] 1-17
17 autoreleasepool<A>(invoking:) + 56 (libswiftObjectiveC.dylib + 15464) [0x7fff4e075c68] 1-17
17 ??? (Dock + 1722302) [0x10710b7be] 1-17
17 ??? (Dock + 1722509) [0x10710b88d] 1-17
17 autoreleasepool<A>(invoking:) + 56 (libswiftObjectiveC.dylib + 15464) [0x7fff4e075c68] 1-17
17 ??? (Dock + 1722382) [0x10710b80e] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x18e1 17 samples (1-17) priority 31 (base 31)
<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [215], IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (Dock + 142843) [0x106f89dfb] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Binary Images:

0x106f67000 - 0x10748ffff com.apple.dock 1.8 (1849.16)
<3966B25E-12AA-3BFC-BC28-042259F1B41B> /System/Library/CoreServices/
Dock.app/Contents/MacOS/Dock
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff4e072000 - 0x7fff4e077fff libswiftObjectiveC.dylib (900.8.49.1)
<CC36ECB4-5503-322D-A93E-91442C757FA2> /System/Library/PrivateFrameworks/
Swift/libswiftObjectiveC.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dpd [327]
Path: /usr/libexec/dpd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 8376 KB
Note: 1 idle work queue thread omitted

Thread 0x64e 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO
tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10ea50000 - 0x10ea59fff dpd (207) <20143E78-
F786-327F-836A-80AF80F6526B> /usr/libexec/dpd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: dprivacyd [8163]
Path: /usr/libexec/dprivacyd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)

Task size: 8928 KB
Note: 1 idle work queue thread omitted

Thread 0x197729 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x107d96000 - 0x107d96fff dprivacyd (142.70.1) <530949CE-
DE8C-3F86-B808-3759A18E34E3> /usr/libexec/dprivacyd
0x7fff52d84000 - 0x7fff52dbdff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: Dropbox [2173]
Path: /Applications/Dropbox.app/Contents/MacOS/Dropbox
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 154.45 MB
CPU Time: 0.004s (8.9M cycles, 2.9M instructions, 3.11c/i)

Process: Dropbox [2267]
Path: /Applications/Dropbox.app/Contents/MacOS/Dropbox
Architecture: x86_64
Parent: launchd [1]
Responsible: Dropbox [2173]
UID: 501
Task size: 8904 KB

Process: Dropbox [2268]
Path: /Applications/Dropbox.app/Contents/MacOS/Dropbox
Architecture: x86_64
Parent: Dropbox [2173]
Responsible: Dropbox [2173]
UID: 501

Task size: 10212 KB

Process: Dropbox Web Helper [3316]
Path: /Applications/Dropbox.app/Contents/Frameworks/Tungsten.framework/
Versions/A/Frameworks/Dropbox Web Helper.app/Contents/MacOS/Dropbox Web
Helper
Architecture: x86_64
Parent: Dropbox [2173]
Responsible: Dropbox [2173]
UID: 501
Task size: 19.32 MB
CPU Time: <0.001s (428.8K cycles, 111.0K instructions, 3.86c/i)

Process: Dropbox Web Helper [3373]
Path: /Applications/Dropbox.app/Contents/Frameworks/Tungsten.framework/
Versions/A/Frameworks/Dropbox Web Helper.app/Contents/MacOS/Dropbox Web
Helper
Architecture: x86_64
Parent: Dropbox [2173]
Responsible: Dropbox [2173]
UID: 501
Task size: 83.44 MB
CPU Time: 0.003s (4.9M cycles, 1906.2K instructions, 2.59c/i)

Process: Dropbox Web Helper [3375]
Path: /Applications/Dropbox.app/Contents/Frameworks/Tungsten.framework/
Versions/A/Frameworks/Dropbox Web Helper.app/Contents/MacOS/Dropbox Web
Helper
Architecture: x86_64
Parent: Dropbox [2173]
Responsible: Dropbox [2173]
UID: 501
Task size: 36.47 MB

Process: DropboxActivityProvider [33002]
Path: /Applications/Dropbox.app/Contents/XPCServices/
DropboxActivityProvider.xpc/Contents/MacOS/DropboxActivityProvider
Architecture: x86_64
Parent: launchd [1]
Responsible: Dropbox [2173]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 15.53 MB

CPU Time: <0.001s (354.7K cycles, 69.2K instructions, 5.13c/i)

Process: EEventManager [2052]

Path: /Applications/Epson Software/Event Manager.app/Contents/Resources/Assistants/Event Manager/EEventManager.app/Contents/MacOS/EEventManager

Architecture: i386

Parent: launchd [1]

UID: 501

Task size: 6428 KB

CPU Time: <0.001s (2.0M cycles, 577.2K instructions, 3.50c/i)

Process: Epson Scanner Monitor [2301]

Path: /Library/Application Support/EPSON/*/Epson Scanner Monitor.app/Contents/MacOS/Epson Scanner Monitor

Architecture: i386

Parent: launchd [1]

UID: 501

Task size: 6684 KB

CPU Time: 0.001s (3.3M cycles, 1308.9K instructions, 2.53c/i)

Process: EscrowSecurityAlert [265]

Path: /System/Library/CoreServices/EscrowSecurityAlert.app/Contents/MacOS/EscrowSecurityAlert

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 20.44 MB

Note: 1 idle work queue thread omitted

Thread 0x175901 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x1083cf000 - 0x1083d4fff com.apple.EscrowSecurityAlert 1.0 (1)
<3F6233C4-1C2D-32CA-B05D-732BF9C22004> /System/Library/CoreServices/EscrowSecurityAlert.app/Contents/MacOS/EscrowSecurityAlert

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: filecoordinationd [2171]
Path: /usr/sbin/filecoordinationd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 6968 KB
Note: 1 idle work queue thread omitted

Thread 0x18ab DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10fc8c000 - 0x10fc8cfff filecoordinationd (1455.122)
<EF865690-3708-3518-88B9-7A2A2E0493DC> /usr/sbin/filecoordinationd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: fileproviderd [2295]
Path: /System/Library/PrivateFrameworks/FileProvider.framework/Support/
fileproviderd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 10.68 MB
Note: 1 idle work queue thread omitted

Thread 0x1b43 DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination dirty, thread
darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (fileproviderd + 10191) [0x10a2bf7cf] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

```

    17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

    0x10a2bd000 - 0x10a2f6fff fileproviderd (125.15) <EE5F222E-
D116-3F82-8D01-1C7730FE9642> /System/Library/PrivateFrameworks/
FileProvider.framework/Support/fileproviderd
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    Finder [2038]
Path:       /System/Library/CoreServices/Finder.app/Contents/MacOS/Finder
Architecture: x86_64
Parent:     launchd [1]
UID:        501
Sudden Term: Tracked
Task size:  115.34 MB
CPU Time:   0.024s (61.2M cycles, 21.8M instructions, 2.80c/i)
Note:       3 idle work queue threads omitted

```

```

Thread 0x15ff      DispatchQueue 1      17 samples (1-17)      priority 47 (base
47)   cpu time 0.014s (37.0M cycles, 14.0M instructions, 2.65c/i)
    <process frontmost, thread QoS user interactive (requested user interactive), process
sudden termination dirty, process unclamped, IO tier 0>
    17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
    17 ??? (Finder + 23038) [0x109c699fe] 1-17

```

```

17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*5 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-5
<process clamped>
*1 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 6
<process unclamped>
*11 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 7-17

```

```

Thread 0x1803      Thread name "com.apple.NSEventThread"      17
samples (1-17)    priority 47 (base 47)    cpu time 0.009s (21.7M cycles, 7.3M
instructions, 2.98c/i)

```

```

<process frontmost, thread QoS user interactive (requested user interactive), process
sudden termination dirty, process unclamped, IO tier 0>

```

```

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*5 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]

```

1-5

<process clamped>

*1 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

6

<process unclamped>

*11 ipc_mqueue_receive_continue + 0 (kernel + 334160)

[0xfffff8000251950] 7-17

Thread 0x8a732 17 samples (1-17) priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process sudden termination dirty, process unclamped, IO tier 0>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*5 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-5

<process clamped>

*1 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 6

<process unclamped>

*11 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 7-17

Binary Images:

0x109c64000 - 0x10a31dfff com.apple.finder 10.13.6 (10.13.6)
<64D3008E-B791-3EFF-8FEE-F23C086F3576> /System/Library/CoreServices/
Finder.app/Contents/MacOS/Finder

0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit

0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib

*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: findmydeviced [87747]

Path: /usr/libexec/findmydeviced

Architecture: x86_64

Parent: launchd [1]

UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 16.74 MB
Note: 1 idle work queue thread omitted

Thread 0x13ce28 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x105fa1000 - 0x106014fff findmydeviced (287.6.0.1) <49B7D38A-F371-37D1-99E2-6E7B082CB8A7> /usr/libexec/findmydeviced
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: firefox (Firefox) [10855]
Path: /Applications/Firefox.app/Contents/MacOS/firefox
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 576.41 MB
CPU Time: 0.003s (6.9M cycles, 1586.4K instructions, 4.32c/i)

Process: followupd [35138]
Path: /System/Library/PrivateFrameworks/CoreFollowUp.framework/Versions/A/Support/followupd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 7928 KB
Note: 1 idle work queue thread omitted

Thread 0x7e0ed 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10c539000 - 0x10c54efff followupd (72) <855C7ADE-C21A-389B-A1E0-AAEEC9B46687> /System/Library/PrivateFrameworks/CoreFollowUp.framework/Versions/A/Support/followupd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: fontd [2134]

Path: /System/Library/Frameworks/ApplicationServices.framework/Versions/A/Frameworks/ATS.framework/Versions/A/Support/fontd

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked

Task size: 9872 KB

Note: 2 idle work queue threads omitted

Thread 0x17da DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main_handler + 4510 (libATSServer.dylib + 514220) [0x7fff2929b8ac] 1-17

17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10778c000 - 0x10778ffff fontd (445.5) <BCD46AE2-C82F-3DA7-A67F-521E0E4EE890> /System/Library/Frameworks/ApplicationServices.framework/Versions/A/Frameworks/ATS.framework/Versions/A/Support/fontd

0x7fff2921e000 - 0x7fff292b3fff libATSServer.dylib (445.5) <5AC80508-BE37-3246-BF9A-2591E899CB54> /System/Library/Frameworks/ApplicationServices.framework/Versions/A/Frameworks/ATS.framework/Versions/A/Resources/libATSServer.dylib

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)

<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: fseventsd [67]
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/FSEvents.framework/Versions/A/Support/fseventsd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 9352 KB
Note: 1 idle work queue thread omitted

Thread 0x262 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (fseventsd + 7062) [0x10ee4eb96] 1-17
17 mach_msg_server + 369 (libsystem_kernel.dylib + 77652) [0x7fff52f05f54] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Thread 0x314 17 samples (1-17) priority 49 (base 49)
<IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (fseventsd + 51109) [0x10ee597a5] 1-17
17 ??? (fseventsd + 49987) [0x10ee59343] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16]
1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xffffffff7f810fa824] 1-17

Thread 0x31a 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0 and passive>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (fseventsd + 15711) [0x10ee50d5f] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x31b 17 samples (1-17) priority 50 (base 50)
<IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2955510) [0xfffff80004d18f6] 1-17
*17 ??? (kernel + 5426434) [0xfffff800072cd02] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Thread 0x31c 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0 and passive>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (fsevents + 34901) [0x10ee55855] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Thread 0x23253c 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (fsevents + 34975) [0x10ee5589f] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Thread 0x232586 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (fsevents + 34975) [0x10ee5589f] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Binary Images:

0x10ee4d000 - 0x10ee5dfff fsevents (1239.50.2) <A1F83236-CF08-3539-A318-3990F2932853> /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/FSEvents.framework/Versions/A/Support/fsevents
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122) <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1) <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1) <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: garcon [2172]
Path: /Applications/Dropbox.app/Contents/PlugIns/garcon.appex/Contents/MacOS/garcon
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 16.71 MB
CPU Time: <0.001s (269.7K cycles, 80.9K instructions, 3.33c/i)

Process: garcon [21176]
Path: /Applications/Dropbox.app/Contents/PlugIns/garcon.appex/Contents/MacOS/garcon
Architecture: x86_64
Parent: launchd [1]

UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 25.74 MB
CPU Time: <0.001s (249.9K cycles, 61.6K instructions, 4.05c/i)

Process: hidd [120]
Path: /usr/libexec/hidd
Architecture: x86_64
Parent: launchd [1]
UID: 261
Sudden Term: Tracked
Task size: 11.05 MB (+20 KB)
CPU Time: 0.033s (64.7M cycles, 25.5M instructions, 2.54c/i)
Note: 2 idle work queue threads omitted

Thread 0x43d DispatchQueue 1 17 samples (1-17) priority 31
(base 31) cpu time 0.001s (2.5M cycles, 975.7K instructions, 2.56c/i)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (hidd + 3707) [0x10ac2ce7b] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x480 Thread name "IOHIDService - RunLoopCompatibilityThread"
17 samples (1-17) priority 63 (base 63)
<process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __IOHIDServiceRunLoopCompatibilityThread + 312 (IOKit + 336976)
[0x7fff2d5e3450] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x2324b8 17 samples (1-17) priority 63 (base 63) cpu time
0.020s (37.2M cycles, 14.1M instructions, 2.63c/i)
<process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _dispatch_worker_thread + 251 (libdispatch.dylib + 20051) [0x7fff52d88e53]
1-17
17 _dispatch_semaphore_wait_slow + 58 (libdispatch.dylib + 39246)
[0x7fff52d8d94e] 1-17
17 semaphore_timedwait_trap + 10 (libsystem_kernel.dylib + 78414)
[0x7fff52f0624e] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

Thread 0x233956 17 samples (1-17) priority 63 (base 63) cpu time
0.002s (5.5M cycles, 3.9M instructions, 1.41c/i)
<process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _dispatch_worker_thread + 251 (libdispatch.dylib + 20051) [0x7fff52d88e53]
1-17
17 _dispatch_semaphore_wait_slow + 58 (libdispatch.dylib + 39246)
[0x7fff52d8d94e] 1-17
17 semaphore_timedwait_trap + 10 (libsystem_kernel.dylib + 78414)
[0x7fff52f0624e] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

Thread 0x234336 14 samples (4-17) priority 63 (base 63) cpu time
0.001s (3.5M cycles, 2.5M instructions, 1.41c/i)
<Thread not seen for 3 samples, process sudden termination clean, IO tier 0>
14 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 4-17
14 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 4-17
14 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 4-17
14 _dispatch_worker_thread + 251 (libdispatch.dylib + 20051) [0x7fff52d88e53]
4-17
14 _dispatch_semaphore_wait_slow + 58 (libdispatch.dylib + 39246)
[0x7fff52d8d94e] 4-17
14 semaphore_timedwait_trap + 10 (libsystem_kernel.dylib + 78414)
[0x7fff52f0624e] 4-17
*14 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 4-17

Binary Images:

0x10ac2c000 - 0x10ac2cfff hidd (1035.70.12) <BCB7E993-C8C5-3276-AC26-A5035BE28EAD> /usr/libexec/hidd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122) <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2d591000 - 0x7fff2d62cfff com.apple.framework.IOKit 2.0.2 (1445.71.6) <4B5C715C-6A49-366B-9080-ABADE6A3B3BD> /System/Library/Frameworks/IOKit.framework/Versions/A/IOKit
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1) <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: icdd [2305]
Path: /System/Library/Image Capture/Support/icdd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 13.99 MB
Note: 1 idle work queue thread omitted

Thread 0x1b2c DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (icdd + 73164) [0x109a29dcc] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x109a18000 - 0x109a4afff icdd (1302.2)
<3A6158AA-28A9-3183-8C04-4FB76C840A39> /System/Library/Image Capture/
Support/icdd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: iconservicesagent [37640]
Path: /System/Library/CoreServices/iconservicesagent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 11.61 MB
Note: 1 idle work queue thread omitted

Thread 0x88bc3 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10408c000 - 0x104094fff iconservicesagent (97.6) <CD96FB0A-
AAC8-37AD-9ED5-AF4BE18A5929> /System/Library/CoreServices/iconservicesagent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: iconservicesd [37905]
Path: /System/Library/CoreServices/iconservicesd
Architecture: x86_64
Parent: launchd [1]
UID: 240
Sudden Term: Tracked (allows idle exit)
Task size: 4796 KB
Note: 1 idle work queue thread omitted

Thread 0x8a110 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
 <thread QoS background (requested default), process sudden termination clean,
 thread darwinbg, process darwinbg, IO tier 2>
 17 <truncated backtrace> 1-17
 17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
 1-17
 *17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

 0x103582000 - 0x103585fff iconservicesd (97.6) <3BDDFFF9-
D8DF-3BCD-9A16-CA622DD50A66> /System/Library/CoreServices/iconservicesd
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 *0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: identityservicesd [2049]
Path: /System/Library/PrivateFrameworks/IDS.framework/identityservicesd.app/
Contents/MacOS/identityservicesd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 22.96 MB
Note: 1 idle work queue thread omitted

Thread 0x1687 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
 <thread QoS default (requested default), IO tier 0>
 17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
 17 main + 290 (identityservicesd + 413379) [0x10974bec3] 1-17
 17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
 1-17
 17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
 17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

```

1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x1f4c      Thread name "TransportThread Primary"      17 samples
(1-17)      priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
    17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17
    *17 ??? (kernel + 5250928) [0xfffff8000701f70] 1-17

```

```

Thread 0x1f4d      Thread name "TransportThread URGENT"      17 samples
(1-17)      priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
    17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17
    *17 ??? (kernel + 5250928) [0xfffff8000701f70] 1-17

```

```

Thread 0x1f4e      Thread name "TransportThread Default"      17 samples
(1-17)      priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
    17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17
    *17 ??? (kernel + 5250928) [0xfffff8000701f70] 1-17

```

```

Thread 0x1f4f      Thread name "TransportThread Sync"      17 samples
(1-17)      priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
    17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17
    *17 ??? (kernel + 5250928) [0xfffff8000701f70] 1-17

```

Binary Images:

```

    0x1096e7000 - 0x109d75fff com.apple.identityservicesd 10.0 (1000)
<1E13DB7B-DA79-3027-81EA-27AEEDC690A0> /System/Library/PrivateFrameworks/
IDS.framework/identityservicesd.app/Contents/MacOS/identityservicesd
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/

```

Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: imagent [2316]
Path: /System/Library/PrivateFrameworks/IMCore.framework/imagent.app/
Contents/MacOS/imagent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 20.60 MB
Note: 1 idle work queue thread omitted

Thread 0x1b35 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (imagent + 38912) [0x10c2ea800] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x10c2e1000 - 0x10c343fff com.apple.imagent 10.0 (1000)
<24BA5C28-98F8-3FA3-979C-DFC5D54642A0> /System/Library/PrivateFrameworks/
IMCore.framework/imagent.app/Contents/MacOS/imagent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/

Foundation.framework/Versions/C/Foundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: IMAutomaticHistoryDeletionAgent [261]

Path: /System/Library/PrivateFrameworks/IMDPersistence.framework/

IMAutomaticHistoryDeletionAgent.app/Contents/MacOS/

IMAutomaticHistoryDeletionAgent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Task size: 15 MB

Note: 1 idle work queue thread omitted

Thread 0x17597e 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x106757000 - 0x106759fff com.apple.IMAutomaticHistoryDeletionAgent
10.0 (1000) <B1723AC7-B64F-3822-A21E-28A000C53B36> /System/Library/
PrivateFrameworks/IMDPersistence.framework/IMAutomaticHistoryDeletionAgent.app/
Contents/MacOS/IMAutomaticHistoryDeletionAgent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: IMDPersistenceAgent [51418]

Path: /System/Library/PrivateFrameworks/IMDPersistence.framework/

XPCServices/IMDPersistenceAgent.xpc/Contents/MacOS/IMDPersistenceAgent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 15.40 MB

Note: 1 idle work queue thread omitted

Thread 0xe41dc DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (IMDPersistenceAgent + 5695) [0x108fcd63f] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x108fcc000 - 0x108fcdfff com.apple.imdpersistence.IMDPersistenceAgent
10.0 (1000) <59C89709-9F15-3173-8B59-AAB058572746> /System/Library/
PrivateFrameworks/IMDPersistence.framework/XPCServices/
IMDPersistenceAgent.xpc/Contents/MacOS/IMDPersistenceAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: imklaunchagent [2210]

Path: /System/Library/Frameworks/InputMethodKit.framework/Versions/A/

Resources/imklaunchagent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked

Task size: 10.53 MB

CPU Time: <0.001s (192.9K cycles, 61.9K instructions, 3.12c/i)

Note: 1 idle work queue thread omitted

Thread 0x198f DispatchQueue 1 17 samples (1-17) priority 31
(base 31) cpu time <0.001s (106.2K cycles, 28.7K instructions, 3.70c/i)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (imklaunchagent + 25774) [0x10ce644ae] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10ce5e000 - 0x10ce6afff imklaunchagent (356.2)
<B2D382A8-33E5-30CC-89E7-5D841448A297> /System/Library/Frameworks/
InputMethodKit.framework/Resources/imklaunchagent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: IMRemoteURLConnectionAgent [2702]

Path: /System/Library/PrivateFrameworks/IMFoundation.framework/
XPCServices/IMRemoteURLConnectionAgent.xpc/Contents/MacOS/
IMRemoteURLConnectionAgent

Architecture: x86_64

Parent: launchd [1]

Responsible: identityservicesd [2049]

UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 10.53 MB
Note: 1 idle work queue thread omitted

Thread 0x1fed DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x2008 Thread name "com.apple.NSURLConnectionLoader" 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Binary Images:

0x10e8fa000 - 0x10e904fff

com.apple.imfoundation.IMRemoteURLConnectionAgent 10.0 (1000)

<91FE0875-3CEB-3B67-B018-8128CDF3B705> /System/Library/PrivateFrameworks/IMFoundation.framework/XPCServices/IMRemoteURLConnectionAgent.xpc/Contents/MacOS/IMRemoteURLConnectionAgent

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)

<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: installd [68060]

Path: /System/Library/PrivateFrameworks/PackageKit.framework/Versions/A/Resources/installd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Task size: 9604 KB

Note: 1 idle work queue thread omitted

Thread 0x1016b2 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (installld + 6979) [0x1091cfb43] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Thread 0x1eef0c 17 samples (1-17) priority 4 (base 4)

<thread QoS background, process sudden termination clean, thread darwinbg,
process darwinbg, IO tier 2>

*17 wq_unpark_continue + 0 (pthread + 15235) [0xffffffff7f810f4b83] 1-17

Binary Images:

0x1091ce000 - 0x1091cffff installld (735.5)
<7E5E9C86-3815-3004-8F8E-6B53BF13A206> /System/Library/PrivateFrameworks/
PackageKit.framework/Versions/A/Resources/installld

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: KernelEventAgent [117]

Path: /usr/sbin/KernelEventAgent

Architecture: x86_64

Parent: launchd [1]

UID: 0
Sudden Term: Tracked
Task size: 3932 KB
Note: 1 idle work queue thread omitted

Thread 0x282 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 1562 (KernelEventAgent + 6866) [0x10b11aad2] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Thread 0x2ab Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:
0x10b119000 - 0x10b11efff KernelEventAgent (103) <86E200A9-E4D8-3AF4-B877-76CF1A120CFE> /usr/sbin/KernelEventAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: kextd [66]

Path: /usr/libexec/kextd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 11.82 MB
Note: 1 idle work queue thread omitted

Thread 0x261 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (kextd + 16485) [0x10c6c1065] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10c6bd000 - 0x10c6e0fff kextd (502.60.3)
<17E6F42F-7B9D-35CC-94AF-22C2D1230B6F> /usr/libexec/kextd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: keybagd [33003]
Path: /usr/libexec/keybagd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 3828 KB
Note: 1 idle work queue thread omitted

Thread 0x78141 17 samples (1-17) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x104b84000 - 0x104ba5fff keybagd (304.60.2)
<27A80231-9756-3C40-A321-AF53E920A9CF> /usr/libexec/keybagd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: keyboardservicesd [36395]
Path: /usr/libexec/keyboardservicesd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 12.67 MB
Note: 1 idle work queue thread omitted

Thread 0x7f8bb DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (keyboardservicesd + 2895) [0x107869b4f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x107869000 - 0x107869fff keyboardservicesd (99.8)

```

<0DB640B0-D2E2-326A-B296-8B2A2DD9B5B6> /usr/libexec/keyboardservicesd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      KeychainSyncingOverIDSPProxy [35141]
Path:         /System/Library/Frameworks/Security.framework/Versions/A/Resources/
KeychainSyncingOverIDSPProxy.bundle/Contents/MacOS/
KeychainSyncingOverIDSPProxy
Architecture: x86_64
Parent:       launchd [1]
UID:          501
Sudden Term: Tracked (allows idle exit)
Task size:    9236 KB
Note:         1 idle work queue thread omitted

```

```

Thread 0x7e0f0      17 samples (1-17)      priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (KeychainSyncingOverIDSPProxy + 26080) [0x1095265e0] 1-17
17 ??? (KeychainSyncingOverIDSPProxy + 25854) [0x1095264fe] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

```

Binary Images:

0x109520000 - 0x109536fff com.apple.security.keychainsyncingoveridsproxy 1.0 (58286.70.15) <143FCF10-E542-3D2A-B749-F379767CDB76> /System/Library/Frameworks/Security.framework/Versions/A/Resources/KeychainSyncingOverIDSProxy.bundle/Contents/MacOS/KeychainSyncingOverIDSProxy
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122) <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122) <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: knowledge-agent [277]
Path: /usr/libexec/knowledge-agent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 14.21 MB
Note: 1 idle work queue thread omitted

Thread 0x1759d9 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10260c000 - 0x102613fff knowledge-agent (915.50.54) <208D4D54-4A47-3C7F-938B-8ECA1E52BB07> /usr/libexec/knowledge-agent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: LaterAgent [3317]
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/

Resources/LaterAgent.app/Contents/MacOS/LaterAgent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked

Task size: 17.10 MB

CPU Time: <0.001s (206.4K cycles, 71.1K instructions, 2.90c/i)

Note: 1 idle work queue thread omitted

Thread 0x26de DispatchQueue 1 17 samples (1-17) priority 20
(base 20) cpu time <0.001s (108.2K cycles, 33.4K instructions, 3.24c/i)
<thread QoS utility (requested utility), process sudden termination clean, timers tier 3
(coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (LaterAgent + 5863) [0x107a2a6e7] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x27c7 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 20 (base 20)
<thread QoS utility (requested user interactive), process sudden termination clean,
timers tier 3 (coalesced), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x107a29000 - 0x107a31fff com.apple.lateragent 1.0 (658.2)
<6B31F923-8078-3C40-AE78-BDA36C3B341E> /System/Library/PrivateFrameworks/
CommerceKit.framework/Versions/A/Resources/LaterAgent.app/Contents/MacOS/
LaterAgent
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: launchd [1]
Path: /sbin/launchd
Architecture: x86_64
Parent: kernel_task [0]
UID: 0
Task size: 13.16 MB
Note: 2 idle work queue threads omitted

Thread 0x1cd DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: launchservicesd [101]
Path: /System/Library/CoreServices/launchservicesd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 10172 KB
CPU Time: 0.003s (7.8M cycles, 4.4M instructions, 1.80c/i)
Note: 3 idle work queue threads omitted

Thread 0x358 DispatchQueue 11 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x101342000 - 0x10134dfff launchservicesd (822.37)
<9EF0670E-7AD2-39C8-8FD5-D6E9C01A48F1> /System/Library/CoreServices/launchservicesd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: licenseDaemon [102]
Path: /Library/PrivilegedHelperTools/licenseDaemon.app/Contents/MacOS/licenseDaemon
Architecture: x86_64
Parent: launchd [1]
UID: 0

Task size: 40.86 MB
CPU Time: <0.001s (117.6K cycles, 21.4K instructions, 5.49c/i)

Process: locationd [106]
Path: /usr/libexec/locationd
Architecture: x86_64
Parent: launchd [1]
UID: 205
Task size: 15.53 MB
CPU Time: <0.001s (264.1K cycles, 66.7K instructions, 3.96c/i)
Note: 1 idle work queue thread omitted

Thread 0x29a DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (locationd + 25868) [0x10ad5550c] 1-17
17 ??? (locationd + 18846) [0x10ad5399e] 1-17
17 ??? (locationd + 17300) [0x10ad53394] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x66d 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x66e 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Thread 0x66f 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17

*17 ??? (kernel + 5250928) [0xfffff8000701f70] 1-17

Binary Images:

0x10ad4f000 - 0x10b1defff locationd (2245.0.41)
<30ACF076-2625-39D9-BC8C-3EE987749D54> /usr/libexec/locationd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: logd [78]

Path: /usr/libexec/logd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Task size: 24.79 MB

CPU Time: <0.001s (221.3K cycles, 52.0K instructions, 4.26c/i)

Note: 3 idle work queue threads omitted

Thread 0x332 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)

<thread QoS default (requested default), IO tier 0>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x103618000 - 0x103639fff logd (829.70.2)
<5F5B0A89-1ECC-3D3D-91EC-93E8A6B40653> /usr/libexec/logd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: logind [116]
Path: /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 5632 KB
Note: 1 idle work queue thread omitted

Thread 0x281 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (logind + 6151) [0x10eb1c807] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10eb1b000 - 0x10eb26fff logind (39)
<23A6DE9A-4E77-3385-ACEE-7FA7D830C6EB> /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: loginwindow [115]
Path: /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow
Architecture: x86_64
Parent: launchd [1]
UID: 501

Task size: 48.64 MB (+640 KB)
CPU Time: 0.064s (165.2M cycles, 85.2M instructions, 1.94c/i)
Note: 3 idle work queue threads omitted

Thread 0x278 DispatchQueue 1 17 samples (1-17) priority 47
(base 47) cpu time 0.062s (160.6M cycles, 84.0M instructions, 1.91c/i)
<thread QoS user interactive (requested user interactive), process unclamped,
process received importance donation from WindowServer [215], IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (loginwindow + 25722) [0x104d4e47a] 1-17
3 -[NSApplication run] + 812 (AppKit + 223357) [0x7fff2833a87d] 1-3
3 ??? (loginwindow + 40371) [0x104d51db3] 1-3
3 -[NSApplication(NSEvent) sendEvent:] + 2462 (AppKit + 8217142)
[0x7fff28ada236] 1-3
3 -[NSWindow(NSEventRouting) sendEvent:] + 497 (AppKit + 9915504)
[0x7fff28c78c70] 1-3
3 -[NSWindow(NSEventRouting) _reallySendEvent:isDelayedEvent:] + 2359
(AppKit + 9918916) [0x7fff28c799c4] 1-3
3 -[NSWindow(NSEventRouting)
_handleMouseDownEvent:isDelayedEvent:] + 5891 (AppKit + 9932141)
[0x7fff28c7cd6d] 1-3
3 -[NSControl mouseDown:] + 965 (AppKit + 2606704) [0x7fff28580670]
1-3
3 -[NSButtonCell trackMouse:inRect:ofView:untilMouseUp:] + 777 (AppKit
+ 2884559) [0x7fff285c43cf] 1-3
3 -[NSCell trackMouse:inRect:ofView:untilMouseUp:] + 2438 (AppKit +
2612182) [0x7fff28581bd6] 1-3
3 -[NSButtonCell _sendActionFrom:] + 97 (AppKit + 2885256)
[0x7fff285c4688] 1-3
3 -[NSCell _sendActionFrom:] + 183 (AppKit + 2618221)
[0x7fff2858336d] 1-3
3 __26-[NSCell _sendActionFrom:]_block_invoke + 136 (AppKit +
2618471) [0x7fff28583467] 1-3
3 -[NSControl sendAction:to:] + 86 (AppKit + 2618687)
[0x7fff2858353f] 1-3
3 -[NSApplication(NSResponder) sendAction:to:from:] + 312
(AppKit + 8231491) [0x7fff28adda43] 1-3
1 ??? (loginwindow + 147204) [0x104d6bf04] 1
1 -[NSImage drawAtPoint:fromRect:operation:fraction:] + 208
(AppKit + 1679852) [0x7fff2849e1ec] 1
1 -[NSImage drawInRect:fromRect:operation:fraction:] + 97
(AppKit + 1679962) [0x7fff2849e25a] 1
1 -[NSImage
drawInRect:fromRect:operation:fraction:respectFlipped:hints:] + 1486 (AppKit +
1678305) [0x7fff2849dbe1] 1
1 -[NSImage
_usingBestRepresentationForRect:context:hints:body:] + 164 (AppKit + 1451224)

```

[0x7fff284664d8] 1
    1 __71-[UIImage
drawInRect:fromRect:operation:fraction:respectFlipped:hints:]_block_invoke.1371 +
1072 (UIKit + 6528126) [0x7fff2893dc7e] 1
    1 -[UIImageRep
drawInRect:fromRect:operation:fraction:respectFlipped:hints:] + 971 (UIKit + 1650546)
[0x7fff28496f72] 1
    1 __74-[UIImageRep
drawInRect:fromRect:operation:fraction:respectFlipped:hints:]_block_invoke + 963
(AppKit + 1652040) [0x7fff28497548] 1
    1 CGContextDrawImage + 73 (CoreGraphics +
126208) [0x7fff2b1f3d00] 1
    1 CGContextDrawImageWithOptions + 632
(CoreGraphics + 126866) [0x7fff2b1f3f92] 1
    1 CGContextDelegateDrawImage + 63
(CoreGraphics + 429153) [0x7fff2b23dc61] 1
    1 ripc_DrawImage + 974 (CoreGraphics +
1060032) [0x7fff2b2d7cc0] 1
    1 RIPLImageCacheGetRetained + 680
(CoreGraphics + 891181) [0x7fff2b2ae92d] 1
    1 RIPLImageDataInitializeShared + 88
(CoreGraphics + 1003477) [0x7fff2b2c9fd5] 1
    1 CGSImageDataLock + 190 (CoreGraphics +
129561) [0x7fff2b1f4a19] 1
    1 img_data_lock + 9651 (CoreGraphics +
144686) [0x7fff2b1f852e] 1
    1 img_alphamerge_read + 528
(CoreGraphics + 152239) [0x7fff2b1fa2af] 1
    1 img_colormatch_read + 343
(CoreGraphics + 152723) [0x7fff2b1fa493] 1
    1 img_interpolate_read + 916
(CoreGraphics + 388586) [0x7fff2b233dea] 1
    1 resample_band + 1150 (CoreGraphics
+ 389901) [0x7fff2b23430d] 1
    1 resample_byte_h_3cpp_ap + 238
(CoreGraphics + 390478) [0x7fff2b23454e] (running) 1
    2 ??? (loginwindow + 147885) [0x104d6c1ad] 2-3
    2 -[NSWindow
_beginWindowBlockingModalSessionForSheet:service:completionHandler:isCritical:] +
563 (UIKit + 2590100) [0x7fff2857c594] 2-3
    2 -[NSApplication
_orderFrontModalWindow:relativeToWindow:] + 260 (UIKit + 2564692)
[0x7fff28576254] 2-3
    2 -[NSWindow
_doOrderWindow:relativeTo:findKey:forCounter:force:isModal:] + 287 (UIKit +
1496933) [0x7fff28471765] 2-3
    2 -[NSWindow

```

```

_reallyDoOrderWindowAboveOrBelow:relativeTo:findKey:forCounter:force:isModal:] +
1990 (AppKit + 9523758) [0x7fff28c1922e] 2-3
      2 -[NSWindow(NSSheets) _orderFrontRelativeToWindow:]
+ 189 (AppKit + 2592310) [0x7fff2857ce36] 2-3
      2 -[NSMoveHelper(NSSheets)
_moveParent:andOpenSheet:] + 1647 (AppKit + 2594041) [0x7fff2857d4f9] 2-3
      2 -[NSMoveHelper _doAnimation] + 1556 (AppKit +
2601100) [0x7fff2857f08c] 2-3
      2 CFRunLoopRunSpecific + 487 (CoreFoundation +
530423) [0x7fff2adb87f7] 2-3
      2 __CFRunLoopRun + 1783 (CoreFoundation +
532871) [0x7fff2adb9187] 2-3
      2 __CFRunLoopServiceMachPort + 341
(CoreFoundation + 536117) [0x7fff2adb9e35] 2-3
      2 mach_msg_trap + 10 (libsystem_kernel.dylib +
78330) [0x7fff52f061fa] 2-3
      *2 ipc_mqueue_receive_continue + 0 (kernel +
334160) [0xfffff8000251950] 2-3
    <process dropped importance donation from WindowServer [215]>
      10 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 4-13
      10 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 4-13
      10 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 4-13
      10 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 4-13
      10 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
4-13
      10 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 4-13
      10 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 4-13
      10 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 4-13
      10 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 4-13
      10 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 4-13
      *2 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 4-5
    <process clamped>
      *8 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 6-13
    <process unclamped>
      4 -[NSApplication run] + 812 (AppKit + 223357) [0x7fff2833a87d] 14-17
      4 ??? (loginwindow + 40371) [0x104d51db3] 14-17
      4 -[NSApplication(NSEvent) sendEvent:] + 2462 (AppKit + 8217142)

```

```

[0x7fff28ada236] 14-17
    4 -[NSWindow(NSEventRouting) sendEvent:] + 497 (AppKit + 9915504)
[0x7fff28c78c70] 14-17
    4 -[NSWindow(NSEventRouting) _reallySendEvent:isDelayedEvent:] + 2359
(AppKit + 9918916) [0x7fff28c799c4] 14-17
    4 -[NSWindow(NSEventRouting)
_handleMouseDownEvent:isDelayedEvent:] + 5891 (AppKit + 9932141)
[0x7fff28c7cd6d] 14-17
    4 -[NSControl mouseDown:] + 965 (AppKit + 2606704) [0x7fff28580670]
14-17
    4 -[NSButtonCell trackMouse:inRect:ofView:untilMouseUp:] + 777 (AppKit
+ 2884559) [0x7fff285c43cf] 14-17
        1 -[NSCell trackMouse:inRect:ofView:untilMouseUp:] + 1928 (AppKit +
2611672) [0x7fff285819d8] 14
            1 -[NSDragEventTracker trackEvent:usingHandler:] + 1605 (AppKit +
2614449) [0x7fff285824b1] 14
                1 -[NSWindow(NSEventRouting)
trackEventsMatchingMask:timeout:mode:handler:] + 272 (AppKit + 9914295)
[0x7fff28c787b7] 14
                    1 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 14
                        1 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 14
                            1 _BlockUntilNextEventMatchingListInModeWithFilter + 64
(HIToolbox + 194692) [0x7fff2a098884] 14
                                1 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 14
                                    1 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 14
                                        1 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 14
                                            1 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 14
                                                1 __CFRunLoopServiceMachPort + 341 (CoreFoundation +
536117) [0x7fff2adb9e35] 14
                                                    1 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 14
                                                        *1 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 14
    <process received importance donation from WindowServer [215]>
        3 -[NSCell trackMouse:inRect:ofView:untilMouseUp:] + 2438 (AppKit +
2612182) [0x7fff28581bd6] 15-17
            3 -[NSButtonCell _sendActionFrom:] + 97 (AppKit + 2885256)
[0x7fff285c4688] 15-17
                3 -[NSCell _sendActionFrom:] + 183 (AppKit + 2618221)
[0x7fff2858336d] 15-17
                    3 __26-[NSCell _sendActionFrom:]_block_invoke + 136 (AppKit +

```


2618471) [0x7fff28583467] 15-17
 3 -[NSControl sendAction:to:] + 86 (AppKit + 2618687)
 [0x7fff2858353f] 15-17
 3 -[NSApplication(NSResponder) sendAction:to:from:] + 312
 (AppKit + 8231491) [0x7fff28adda43] 15-17
 3 NSWindowEndWindowModalSession + 197 (AppKit +
 9545878) [0x7fff28c1e896] 15-17
 3 ??? (loginwindow + 348309) [0x104d9d095] 15-17
 3 -[NSWindow orderWindow:relativeTo:] + 169 (AppKit +
 1496523) [0x7fff284715cb] 15-17
 3 -[NSWindow
 _doOrderWindow:relativeTo:findKey:forCounter:force:isModal:] + 287 (AppKit +
 1496933) [0x7fff28471765] 15-17
 3 -[NSWindow
 _reallyDoOrderWindow:relativeTo:findKey:forCounter:force:isModal:] + 172 (AppKit +
 1501420) [0x7fff284728ec] 15-17
 3 -[NSWindow
 _reallyDoOrderWindowOutRelativeTo:findKey:forCounter:force:isModal:] + 361 (AppKit
 + 9526481) [0x7fff28c19cd1] 15-17
 3 -[NSWindow(NSSheets) _orderOutRelativeToWindow:]
 + 106 (AppKit + 2676370) [0x7fff28591692] 15-17
 3 -[NSMoveHelper(NSSheets)
 _closeSheet:andMoveParent:] + 499 (AppKit + 2677038) [0x7fff2859192e] 15-17
 1 -[NSMoveHelper _doAnimation] + 628 (AppKit +
 2600172) [0x7fff2857ecec] 15
 1 NSCGSTransactionSynchronize + 76 (AppKit +
 11226977) [0x7fff28db8f61] 15
 1 -[_NSCGSTransaction synchronize] + 33 (AppKit +
 11226087) [0x7fff28db8be7] 15
 1 NSCGSTransactionRunPreCommitActions_ + 21
 (AppKit + 1527224) [0x7fff28478db8] 15
 1
 NSCGSTransactionRunPreCommitActionsForOrder_ + 147 (AppKit + 1527400)
 [0x7fff28478e68] 15
 1 NSCGSDisableUpdates + 76 (AppKit +
 1527713) [0x7fff28478fa1] 15
 1 _disable_updates_sync + 161 (AppKit +
 11224837) [0x7fff28db8705] 15
 1 _dispatch_sync_wait + 481 (libdispatch.dylib
 + 98749) [0x7fff52d9c1bd] 15
 1 _dispatch_event_loop_wait_for_ownership
 + 522 (libdispatch.dylib + 132207) [0x7fff52da446f] 15
 1 kevent_id + 10 (libsystem_kernel.dylib +
 121882) [0x7fff52f10c1a] 15
 *1 hndl_unix_scall64 + 22 (kernel +
 120390) [0xfffff800021d646] 15
 *1 unix_syscall64 + 616 (kernel +

6301064) [0xfffff8000802588] 15
 [0xfffff80007023c5] 15
 [0xfffff80006ffd30] 15
 5247230) [0xfffff80007010fe] 15
 [0xfffff80006fb013] 15
 [0xfffff80006fcfd6] 15
 599285) [0xfffff80002924f5] 15
 (kernel + 545983) [0xfffff80002854bf] 15
 [0xfffff80002864fa] 15
 205 (kernel + 1580605) [0xfffff8000381e3d] (blocked by queue processed by
 loginwindow [115] thread 0x234335) 15
 2 -[NSMoveHelper _doAnimation] + 1556 (AppKit +
 2601100) [0x7fff2857f08c] 16-17
 2 CFRunLoopRunSpecific + 487 (CoreFoundation +
 530423) [0x7fff2adb87f7] 16-17
 2 __CFRunLoopRun + 2427 (CoreFoundation +
 533515) [0x7fff2adb940b] 16-17
 2 __CFRunLoopDoTimers + 346 (CoreFoundation
 + 568426) [0x7fff2adc1c6a] 16-17
 2 __CFRunLoopDoTimer + 1108 (CoreFoundation
 + 569716) [0x7fff2adc2174] 16-17
 2
 __CFRUNLOOP_IS_CALLING_OUT_TO_A_TIMER_CALLBACK_FUNCTION__ + 20
 (CoreFoundation + 570612) [0x7fff2adc24f4] 16-17
 2 -[NSScreenDisplayLink _fire] + 298 (AppKit +
 2059344) [0x7fff284fac50] 16-17
 2 __28-[NSMoveHelper
 _doAnimation]_block_invoke + 519 (AppKit + 2604196) [0x7fff2857fca4] 16-17
 2 NSPerformVisuallyAtomicChange + 146
 (AppKit + 1469452) [0x7fff2846ac0c] 16-17
 2 MetalSheetProgress + 8259 (SkyLight +
 89839) [0x7fff4cb05eef] 16-17
 2
 CGSUpdateManager::enable_update(unsigned long long) + 320 (SkyLight + 73776)
 [0x7fff4cb02030] 16-17
 2
 CGSUpdateManager::enable_updates_common() + 565 (SkyLight + 450781)
 [0x7fff4cb5e0dd] 16-17

2 mach_msg_trap + 10
(libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 16-17
*2 ipc_mqueue_receive_continue + 0
(kernel + 334160) [0xfffff8000251950] 16-17

Thread 0x234335 DispatchQueue 202 1 sample (15) priority 47
(base 47) cpu time <0.001s (50.4K cycles, 15.6K instructions, 3.24c/i)
<DispatchQueue not seen for 14 samples, thread QoS user interactive (requested user initiated, ipc override user interactive), process unclamped, process received importance donation from WindowServer [215], IO tier 0>

1 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 15
1 _pthread_wqthread + 980 (libsystem_pthread.dylib + 12242) [0x7fff530d6fd2] 15
1 _dispatch_workloop_worker_thread + 880 (libdispatch.dylib + 109857)
[0x7fff52d9ed21] 15
1 _dispatch_root_queue_drain_deferred_wlh + 332 (libdispatch.dylib + 93965)
[0x7fff52d9af0d] 15
1 _dispatch_queue_invoke + 373 (libdispatch.dylib + 37222) [0x7fff52d8d166] 15
1 _dispatch_queue_serial_drain + 635 (libdispatch.dylib + 90647)
[0x7fff52d9a217] 15
1 _dispatch_client_callout + 8 (libdispatch.dylib + 7608) [0x7fff52d85db8] 15
1 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 38394)
[0x7fff52d8d5fa] 15
1 CGSUpdateManager::enable_update(unsigned long long) + 320 (SkyLight
+ 73776) [0x7fff4cb02030] 15
1 CGSUpdateManager::enable_updates_common() + 565 (SkyLight +
450781) [0x7fff4cb5e0dd] 15
1 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
15
*1 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 15

Binary Images:

0x104d48000 - 0x104e3ffff com.apple.loginwindow 9.0 (1791.5)
<D6896C96-9C9E-3C41-A092-D939A4609AFE> /System/Library/CoreServices/
loginwindow.app/Contents/MacOS/loginwindow
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2b1d5000 - 0x7fff2b804fff com.apple.CoreGraphics 2.0 (1161.21.3)
<9ACBD792-2A70-3CFD-8115-084A23DD639F> /System/Library/Frameworks/
CoreGraphics.framework/Versions/A/CoreGraphics

```

0x7fff4caf0000 - 0x7fff4cd8dfff com.apple.SkyLight 1.600.0 (312.103.12)
<A65B547C-B7CA-3E33-A0C5-58AB436A8467> /System/Library/PrivateFrameworks/
SkyLight.framework/Versions/A/SkyLight
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    lsd [293]
Path:       /usr/libexec/lsd
Architecture: x86_64
Parent:     launchd [1]
UID:        0
Sudden Term: Tracked
Task size:  12.68 MB
Note:       1 idle work queue thread omitted

```

```

Thread 0x5b8      DispatchQueue 1      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, process
unclamped, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 _LSServerMain + 633 (LaunchServices + 214500) [0x7fff2c28a5e4] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

```

Binary Images:

```

0x10a7a8000 - 0x10a7a8fff lsd (822.37)
<E3F4E419-5ED1-3406-BDFF-E2B1E7D4501A> /usr/libexec/lsd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

```

CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2c256000 - 0x7fff2c414fff com.apple.LaunchServices 822.37 (822.37)
<0DB4679F-AE39-3BF3-B39B-549322E355AF> /System/Library/Frameworks/
CoreServices.framework/Versions/A/Frameworks/LaunchServices.framework/Versions/
A/LaunchServices
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: lsd [2040]
Path: /usr/libexec/lsd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 10160 KB
Note: 3 idle work queue threads omitted

Thread 0x162a DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10be71000 - 0x10be71fff lsd (822.37)
<E3F4E419-5ED1-3406-BDFF-E2B1E7D4501A> /usr/libexec/lsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mapspushd [76049]
Path: /System/Library/CoreServices/mapspushd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 13.20 MB
Note: 1 idle work queue thread omitted

Thread 0x11c2af 17 samples (1-17) priority 4 (base 4)
 <thread QoS background (requested default), process sudden termination clean,
 thread darwinbg, process darwinbg, IO tier 2>
 17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
 17 main + 258 (mapspushd + 6201) [0x103f75839] 1-17
 17 -[MapsPushDaemonLocalProxy runServer] + 171 (mapspushd + 70648)
 [0x103f853f8] 1-17
 17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
 1-17
 17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
 136966) [0x7fff2ced4706] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
 [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
 [0xfffff8000251950] 1-17

Binary Images:

0x103f74000 - 0x103f91fff mapspushd (2131.25.4.7.1)
 <DB3E5020-9295-3C82-B5E7-6329E04F86CB> /System/Library/CoreServices/
 mapspushd
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mDNSResponder [344]
 Path: /usr/sbin/mDNSResponder
 Architecture: x86_64
 Parent: launchd [1]
 UID: 65
 Task size: 6704 KB

Note: 1 idle work queue thread omitted

Thread 0x6a3 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 1682 (mDNSResponder + 6045) [0x10f8a579d] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Thread 0x6ae 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17
*17 ??? (kernel + 5250928) [0xffffffff8000701f70] 1-17

Binary Images:

0x10f8a4000 - 0x10f949fff mDNSResponder (878.70.4)
<702C5139-1746-322D-895C-CD522B8C6A51> /usr/sbin/mDNSResponder
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mDNSResponderHelper [345]
Path: /usr/sbin/mDNSResponderHelper
Architecture: x86_64
Parent: launchd [1]

UID: 0
Task size: 5236 KB
CPU Time: <0.001s (65.4K cycles, 11.6K instructions, 5.65c/i)
Note: 1 idle work queue thread omitted

Thread 0x6aa 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x6ab 17 samples (1-17) priority 31 (base 31) cpu time
<0.001s (65.4K cycles, 11.6K instructions, 5.65c/i)
<thread QoS default (requested default), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 idletimer + 72 (mDNSResponderHelper + 29990) [0x101134526] 1-17
17 sleep + 41 (libsystem_c.dylib + 509318) [0x7fff52e8a586] 1-17
17 __semwait_signal + 10 (libsystem_kernel.dylib + 118146) [0x7fff52f0fd82]
1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

Binary Images:

0x10112d000 - 0x101139fff mDNSResponderHelper (878.70.4)
<F8839EFA-D56B-351A-84AE-30E827DAB221> /usr/sbin/mDNSResponderHelper
0x7fff52e0e000 - 0x7fff52e97fff libsystem_c.dylib (1244.50.9)
<25DD83D8-80CA-3DFF-8626-FE704911F19C> /usr/lib/system/libsystem_c.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mds [82]
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/Metadata.framework/Versions/A/Support/mds
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 41.65 MB
Note: 5 idle work queue threads omitted

Thread 0x26c DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0 and passive>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (mds + 49052) [0x10336af9c] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x815 17 samples (1-17) priority 50 (base 50)
<IO tier 0 and passive>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2955510) [0xfffff80004d18f6] 1-17
*17 ??? (kernel + 5426434) [0xfffff800072cd02] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Thread 0x88c 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0 and passive>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:
0x10335f000 - 0x103510fff mds (1191.8)
<ED46D348-508F-307E-B046-61A15D52AAA6> /System/Library/Frameworks/
CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/
Support/mds
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-

```
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

```
Process:      mds_stores [399]
Path:         /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/Metadata.framework/Versions/A/Support/mds_stores
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Sudden Term:  Tracked
Task size:    162.70 MB
Note:         1 idle work queue thread omitted
```

```
Thread 0x873      DispatchQueue 1      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (mds_stores + 12458) [0x10e8c40aa] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17
```

```
Thread 0x881      17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17
```

Binary Images:

```
0x10e8c1000 - 0x10e909fff mds_stores (1191.8)
<49C66B0E-0C02-3A29-9B2C-E398E0A3192D> /System/Library/Frameworks/
CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/
Support/mds_stores
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
```

CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mdworker [2478]
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/Metadata.framework/Versions/A/Support/mdworker
Architecture: x86_64
Parent: launchd [1]
UID: 89
Sudden Term: Tracked
Task size: 9588 KB
Note: 1 idle work queue thread omitted

Thread 0x1ce4 17 samples (1-17) priority 4 (base 4)
<thread QoS background, process sudden termination clean, thread darwinbg,
process darwinbg, IO tier 3>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10c2fc000 - 0x10c360fff mdworker (1191.8)
<D3642B0D-5C23-3A3D-BB8E-ECFC2124A172> /System/Library/Frameworks/
CoreServices.framework/Frameworks/Metadata.framework/Versions/A/Support/
mdworker
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mdworker [2479]
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/Metadata.framework/Versions/A/Support/mdworker
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 9636 KB
Note: 1 idle work queue thread omitted

Thread 0x1cf6 17 samples (1-17) priority 4 (base 4)
<thread QoS background, process sudden termination clean, thread darwinbg,
process darwinbg, IO tier 3>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x107dd3000 - 0x107e37fff mdworker (1191.8)
<D3642B0D-5C23-3A3D-BB8E-ECFC2124A172> /System/Library/Frameworks/
CoreServices.framework/Frameworks/Metadata.framework/Versions/A/Support/
mdworker
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mdwrite [9930]
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/
Frameworks/Metadata.framework/Versions/A/Support/mdwrite
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 8880 KB
Note: 1 idle work queue thread omitted

Thread 0x8835 DispatchQueue 11 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested default), process sudden termination clean, timers tier 3
(coalesced), IO tier 1>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x1051ba000 - 0x1051cdfff mdwrite (1191.8) <943BADE2-
FDBC-3DFD-BDB5-9606A1767FBE> /System/Library/Frameworks/
CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/
Support/mdwrite
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: media-indexer [282]
Path: /System/Library/PrivateFrameworks/AssistantServices.framework/
Versions/A/XPCServices/media-indexer.xpc/Contents/MacOS/media-indexer
Architecture: x86_64
Parent: launchd [1]
Responsible: assistantd [2132]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 14.92 MB
Note: 1 idle work queue thread omitted

Thread 0x175af7 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10e126000 - 0x10e130fff com.apple.siri.media-indexer 1.0 (1)
<79C78FC9-0346-39A0-ACED-84F33FDF46B1> /System/Library/PrivateFrameworks/
AssistantServices.framework/Versions/A/XPCServices/media-indexer.xpc/Contents/
MacOS/media-indexer
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mediaremoteagent [4297]
Path: /System/Library/PrivateFrameworks/MediaRemote.framework/Support/
mediaremoteagent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 5452 KB
Note: 1 idle work queue thread omitted

Thread 0x2f10 DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10199e000 - 0x10199ffff mediaremoteagent (4015.732.1)
<1039F941-DCC6-36DF-B3C7-FF424073D960> /System/Library/PrivateFrameworks/
MediaRemote.framework/Support/mediaremoteagent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mediaremoted [32860]

Path: /System/Library/PrivateFrameworks/MediaRemote.framework/Support/
mediaremoted

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Task size: 18.68 MB

Note: 1 idle work queue thread omitted

Thread 0x77004 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main + 382 (mediaremoted + 278542) [0x1033ff00e] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x1033bb000 - 0x103492fff mediaremoted (4015.732.1)
<8FF1D2EF-1301-373A-A3B2-1BD7B00DA6F5> /System/Library/PrivateFrameworks/
MediaRemote.framework/Support/mediaremoted
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)

<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: mobileassetd [35854]
Path: /usr/libexec/mobileassetd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 19.25 MB
Note: 1 idle work queue thread omitted

Thread 0x7f04f DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x101f05000 - 0x101f5afff mobileassetd (437.60.1)
<0C110C2B-6FA6-3EF6-845C-6EADD1EE938B> /usr/libexec/mobileassetd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: nbagent [2318]
Path: /System/Library/PrivateFrameworks/Noticeboard.framework/Versions/A/Resources/nbagent.app/Contents/MacOS/nbagent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 16.88 MB

Note: 1 idle work queue thread omitted

Thread 0x1b5b DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x1dfd Thread name "com.apple.NSEventThread" 17 samples
(1-17) priority 4 (base 4)

<thread QoS background (requested user interactive), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

[0xfffff8000251950] 1-17

Thread 0x16ae79 Thread name "com.apple.NSURLConnectionLoader" 17
samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x1096c2000 - 0x1096cefff com.apple.nbagent 1.0 (1)
<C9DD7543-4013-3666-A42D-2C0FAD1D7F79> /System/Library/PrivateFrameworks/
Noticeboard.framework/Versions/A/Resources/nbagent.app/Contents/MacOS/nbagent
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: nbstated [100]
Path: /System/Library/PrivateFrameworks/Noticeboard.framework/Versions/A/
Resources/nbstated
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 5132 KB
Note: 1 idle work queue thread omitted

Thread 0x292 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10a662000 - 0x10a663fff nbstated (20.1)
<4104102C-73ED-375A-9B34-068311415BEF> /System/Library/PrivateFrameworks/
Noticeboard.framework/Versions/A/Resources/nbstated
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: nehelper [38473]

Path: /usr/libexec/nehelper

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Task size: 7212 KB

Note: 1 idle work queue thread omitted

Thread 0x8dd5c DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x100229000 - 0x100252fff nehelper (767.70.2)
<7A6D1C76-87C1-371C-BA23-90091E6D774A> /usr/libexec/nehelper
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: netbiosd [88863]

Path: /usr/sbin/netbiosd

Architecture: x86_64

Parent: launchd [1]

UID: 222

Sudden Term: Tracked

Task size: 7952 KB

Note: 1 idle work queue thread omitted

Thread 0x144d90 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 3>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10e90f000 - 0x10e956fff netbiosd (407.60.1)
<FB31F162-4C8C-373E-8E7B-C0A96EB0CE7A> /usr/sbin/netbiosd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: networkserviceproxy [34868]
Path: /usr/libexec/networkserviceproxy
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 9400 KB
Note: 1 idle work queue thread omitted

Thread 0x7dc80 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (networkserviceproxy + 96518) [0x10bc37906] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

[0xfffff8000251950] 1-17

Binary Images:

0x10bc20000 - 0x10bc3dfff networkserviceproxy (269.50.9)
<C63A5D2D-0BF3-3827-A3A7-4DD63C658FB5> /usr/libexec/networkserviceproxy
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: NotificationAgent (\$(Paragon NTFS for Mac 15)) [2312]
Path: /Library/Application Support/Paragon Software/com.paragon-
software.ntfs.notification-agent.app/Contents/MacOS/NotificationAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 12.27 MB
CPU Time: <0.001s (193.0K cycles, 61.8K instructions, 3.12c/i)

Process: NotificationCenter (Notification Center) [2115]
Path: /System/Library/CoreServices/NotificationCenter.app/Contents/MacOS/
NotificationCenter
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 39.12 MB
Note: 2 idle work queue threads omitted

Thread 0x1742 DispatchQueue 1 17 samples (1-17) priority 46
(base 46)

<thread QoS user interactive (requested user interactive), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (NotificationCenter + 405916) [0x1048dc19c] 1-17
17 autoreleasepool<A>(invoking:) + 56 (libswiftObjectiveC.dylib + 15464)
[0x7fff4e075c68] 1-17
17 ??? (NotificationCenter + 409582) [0x1048dcfee] 1-17
17 ??? (NotificationCenter + 407253) [0x1048dc6d5] 1-17

```

17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation +
536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x1a3f      Thread name "com.apple.NSEventThread"      17 samples
(1-17)      priority 46 (base 46)
<thread QoS user interactive (requested user interactive), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x104879000 - 0x1049c5fff com.apple.notificationcenterui 1.0 (639.12)
<7018E008-AF30-3B38-A335-6E023B236B4D> /System/Library/CoreServices/
NotificationCenter.app/Contents/MacOS/NotificationCenter
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/

```

AppKit.framework/Versions/C/AppKit

0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff4e072000 - 0x7fff4e077fff libswiftObjectiveC.dylib (900.8.49.1)
<CC36ECB4-5503-322D-A93E-91442C757FA2> /System/Library/PrivateFrameworks/
Swift/libswiftObjectiveC.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: notifyd [125]

Path: /usr/sbin/notifyd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked

Task size: 1932 KB

CPU Time: <0.001s (1282.9K cycles, 370.8K instructions, 3.46c/i)

Note: 2 idle work queue threads omitted

Thread 0x2a5 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: nsurlsessiond [266]

Path: /usr/libexec/nsurlsessiond
Architecture: x86_64
Parent: launchd [1]
UID: 242
Sudden Term: Tracked (allows idle exit)
Task size: 24.61 MB
Note: 1 idle work queue thread omitted

Thread 0x56b DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 551 (nsurlsessiond + 23942) [0x102287d86] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x102282000 - 0x1022e2fff nsurlsessiond (902.6)
<03994534-4CAB-30BF-964F-73537C907C61> /usr/libexec/nsurlsessiond
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: nsurlsessiond [2047]

Path: /usr/libexec/nsurlsessiond
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 14.45 MB (-8192 B)
CPU Time: <0.001s (100.0K cycles, 41.7K instructions, 2.40c/i)
Note: 2 idle work queue threads omitted

Thread 0x1676 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 551 (nsurlsessiond + 23942) [0x10972ed86] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x5ba59 Thread name "com.apple.NSURLConnectionLoader" 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17
17 -[__CoreSchedulingSetRunnable runForever] + 722 (CFNetwork + 2384216) [0x7fff29ef8158] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x109729000 - 0x109789fff nsurlsessiond (902.6)
<03994534-4CAB-30BF-964F-73537C907C61> /usr/libexec/nsurlsessiond
0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
<46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/
CFNetwork.framework/Versions/A/CFNetwork
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: nsurlstoraged [2263]
Path: /usr/libexec/nsurlstoraged
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 9812 KB
Note: 1 idle work queue thread omitted

Thread 0x1a0b DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 _nsurlstoraged_main + 614 (CFNetwork + 285774) [0x7fff29cf7c4e] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

```

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

Binary Images:

```

0x10ce7a000 - 0x10ce92fff nsurlstoraged (902.6)
<626422DA-99FC-3304-BBE6-49F34AAC324A> /usr/libexec/nsurlstoraged
0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
<46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/
CFNetwork.framework/Versions/A/CFNetwork
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process: nsurlstoraged [35853]
Path: /usr/libexec/nsurlstoraged
Architecture: x86_64
Parent: launchd [1]
UID: 243
Sudden Term: Tracked (allows idle exit)
Task size: 6340 KB
Note: 1 idle work queue thread omitted

```

```

Thread 0x7f04a      DispatchQueue 1      17 samples (1-17)      priority 4 (base
4)

```

```

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

```

```

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 _nsurlstoraged_main + 614 (CFNetwork + 285774) [0x7fff29cf7c4e] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

Binary Images:

0x10e2af000 - 0x10e2c7fff nsurlstoraged (902.6)
<626422DA-99FC-3304-BBE6-49F34AAC324A> /usr/libexec/nsurlstoraged
0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
<46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/
CFNetwork.framework/Versions/A/CFNetwork
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ocspd [32863]
Path: /usr/sbin/ocspd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 5688 KB
Note: 1 idle work queue thread omitted

Thread 0x7729f DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (ocspd + 17092) [0x10fd092c4] 1-17
17 ??? (ocspd + 61839) [0x10fd1418f] 1-17
17 ??? (ocspd + 62653) [0x10fd144bd] 1-17
17 mach_msg_overwrite_trap + 10 (libsystem_kernel.dylib + 78342)
[0x7fff52f06206] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x10fd05000 - 0x10fd1ffff ocspd (55135.30.1)
<3C0B73DB-1A49-39B8-962F-11D797589367> /usr/sbin/ocspd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: opendirectoryd [97]
Path: /usr/libexec/opendirectoryd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 12.18 MB
Note: 3 idle work queue threads omitted

Thread 0x344 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x350 DispatchQueue 10 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested utility), process sudden termination dirty, IO tier 1>
17 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 1-17
17 _pthread_wqthread + 1387 (libsystem_pthread.dylib + 12649) [0x7fff530d7169]
1-17
17 _dispatch_worker_thread3 + 101 (libdispatch.dylib + 14165) [0x7fff52d87755]
1-17
17 _dispatch_root_queue_drain + 515 (libdispatch.dylib + 14761) [0x7fff52d879a9]
1-17
17 _dispatch_queue_override_invoke + 880 (libdispatch.dylib + 60613)
[0x7fff52d92cc5] 1-17
17 _dispatch_client_callout + 8 (libdispatch.dylib + 7608) [0x7fff52d85db8] 1-17
17 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 38394)
[0x7fff52d8d5fa] 1-17
17 ??? (opendirectoryd + 178966) [0x101fe9b16] 1-17
17 sleep + 41 (libsystem_c.dylib + 509318) [0x7fff52e8a586] 1-17
17 __semwait_signal + 10 (libsystem_kernel.dylib + 118146)
[0x7fff52f0fd82] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0]
1-17

Thread 0x41d DispatchQueue 10 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x404 DispatchQueue 1723 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 1-17
17 _pthread_wqthread + 1387 (libsystem_pthread.dylib + 12649) [0x7fff530d7169]
1-17
17 _dispatch_worker_thread3 + 101 (libdispatch.dylib + 14165) [0x7fff52d87755]
1-17
17 _dispatch_root_queue_drain + 515 (libdispatch.dylib + 14761) [0x7fff52d879a9]
1-17
17 _dispatch_async_redirect_invoke + 703 (libdispatch.dylib + 50995)
[0x7fff52d90733] 1-17
17 _dispatch_continuation_pop + 472 (libdispatch.dylib + 85633)
[0x7fff52d98e81] 1-17
17 _dispatch_client_callout + 8 (libdispatch.dylib + 7608) [0x7fff52d85db8]
1-17
17 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 38394)
[0x7fff52d8d5fa] 1-17
17 __identitysvc + 10 (libsystem_kernel.dylib + 115658) [0x7fff52f0f3ca]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x3d6 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x101fbe000 - 0x10203cfff opendirectoryd (483.70.1)
<CF7B2AD7-4C44-3050-A5E6-7B9603693204> /usr/libexec/opendirectoryd
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52e0e000 - 0x7fff52e97fff libsystem_c.dylib (1244.50.9)
<25DD83D8-80CA-3DFF-8626-FE704911F19C> /usr/lib/system/libsystem_c.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: OSDUIHelper [45192]

Path: /System/Library/CoreServices/OSDUIHelper.app/Contents/MacOS/

OSDUIHelper

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 22.29 MB

Note: 1 idle work queue thread omitted

Thread 0xc98e7 DispatchQueue 1 17 samples (1-17) priority 46
(base 46)

<thread QoS user interactive (requested user interactive), process sudden termination
clean, IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (OSDUIHelper + 8026) [0x103841f5a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0xc9925 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process sudden termination
clean, IO tier 0>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]

1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x103840000 - 0x103852fff com.apple.OSDUIHelper 1.0 (1)
<DF6D3FC3-8B48-31DD-B0D2-CD9A281EED32> /System/Library/CoreServices/
OSDUIHelper.app/Contents/MacOS/OSDUIHelper
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: PAH_Extension (com.apple.PressAndHold) [2593]
Path: /System/Library/Input Methods/PressAndHold.app/Contents/PlugIns/
PAH_Extension.appex/Contents/MacOS/PAH_Extension
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 15.46 MB
CPU Time: <0.001s (1186.3K cycles, 300.0K instructions, 3.95c/i)
Note: 2 idle work queue threads omitted

Thread 0x1e7d DispatchQueue 1 17 samples (1-17) priority 4 (base
4) cpu time <0.001s (534.4K cycles, 123.7K instructions, 4.32c/i)
<thread QoS user interactive (requested user interactive), process sudden termination
dirty, process suppressed, timers tier 5 (throttled), IO tier 1>

```

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSExtensionMain + 51 (Foundation + 2248425) [0x7fff2d0d7ee9] 1-17
17 +[PKService _defaultRun:arguments:] + 17 (PlugInKit + 90033) [0x7fff49db4fb1]
1-17
17 +[PKService main] + 55 (PlugInKit + 88985) [0x7fff49db4b99] 1-17
17 -[PKService run] + 704 (PlugInKit + 89997) [0x7fff49db4f8d] 1-17
17 -[NSXPCListener resume] + 165 (Foundation + 487061) [0x7fff2cf29e95]
1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 580 (libxpc.dylib + 68955) [0x7fff5311ad5b] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSViewServiceApplication
nextEventMatchingMask:untilDate:inMode:dequeue:] + 92 (ViewBridge + 19952)
[0x7fff4f90fdf0] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64
(HIToolbox + 194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation +
536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x1f50      Thread name "com.apple.NSEventThread"      17 samples
(1-17)      priority 4 (base 4)

```

```

<thread QoS user interactive (requested user interactive), process sudden termination
dirty, process suppressed, timers tier 5 (throttled), IO tier 1>

```

```

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]

```


1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x1093af000 - 0x1093b6fff com.apple.PressAndHold 1.3 (36)
<1A4CCE7D-492D-3BE0-8B55-0F2F289DA736> /System/Library/Input Methods/
PressAndHold.app/Contents/PlugIns/PAH_Extension.appex/Contents/MacOS/
PAH_Extension
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff49d9f000 - 0x7fff49dc4fff com.apple.pluginkit.framework 1.0 (1)
<3C6FA287-D379-3BD3-80C0-678B1BB0D4DA> /System/Library/PrivateFrameworks/
PlugInKit.framework/Versions/A/PlugInKit
0x7fff4f90b000 - 0x7fff4f9dafff com.apple.ViewBridge 343.2 (343.2)
<0A295791-B763-3E58-A9DD-8E4F40E815C9> /System/Library/PrivateFrameworks/
ViewBridge.framework/Versions/A/ViewBridge
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: parsecd [50352]

Path: /System/Library/PrivateFrameworks/CoreParsec.framework/parsecd

Architecture: x86_64

Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 20.51 MB
Note: 1 idle work queue thread omitted

Thread 0xe34de DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 2509 (parsecd + 134057) [0x108d26ba9] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0xe3512 DispatchQueue 36 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default, ipc override default), process sudden
termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 78390) [0x7fff52f06236] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

Binary Images:

0x108d06000 - 0x108d61fff parsecd (184.3.12) <4B20ABE4-
C694-3195-BA18-44EE3CF7C9C8> /System/Library/PrivateFrameworks/
CoreParsec.framework/parsecd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: passd [2117]
Path: /System/Library/PrivateFrameworks/PassKitCore.framework/passd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 20.32 MB
Note: 2 idle work queue threads omitted

Thread 0x176d DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (passd + 7684) [0x103187e04] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x103186000 - 0x1032a0fff passd (1418.8.9.1.1)
<3F30EBB0-89A4-3C64-BEA5-F797E274F6EB> /System/Library/PrivateFrameworks/PassKitCore.framework/passd

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-

```
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

```
Process:    pboard [2122]
Path:       /usr/libexec/pboard
Architecture: x86_64
Parent:     launchd [1]
UID:        501
Sudden Term: Tracked
Task size:  5440 KB
Note:       1 idle work queue thread omitted
```

```
Thread 0x1783      DispatchQueue 1      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (pboard + 3412) [0x10cd98d54] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17
```

Binary Images:

```
0x10cd98000 - 0x10cd98fff pboard (1455.122)
<EA71155F-1DB7-3F8F-A57D-6298CF0920F0> /usr/libexec/pboard
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

```
Process:    pbs [37918]
```

Path: /System/Library/CoreServices/pbs
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 7424 KB
Note: 1 idle work queue thread omitted

Thread 0x8a763 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x100dc0000 - 0x100dd2fff pbs (301.10)
<8B893121-498D-350B-A3DC-531FC964591C> /System/Library/CoreServices/pbs
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: photoanalysisd [2056]
Path: /System/Library/PrivateFrameworks/PhotoAnalysis.framework/Versions/A/
Support/photoanalysisd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 50.78 MB
Note: 1 idle work queue thread omitted

Thread 0x16c3 DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 403 (photoanalysisd + 6294) [0x106040896] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]

1-17

Binary Images:

0x10603f000 - 0x106040fff photoanalysisd (3271.10.210)
<0C96825C-7EAA-31B5-8D9C-A12E336D5489> /System/Library/PrivateFrameworks/
PhotoAnalysis.framework/Versions/A/Support/photoanalysisd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: photolibraryd [4194]

Path: /System/Library/PrivateFrameworks/PhotoLibraryPrivate.framework/
Versions/A/Support/photolibraryd

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 26.54 MB

Note: 1 idle work queue thread omitted

Thread 0x3568 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread
darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x109043000 - 0x10936afff photolibraryd (3291.13.230)
<6C2EAD74-36D4-396F-9238-3810C1822DF1> /System/Library/PrivateFrameworks/
PhotoLibraryPrivate.framework/Versions/A/Support/photolibraryd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: pkd [2131]
Path: /usr/libexec/pkd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 13.70 MB
Note: 1 idle work queue thread omitted

Thread 0x17c8 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (pkd + 17193) [0x107872329] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Thread 0x2334d2 17 samples (1-17) priority 4 (base 4)

<thread QoS background, process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

*17 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] 1-17

Binary Images:

0x10786e000 - 0x107895fff pkd (212.50.2)

<BDCBCA2B-2E16-3AEB-BD92-6AF5AE503561> /usr/libexec/pkd

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)

<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff7f810f1000 - 0xfffff7f810fcfff com.apple.kec.pthread 1.0 (1)

<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread

*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: plugin-container (FirefoxCP) [10856]
Path: /Applications/Firefox.app/Contents/MacOS/plugin-container.app/Contents/MacOS/plugin-container
Architecture: x86_64
Parent: firefox (Firefox) [10855]
Responsible: firefox (Firefox) [10855]
UID: 501
Task size: 130.98 MB

Process: plugin-container (FirefoxCP) [10859]
Path: /Applications/Firefox.app/Contents/MacOS/plugin-container.app/Contents/MacOS/plugin-container
Architecture: x86_64
Parent: firefox (Firefox) [10855]
Responsible: firefox (Firefox) [10855]
UID: 501
Task size: 83.29 MB
CPU Time: <0.001s (1407.4K cycles, 309.1K instructions, 4.55c/i)

Process: plugin-container (FirefoxCP) [33410]
Path: /Applications/Firefox.app/Contents/MacOS/plugin-container.app/Contents/MacOS/plugin-container
Architecture: x86_64
Parent: firefox (Firefox) [10855]
Responsible: firefox (Firefox) [10855]
UID: 501
Task size: 19.83 MB

Process: plugin-container (FirefoxCP) [11848]
Path: /Applications/Firefox.app/Contents/MacOS/plugin-container.app/Contents/MacOS/plugin-container
Architecture: x86_64
Parent: firefox (Firefox) [10855]
Responsible: firefox (Firefox) [10855]
UID: 501
Task size: 140.38 MB
CPU Time: 0.002s (3.6M cycles, 831.1K instructions, 4.36c/i)

Process: plugin-container (FirefoxCP) [13062]
Path: /Applications/Firefox.app/Contents/MacOS/plugin-container.app/Contents/

MacOS/plugin-container

Architecture: x86_64

Parent: firefox (Firefox) [10855]

Responsible: firefox (Firefox) [10855]

UID: 501

Task size: 173.97 MB

CPU Time: <0.001s (1088.1K cycles, 237.5K instructions, 4.58c/i)

Process: plugin-container (FirefoxCP) [13197]

Path: /Applications/Firefox.app/Contents/MacOS/plugin-container.app/Contents/

MacOS/plugin-container

Architecture: x86_64

Parent: firefox (Firefox) [10855]

Responsible: firefox (Firefox) [10855]

UID: 501

Task size: 57.45 MB

Process: powerd [75]

Path: /System/Library/CoreServices/powerd.bundle/powerd

Architecture: x86_64

Parent: launchd [1]

UID: 0

Task size: 9108 KB

CPU Time: 0.001s (2.8M cycles, 872.8K instructions, 3.21c/i)

Note: 1 idle work queue thread omitted

Thread 0x265 DispatchQueue 1 17 samples (1-17) priority 31

(base 31) cpu time 0.001s (2.4M cycles, 771.5K instructions, 3.10c/i)

<thread QoS default (requested default), IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (powerd + 172215) [0x104b6c0b7] 1-17

17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Binary Images:

0x104b42000 - 0x104b7cfff powerd (703.71.2) <CC576CF0-A7F4-3C67-843B-F5FB6A744EF9> /System/Library/CoreServices/powerd.bundle/

powerd

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: Preview [13594]
Path: /Applications/Preview.app/Contents/MacOS/Preview
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 58.96 MB
Note: 2 idle work queue threads omitted

Thread 0x232aaa DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested user interactive), process sudden termination clean,
IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

[0xfffff8000251950] 1-17

Thread 0x232c10 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 31 (base 31)
<thread QoS default (requested user interactive), process sudden termination clean,
IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10b2fc000 - 0x10b506fff com.apple.Preview 10.0 (944.5)
<7108DC0C-DB11-39EB-9056-D62D8C24A2E0> /Applications/Preview.app/Contents/
MacOS/Preview
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: printtool [44263]

Path: /System/Library/Frameworks/ApplicationServices.framework/Versions/A/

Frameworks/PrintCore.framework/Versions/A/printtool

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 9636 KB

Note: 1 idle work queue thread omitted

Thread 0xc414b DispatchQueue 11 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17

*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10017b000 - 0x10018bfff printtool (503.2.1)
<1799A850-1586-33D5-86F9-3D429C8F4763> /System/Library/Frameworks/
ApplicationServices.framework/Versions/A/Frameworks/PrintCore.framework/Versions/
A/printtool

0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: PrintUITool [44659]

Path: /System/Library/PrivateFrameworks/PrintingPrivate.framework/Versions/A/
PrintUITool

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 18.98 MB

Note: 1 idle work queue thread omitted

Thread 0xc6462 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (PrintUITool + 33561) [0x10bf33319] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

```

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

Binary Images:

```

0x10bf2b000 - 0x10bf43fff PrintUITool (180.1.1) <E6574A51-
AACC-3199-9EB3-47C209FDC630> /System/Library/PrivateFrameworks/
PrintingPrivate.framework/Versions/A/PrintUITool
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process: ProtectedCloudKeySyncing [2771]
Path: /System/Library/PrivateFrameworks/ProtectedCloudStorage.framework/
Helpers/ProtectedCloudKeySyncing
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 13.37 MB
Note: 1 idle work queue thread omitted

```

```

Thread 0x20d0 DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination dirty, thread
darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (ProtectedCloudKeySyncing + 150808) [0x10cb90d18] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

```

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x10cb6c000 - 0x10cb9cfff ProtectedCloudKeySyncing (475.71.1)
<60CCBC2F-2DA5-38FF-BC06-7A4C41F6A23E> /System/Library/PrivateFrameworks/
ProtectedCloudStorage.framework/Helpers/ProtectedCloudKeySyncing
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ptmd [322]
Path: /usr/libexec/ptmd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 3840 KB
Note: 1 idle work queue thread omitted

Thread 0x64c 17 samples (1-17) priority 20 (base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10e451000 - 0x10e452fff ptmd (7)
<8E439D55-65E3-331D-94F9-0480F950B482> /usr/libexec/ptmd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: quicklookd (Quick Look Helper) [9591]
Path: /System/Library/Frameworks/QuickLook.framework/Versions/A/Resources/
quicklookd.app/Contents/MacOS/quicklookd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 18.46 MB
Note: 1 idle work queue thread omitted

Thread 0x21e13a DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (quicklookd + 18485) [0x10a8e0835] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x21e14a 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17

17 ??? (quicklookd + 32798) [0x10a8e401e] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x21e150 17 samples (1-17) priority 4 (base 4)
 <thread QoS background (requested default), process sudden termination clean,
 thread darwinbg, process darwinbg, IO tier 2>
 17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
 17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
 17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
 17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17
 17 ??? (quicklookd + 230472) [0x10a914448] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
 [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
 [0xfffff8000251950] 1-17

Binary Images:

0x10a8dc000 - 0x10a935fff com.apple.QuickLookDaemon 5.0 (743.13)
 <FFCA1517-E65D-32C8-A384-BE202BE5F190> /System/Library/Frameworks/
 QuickLook.framework/Versions/A/Resources/quicklookd.app/Contents/MacOS/
 quicklookd
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: QuickLookSatellite [13741]
 Path: /System/Library/Frameworks/QuickLook.framework/Versions/A/Resources/
 quicklookd.app/Contents/XPCServices/QuickLookSatellite.xpc/Contents/MacOS/
 QuickLookSatellite
 Architecture: x86_64
 Parent: launchd [1]

Responsible: quicklookd (Quick Look Helper) [9591]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 13.09 MB

Note: 1 idle work queue thread omitted

Thread 0x2335a0 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main + 26 (QuickLookSatellite + 6918) [0x10e5edb06] 1-17

17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17

17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10e5ec000 - 0x10e5f2fff com.apple.quicklook.satellite 5.0 (521.1)
<792BD2CD-AB16-3ECF-BFDA-6631E4DA9A6A> /System/Library/Frameworks/
QuickLook.framework/Versions/A/Resources/quicklookd.app/Contents/XPCServices/
QuickLookSatellite.xpc/Contents/MacOS/QuickLookSatellite

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation

0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: QuickLookUIService [9925]
Path: /System/Library/Frameworks/Quartz.framework/Versions/A/Frameworks/QuickLookUI.framework/Versions/A/XPCServices/QuickLookUIService.xpc/Contents/MacOS/QuickLookUIService
Architecture: x86_64
Parent: launchd [1]
Responsible: Finder [2038]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 216.83 MB
Note: 1 idle work queue thread omitted

Thread 0x84b2 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS user interactive (requested user interactive), process sudden termination dirty, process suppressed, timers tier 5 (throttled), IO tier 1>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 main + 40 (QuickLookUIService + 5681) [0x100b8d631] 1-17

17 NSViewServiceApplicationMain + 2903 (ViewBridge + 10942) [0x7fff4f90dabe] 1-17

17 -[NSXPCSharedListener resume] + 16 (ViewBridge + 19477) [0x7fff4f90fc15] 1-17

17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17

17 _xpc_objc_main + 580 (libxpc.dylib + 68955) [0x7fff5311ad5b] 1-17

17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17

17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17

17 -[NSViewServiceApplication

nextEventMatchingMask:untilDate:inMode:dequeue:] + 92 (ViewBridge + 19952) [0x7fff4f90fdf0] 1-17

17 -[NSApplication(NSEvent)

_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308) [0x7fff28adbe34] 1-17

17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17

17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox + 194692) [0x7fff2a098884] 1-17

17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06] 1-17

17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990) [0x7fff2a098d96] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation +

536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x8508 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 4 (base 4)
<thread QoS user interactive (requested user interactive), process sudden termination
dirty, process suppressed, timers tier 5 (throttled), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x100b8c000 - 0x100b94fff com.apple.quicklook.QuickLookUIService 1.0
(1) <864AFA0F-BB08-3B23-852E-92885049FDFC> /System/Library/Frameworks/
Quartz.framework/Versions/A/Frameworks/QuickLookUI.framework/Versions/A/
XPCServices/QuickLookUIService.xpc/Contents/MacOS/QuickLookUIService
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff4f90b000 - 0x7fff4f9dafff com.apple.ViewBridge 343.2 (343.2)
<0A295791-B763-3E58-A9DD-8E4F40E815C9> /System/Library/PrivateFrameworks/
ViewBridge.framework/Versions/A/ViewBridge
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)

<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: QuickLookUIService [21178]
Path: /System/Library/Frameworks/Quartz.framework/Versions/A/Frameworks/
QuickLookUI.framework/Versions/A/XPCServices/QuickLookUIService.xpc/Contents/
MacOS/QuickLookUIService
Architecture: x86_64
Parent: launchd [1]
Responsible: firefox (Firefox) [10855]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 20.44 MB
Note: 1 idle work queue thread omitted

Thread 0x1bbe19 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS user interactive (requested user interactive), process sudden termination
clean, process suppressed, timers tier 5 (throttled), IO tier 1>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 40 (QuickLookUIService + 5681) [0x10a4da631] 1-17
17 NSViewServiceApplicationMain + 2903 (ViewBridge + 10942) [0x7fff4f90dabe]
1-17
17 -[NSXPCSharedListener resume] + 16 (ViewBridge + 19477) [0x7fff4f90fc15]
1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 580 (libxpc.dylib + 68955) [0x7fff5311ad5b] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSViewServiceApplication
nextEventMatchingMask:untilDate:inMode:dequeue:] + 92 (ViewBridge + 19952)
[0x7fff4f90fdf0] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox
+ 194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334)
[0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17

```

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation +
536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x1bbe37      Thread name "com.apple.NSEventThread"      17
samples (1-17)      priority 4 (base 4)
<thread QoS user interactive (requested user interactive), process sudden termination
clean, process suppressed, timers tier 5 (throttled), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x10a4d9000 - 0x10a4e1fff com.apple.quicklook.QuickLookUIService 1.0
(1) <864AFA0F-BB08-3B23-852E-92885049FDFC> /System/Library/Frameworks/
Quartz.framework/Versions/A/Frameworks/QuickLookUI.framework/Versions/A/
XPCCServices/QuickLookUIService.xpc/Contents/MacOS/QuickLookUIService
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff4f90b000 - 0x7fff4f9dafff com.apple.ViewBridge 343.2 (343.2)
<0A295791-B763-3E58-A9DD-8E4F40E815C9> /System/Library/PrivateFrameworks/
ViewBridge.framework/Versions/A/ViewBridge

```

```

0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    rapportd [2048]
Path:       /usr/libexec/rapportd
Architecture: x86_64
Parent:     launchd [1]
UID:        501
Sudden Term: Tracked (allows idle exit)
Task size:  10.11 MB
Note:       1 idle work queue thread omitted

```

```

Thread 0x1682      DispatchQueue 1      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (rapportd + 111280) [0x10b9af2b0] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

```

```

Binary Images:
0x10b994000 - 0x10b9c0fff rapportd (152.1) <2B0A2AA6-
D20E-3040-A4A2-C53BFDAB8096> /usr/libexec/rapportd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

```

```

CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      RDUSB012FSetup [90]
Path:         /Library/Application Support/RolandDrv*/RDUSB012FSetup
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Task size:    1284 KB
CPU Time:     0.001s (2.5M cycles, 655.7K instructions, 3.89c/i)
Note:         1 idle work queue thread omitted

```

```

Thread 0x270      DispatchQueue 1      17 samples (1-17)      priority 20
(base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
  17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
  17 main + 279 (RDUSB012FSetup + 5654) [0x10e09c616] 1-17
  17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
  17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
      17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
        *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

```

Thread 0x5d7      17 samples (1-17)      priority 20 (base 20)      cpu time 0.001s
(2.5M cycles, 655.7K instructions, 3.89c/i)
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>
  17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
  17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
  17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
  17 CuWorkThread::StartProc(void*) + 9 (RDUSB012FSetup + 10057)
[0x10e09d749] 1-17
    17 CuWorkThread::DoThread() + 51 (RDUSB012FSetup + 10113)
[0x10e09d781] 1-17

```

17 CServer::serverThread() + 120 (RDUSB012FSetup + 8930) [0x10e09d2e2]
1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0cf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10e09b000 - 0x10e09efff RDUSB012FSetup (0)
<1123D75A-0708-39EE-99B2-D473740E9D39> /Library/Application Support/
RolandDrv/*/RDUSB012FSetup
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: recentsd [6174]
Path: /System/Library/PrivateFrameworks/CoreRecents.framework/Versions/A/
Support/recentsd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 18.13 MB
Note: 1 idle work queue thread omitted

Thread 0x1898b2 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)

<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (recentsd + 12503) [0x1040b60d7] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Binary Images:

0x1040b3000 - 0x1040dafff recentd (139.3)
<3CBA82E3-1D5D-3DAB-BCCE-6104BE881441> /System/Library/PrivateFrameworks/
CoreRecents.framework/Versions/A/Support/recentd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ReportCrash [49306]
Path: /System/Library/CoreServices/ReportCrash
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 32.38 MB
Note: 1 idle work queue thread omitted

Thread 0xe19ef DispatchQueue 1 17 samples (1-17) priority 4 (base
4)

<thread QoS background (requested background), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (ReportCrash + 9783) [0x10765d637] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Thread 0x137dc5 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x22e30b 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (ReportCrash + 8835) [0x10765d283] 1-17
17 mach_msg_server_once + 271 (libsystem_kernel.dylib + 76887)
[0x7fff52f05c57] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Binary Images:

0x10765b000 - 0x107679fff ReportCrash (938.4.2) <4391863C-E20C-3EC5-879D-DE0C3C679165> /System/Library/CoreServices/ReportCrash
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ReportCrash [24888]
Path: /System/Library/CoreServices/ReportCrash
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)

Task size: 7288 KB
Note: 1 idle work queue thread omitted

Thread 0x1ca52c 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x1cac32 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10753e000 - 0x10755cfff ReportCrash (938.4.2) <4391863C-E20C-3EC5-879D-DE0C3C679165> /System/Library/CoreServices/ReportCrash
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: revisiond [114]
Path: /System/Library/PrivateFrameworks/GenerationalStorage.framework/
Versions/A/Support/revisiond
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 7492 KB
Note: 1 idle work queue thread omitted

Thread 0x296 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (revisiond + 51430) [0x104a568e6] 1-17
17 ??? (revisiond + 50100) [0x104a563b4] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17

```

1-17      17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17      17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17      17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
1-17      17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17      *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x583      17 samples (1-17)      priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 read + 10 (libsystem_kernel.dylib + 123202) [0x7fff52f11142] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2874188) [0xfffff80004bdb4c] 1-17
*17 VNOP_READ + 106 (kernel + 2931002) [0xfffff80004cb93a] 1-17
*17 spec_read + 667 (kernel + 2973291) [0xfffff80004d5e6b] 1-17
*17 ??? (AppleFSCompressionTypeDataless + 6621) [0xfffff7f82b2c9dd]
1-17
*17 msleep + 98 (kernel + 5427330) [0xfffff800072d082] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf]
1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

```

Binary Images:

```

0x104a4a000 - 0x104a94fff revisiond (285.3)
<8F395D22-A435-3730-A5AC-EE8D84A6E3C5> /System/Library/PrivateFrameworks/
GenerationalStorage.framework/Versions/A/Support/revisiond
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
<49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

```

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff7f82b2b000 - 0xffffffff7f82b2cfff
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 96.60.1 (1.0.0d1)
<3B67C87D-2D57-3C8A-AC27-474171D2C9A1> /System/Library/Extensions/
AppleFSCompressionTypeDataless.kext/Contents/MacOS/
AppleFSCompressionTypeDataless
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: routined [2050]
Path: /usr/libexec/routined
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 30.86 MB
Note: 1 idle work queue thread omitted

Thread 0x16a1 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (routined + 6339) [0x101e548c3] 1-17

17 -[RTLifeCycleManager start] + 184 (libcoreroutine.dylib + 299745) [0x7fff50dfc2e1] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Thread 0x1a6c48 Thread name "NetworkLoad" 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x101e53000 - 0x101e54fff routined (558.0.10) <4602DAE0-C0E4-3A39-B10B-ECDCF774204C> /usr/libexec/routined
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122) <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122) <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
0x7fff50db3000 - 0x7fff5105cfff libcoreroutine.dylib (558.0.10) <9B03DCA3-AE1B-33EB-ACCB-CFDF15ED0CD7> /usr/lib/libcoreroutine.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1) <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1) <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: rtcreportind [29598]
Path: /usr/libexec/rtcreportind
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 8800 KB
Note: 2 idle work queue threads omitted

Thread 0x719ed DispatchQueue 1 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested utility), process sudden termination dirty, timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (rtcreportind + 62373) [0x104ec13a5] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Thread 0x719fe Thread name "com.apple.NSURLConnectionLoader" 17
samples (1-17) priority 20 (base 20)
<thread QoS utility (requested default), process sudden termination dirty, timers tier 3
(coalesced), IO tier 1>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17
17 -[__CoreSchedulingSetRunnable runForever] + 722 (CFNetwork + 2384216)
[0x7fff29ef8158] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x104eb2000 - 0x104ed7fff rtcreportingd (9.32.65)
<31C139D5-3D2E-32B9-9527-AFEDF9270CEC> /usr/libexec/rtcreportingd
0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
<46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/
CFNetwork.framework/Versions/A/CFNetwork
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: sandboxd [198]
Path: /usr/libexec/sandboxd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 7876 KB
Note: 1 idle work queue thread omitted

Thread 0x3df 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x571 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:
0x106ab2000 - 0x106ac9fff sandboxd (765.70.1) <65600084-B868-3AE3-8219-BC59746E6369> /usr/libexec/sandboxd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ScopedBookmarkAgent [37917]
Path: /System/Library/CoreServices/ScopedBookmarkAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 8028 KB
Note: 1 idle work queue thread omitted

Thread 0x8a725 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17

17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10d3fd000 - 0x10d401fff ScopedBookmarkAgent (309.1)
<063DC106-1F96-3ADB-84D7-1CB4CCD9D83C> /System/Library/CoreServices/
ScopedBookmarkAgent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: secd [2041]
Path: /usr/libexec/secd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 12.24 MB
Note: 1 idle work queue thread omitted

Thread 0x1655 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10d3a6000 - 0x10d5b9fff secd (58286.70.15)
<F84DB72F-6456-346A-A9C7-F8601C0CCBC8> /usr/libexec/secd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: secinitd [37920]
Path: /usr/libexec/secinitd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 12.35 MB

Note: 1 idle work queue thread omitted

Thread 0x8a953 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x101140000 - 0x101145fff secinitd (30) <332FA315-
B73B-3343-B7FB-822483401006> /usr/libexec/secinitd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: securityd [105]
Path: /usr/sbin/securityd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 8504 KB
Note: 1 idle work queue thread omitted

Thread 0x27f DispatchQueue 1 17 samples (1-17) priority 31 (base
31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (securityd + 91279) [0x10a75e48f] 1-17
17 ??? (securityd + 500303) [0x10a7c224f] 1-17
17 ??? (securityd + 27293) [0x10a74ea9d] 1-17
17 mach_msg_overwrite_trap + 10 (libsystem_kernel.dylib + 78342)
[0x7fff52f06206] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x34f 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (securityd + 25899) [0x10a74e52b] 1-17

```

17 ??? (securityd + 331184) [0x10a798db0] 1-17
17 au_sdev_read_aia + 528 (libbsm.0.dylib + 60396) [0x7fff50cfcbec] 1-17
17 fgetc + 52 (libsystem_c.dylib + 246895) [0x7fff52e4a46f] 1-17
17 __srget + 14 (libsystem_c.dylib + 273977) [0x7fff52e50e39] 1-17
17 __srefill1 + 24 (libsystem_c.dylib + 273694) [0x7fff52e50d1e] 1-17
17 __read_nocancel + 10 (libsystem_kernel.dylib + 117738)
[0x7fff52f0fba] 1-17
*17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
*17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
*17 read_nocancel + 115 (kernel + 5522435) [0xfffff8000744403] 1-17
*17 ??? (kernel + 5523045) [0xfffff8000744665] 1-17
*17 ??? (kernel + 2874188) [0xfffff80004bdb4c] 1-17
*17 VNOP_READ + 106 (kernel + 2931002) [0xfffff80004cb93a]
1-17
*17 spec_read + 667 (kernel + 2973291) [0xfffff80004d5e6b] 1-17
*17 ??? (kernel + 5057012) [0xfffff80006d29f4] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094)
[0xfffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983)
[0xfffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605)
[0xfffff8000381e3d] 1-17

Thread 0x4cb      17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 78390) [0x7fff52f06236] 1-17
*17 semaphore_wait_continue + 0 (kernel + 593856) [0xfffff8000290fc0] 1-17

Thread 0x23286f   17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (securityd + 25899) [0x10a74e52b] 1-17
17 ??? (securityd + 26208) [0x10a74e660] 1-17
17 ??? (securityd + 27293) [0x10a74ea9d] 1-17
17 mach_msg_overwrite_trap + 10 (libsystem_kernel.dylib + 78342)
[0x7fff52f06206] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

```

Binary Images:

```

0x10a748000 - 0x10a817fff securityd (58286.70.15) <7FDA10AE-
F914-31E0-A57D-E6E76019EE86> /usr/sbin/securityd

```

```

0x7fff50cee000 - 0x7fff50cfefff libbsm.0.dylib (39) <18D57879-
A717-3466-9637-1704EE59A32A> /usr/lib/libbsm.0.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52e0e000 - 0x7fff52e97fff libsystem_c.dylib (1244.50.9)
<25DD83D8-80CA-3DFF-8626-FE704911F19C> /usr/lib/system/libsystem_c.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process: securityd_service [2028]
Path: /usr/libexec/securityd_service
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 4340 KB
Note: 1 idle work queue thread omitted

```

```

Thread 0x15c0 17 samples (1-17) priority 20 (base 20)
<thread QoS utility (requested default), process sudden termination clean, timers tier 3
(coalesced), IO tier 1>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

```

Binary Images:

```

0x10d557000 - 0x10d566fff securityd_service (58286.70.15)
<6E52F7B5-6A7B-3F46-95C5-621690B6F7B1> /usr/libexec/securityd_service
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process: sharedfilelistd [726]
Path: /System/Library/CoreServices/sharedfilelistd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 5436 KB

```

Note: 1 idle work queue thread omitted

Thread 0xbee 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x103552000 - 0x103571fff sharedfilelistd (71.21) <A2D0DEC7-FBEF-37A0-82E9-652146B829E3> /System/Library/CoreServices/sharedfilelistd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: sharedfilelistd [2120]
Path: /System/Library/CoreServices/sharedfilelistd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 9088 KB
Note: 1 idle work queue thread omitted

Thread 0x1786 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10ffd7000 - 0x10fff6fff sharedfilelistd (71.21) <A2D0DEC7-FBEF-37A0-82E9-652146B829E3> /System/Library/CoreServices/sharedfilelistd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: sharingd [2310]
Path: /usr/libexec/sharingd

Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 30.88 MB
CPU Time: <0.001s (213.8K cycles, 63.8K instructions, 3.35c/i)
Note: 1 idle work queue thread omitted

Thread 0x1b58 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<cpu time <0.001s (114.7K cycles, 30.6K instructions, 3.75c/i)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 main + 814 (sharingd + 1321316) [0x10aaec964] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x2007 Thread name "com.apple.CFSocket.private" 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x2235e5 1 sample (11) priority 4 (base 4)
<Thread not seen for 10 samples, thread QoS background, process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>
1 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 11
1 __workq_kernreturn + 10 (libsystem_kernel.dylib + 119434) [0x7fff52f1028a] 11
*1 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] (runnable) 11

Binary Images:

0x10a9aa000 - 0x10abc8fff sharingd (1050.22.9)
 <D5A6B0B9-8987-38BA-BB1F-3A2EB05575F9> /usr/libexec/sharingd
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
 <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
 pthread.kext/Contents/MacOS/pthread
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: signpost_notificationd [396]
 Path: /System/Library/PrivateFrameworks/SignpostNotification.framework/
 Versions/A/XPCServices/signpost_notificationd.xpc/Contents/MacOS/
 signpost_notificationd
 Architecture: x86_64
 Parent: launchd [1]
 UID: 0
 Sudden Term: Tracked (allows idle exit)
 Task size: 4948 KB
 Note: 2 idle work queue threads omitted

Thread 0x868 DispatchQueue 11 17 samples (1-17) priority 4 (base
 4)
 <thread QoS background (requested default), process sudden termination dirty, thread
 darwinbg, process darwinbg, IO tier 2>
 17 <truncated backtrace> 1-17
 17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
 1-17
 *17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10ead0000 - 0x10ead3fff com.apple.signpost.signpost-notificationd 1.2.6
 (2.6) <E67A8CDC-9844-3C02-B4CF-E53B996992C5> /System/Library/
 PrivateFrameworks/SignpostNotification.framework/Versions/A/XPCServices/
 signpost_notificationd.xpc/Contents/MacOS/signpost_notificationd

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: silhouette [264]
Path: /usr/libexec/silhouette
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 7908 KB
Note: 1 idle work queue thread omitted

Thread 0x1758ff 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:
0x10c618000 - 0x10c61ffff silhouette (14) <EDC199C6-BDFE-30E3-B068-41E5919CC039> /usr/libexec/silhouette
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: smd [35851]
Path: /usr/libexec/smd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 3768 KB
Note: 1 idle work queue thread omitted

Thread 0x7f03f 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10f6a8000 - 0x10f6aefff smd (1205.70.15) <E8909550-FEB3-3327-BE19-E260447614A7> /usr/libexec/smd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: soagent [2289]

Path: /System/Library/PrivateFrameworks/MessageKit.framework/Versions/A/Resources/soagent.app/Contents/MacOS/soagent

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 27.39 MB

Note: 1 idle work queue thread omitted

Thread 0x1ad6 DispatchQueue 1 17 samples (1-17) priority 1 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (soagent + 4673) [0x104088241] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x104087000 - 0x104088fff com.apple.soagent 7.0 (5500)
<D19059C3-0777-38EE-9084-5D678012F3EF> /System/Library/PrivateFrameworks/MessageKit.framework/Resources/soagent.app/Contents/MacOS/soagent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: SocialPushAgent [2299]
Path: /System/Library/CoreServices/SocialPushAgent.app/Contents/MacOS/
SocialPushAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 10.05 MB
Note: 1 idle work queue thread omitted

Thread 0x1b44 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO
tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (SocialPushAgent + 19604) [0x108175c94] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x108171000 - 0x108187fff com.apple.SocialPushAgent 60 (60)
<DD78A858-0A9E-3F2E-B546-721275C2022A> /System/Library/CoreServices/
SocialPushAgent.app/Contents/MacOS/SocialPushAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: softwareupdate_download_service [25036]
Path: /System/Library/CoreServices/Software Update.app/Contents/Resources/
softwareupdate_download_service
Architecture: x86_64
Task size: 9764 KB
Note: 1 idle work queue thread omitted

Thread 0x1ca8a5 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), thread darwinbg, process
darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:
0x103a80000 - 0x103a81fff softwareupdate_download_service (1091.9)
<3AE071E1-6EAD-33CC-B8D4-ACD3F7E55DF7> /System/Library/CoreServices/
Software Update.app/Contents/Resources/softwareupdate_download_service
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: softwareupdate_notify_agent [76052]
Path: /System/Library/CoreServices/Software Update.app/Contents/Resources/
softwareupdate_notify_agent
Architecture: x86_64
Task size: 11.11 MB
Note: 1 idle work queue thread omitted

Thread 0x11c311 DispatchQueue 1 17 samples (1-17) priority 20
(base 20)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

```

17 ??? (softwareupdate_notify_agent + 9414) [0x1031094c6] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

Binary Images:

```

0x103107000 - 0x103109fff softwareupdate_notify_agent (1091.9)
<AA3981D2-92BE-3037-802A-289FF2BE2A88> /System/Library/CoreServices/
Software Update.app/Contents/Resources/softwareupdate_notify_agent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      softwareupdated [76047]
Path:         /System/Library/CoreServices/Software Update.app/Contents/Resources/
softwareupdated
Architecture: x86_64
Task size:    11.22 MB (-8192 B)
CPU Time:     <0.001s (114.5K cycles, 40.4K instructions, 2.84c/i)
Note:         2 idle work queue threads omitted

```

```

Thread 0x11c2a9      17 samples (1-17)      priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO
tier 2>

```

```

17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

```

```

Thread 0x1ca491      17 samples (1-17)      priority 4 (base 4)
<thread QoS background (requested user initiated), thread darwinbg, process
darwinbg, IO tier 2>

```

```

17 <truncated backtrace> 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17

```

*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

Binary Images:

0x103a07000 - 0x103a08fff softwareupdated (1091.9)
<1F5490BD-7F98-37D6-A7D0-D76A3ED2DC5D> /System/Library/CoreServices/
Software Update.app/Contents/Resources/softwareupdated
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcfff com.apple.kec.pthread 1.0 (1) <E64F7A49-
CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/
MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: spindump [1410]
Path: /usr/sbin/spindump
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 87.58 MB (+36 KB)
CPU Time: 0.101s (249.7M cycles, 232.3M instructions, 1.07c/i)
Note: 6 idle work queue threads omitted

Thread 0x1140 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x170aed 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x23431a 17 samples (1-17) priority 63 (base 63) cpu time
0.026s (43.7M cycles, 33.8M instructions, 1.29c/i)
<process sudden termination dirty, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? (spindump + 215209) [0x106f8a8a9] 1-17
17 __stack_snapshot_with_config + 10 (libsystem_kernel.dylib + 118890)

[0x7fff52f1006a] 1-17
 *17 hndl_unix_scall64 + 22 (kernel + 120390) [0xfffff800021d646] 1-17
 *17 unix_syscall64 + 616 (kernel + 6301064) [0xfffff8000802588] 1-17
 *17 stack_snapshot_with_config + 172 (kernel + 5508924) [0xfffff8000740f3c]
1-17
 *17 kern_stack_snapshot_internal + 655 (kernel + 252671)
[0xfffff800023daff] (running) 1-17

Binary Images:

 0x106f56000 - 0x106fa1fff spindump (252)
<EFB8D2E9-8455-3EAA-A928-12D3391EB069> /usr/sbin/spindump
 0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
 *0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: spindump_agent [35696]
Path: /usr/libexec/spindump_agent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 7436 KB
CPU Time: 0.011s (28.9M cycles, 14.7M instructions, 1.96c/i)
Note: 2 idle work queue threads omitted

Thread 0x7eb66 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
 <thread QoS default (requested default), process sudden termination clean, process
unclamped, process received importance donation from spindump [1410], IO tier 0>
 17 <truncated backtrace> 1-17
 17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
 *17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

 0x1081be000 - 0x1081c2fff spindump_agent (252) <3AD84F04-D659-31EC-B7F9-CEBBA21D4065> /usr/libexec/spindump_agent
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 *0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: Spotlight [2170]
Path: /System/Library/CoreServices/Spotlight.app/Contents/MacOS/Spotlight
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 40.23 MB
CPU Time: <0.001s (185.3K cycles, 52.4K instructions, 3.54c/i)
Note: 2 idle work queue threads omitted

Thread 0x187f DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS user interactive (requested user interactive), process suppressed, timers tier 4 (throttled), IO tier 1>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox + 194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06] 1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990) [0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x1978 17 samples (1-17) priority 4 (base 4)
<thread QoS default (requested default), process suppressed, timers tier 4 (throttled), IO tier 1>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17

```

17 ??? (Spotlight + 179568) [0x100ca1d70] 1-17
17 -[NSRunLoop(NSRunLoop) runUntilDate:] + 114 (Foundation + 685829)
[0x7fff2cf5a705] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Thread 0x1aaf Thread name "com.apple.NSEventThread" 17 samples
(1-17) priority 4 (base 4)
<thread QoS user interactive (requested user interactive), process suppressed, timers
tier 4 (throttled), IO tier 1>

```

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x100c76000 - 0x100ccdfff com.apple.Spotlight 1.0 (1191.8)
<555691A0-BFD8-3231-97BD-668B8A6682F1> /System/Library/CoreServices/
Spotlight.app/Contents/MacOS/Spotlight
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

```


CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: storeaccountd [2262]
 Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/
 Resources/storeaccountd
 Architecture: x86_64
 Parent: launchd [1]
 UID: 501
 Sudden Term: Tracked
 Task size: 12.53 MB
 Note: 1 idle work queue thread omitted

Thread 0x1a09 17 samples (1-17) priority 4 (base 4)
 <thread QoS background (requested utility), process sudden termination clean, thread
 darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>
 17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
 17 ??? (storeaccountd + 7185) [0x102a82c11] 1-17
 17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
 [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
 1-17

Binary Images:

0x102a81000 - 0x102a87fff storeaccountd (658.2)
 <CF5EDDF6-1126-3339-BE98-0906D08A0ED0> /System/Library/PrivateFrameworks/
 CommerceKit.framework/Versions/A/Resources/storeaccountd
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/

CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: storeassetd [2542]
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/Resources/storeassetd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 17.33 MB (-8192 B)
CPU Time: <0.001s (71.0K cycles, 40.2K instructions, 1.77c/i)
Note: 2 idle work queue threads omitted

Thread 0x1deb DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested utility), process sudden termination clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (storeassetd + 199657) [0x109b0cbe9] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]

1-17

Thread 0x1cad38 Thread name "com.apple.NSURLConnectionLoader" 17
samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x109adc000 - 0x109bd0fff storeassetd (658.2) <739AB2BA-

E543-3E44-9F4C-D28E776E578D> /System/Library/PrivateFrameworks/
CommerceKit.framework/Versions/A/Resources/storeassetd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: storedownload [29173]
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/
Resources/storedownload
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 14.19 MB
Note: 1 idle work queue thread omitted

Thread 0x70c63 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested utility), process sudden termination clean, thread
darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:
0x1085f6000 - 0x10877ffff storedownload (658.2) <D91F6FD6-
CF5A-32C6-82A0-34C41CBF7B51> /System/Library/PrivateFrameworks/
CommerceKit.framework/Versions/A/Resources/storedownload
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: storeinstalld [29063]
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/
Resources/storeinstalld
Architecture: x86_64
Parent: launchd [1]
UID: 0

Sudden Term: Tracked

Task size: 9716 KB

Note: 1 idle work queue thread omitted

Thread 0x70b84 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10e028000 - 0x10e02cfff storeinstalld (658.2)
<B91448CE-02BA-3E42-B337-460332D430CA> /System/Library/PrivateFrameworks/
CommerceKit.framework/Versions/A/Resources/storeinstalld
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: storelegacy [2536]

Path: /System/Library/PrivateFrameworks/CommerceKit.framework/Versions/A/
Resources/storelegacy

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked

Task size: 12.99 MB

Note: 1 idle work queue thread omitted

Thread 0x1da1 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested utility), process sudden termination clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (storelegacy + 7011) [0x104062b63] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x104061000 - 0x104068fff storelegacy (658.2)
<14D56D34-96A6-3481-A52A-FB78C2D79F1C> /System/Library/PrivateFrameworks/
CommerceKit.framework/Versions/A/Resources/storelegacy
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: SubmitDiagInfo [2207]
Path: /System/Library/CoreServices/SubmitDiagInfo
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 29.02 MB
Note: 1 idle work queue thread omitted

Thread 0x1943 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 3>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (SubmitDiagInfo + 74154) [0x105e1b1aa] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Thread 0x1da13d Thread name "com.apple.NSURLConnectionLoader" 17
samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>
 17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
 17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
 17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
 17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17
 17 -[__CoreSchedulingSetRunnable runForever] + 722 (CFNetwork + 2384216) [0x7fff29ef8158] 1-17
 17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
 17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
 17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
 17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
 *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x105e09000 - 0x105e2efff SubmitDiagInfo (938.4.2)
 <FCE9DC7A-AD0F-3DC8-A6F2-D51598545A28> /System/Library/CoreServices/SubmitDiagInfo
 0x7fff29cb2000 - 0x7fff2a04ffff com.apple.CFNetwork 902.6 (902.6)
 <46168F79-CCFA-349A-8508-B8CBCE27D440> /System/Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib
 *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: suggestd [2057]

Path: /System/Library/PrivateFrameworks/CoreSuggestions.framework/Versions/A/Support/suggestd

Architecture: x86_64

Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 35.86 MB
Note: 1 idle work queue thread omitted

Thread 0x16c4 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (suggested + 11124) [0x10e619b74] 1-17

17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)

[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]

1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]

1-17

Binary Images:

0x10e617000 - 0x10e61dfff suggested (680.18.10.1)
<3ECB2FB0-3B17-30F7-9208-3FB83B2CF7D0> /System/Library/PrivateFrameworks/CoreSuggestions.framework/Versions/A/Support/suggested
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: suhelperd [76051]
Path: /System/Library/CoreServices/Software Update.app/Contents/Resources/suhelperd
Architecture: x86_64
Task size: 9916 KB
Note: 1 idle work queue thread omitted

Thread 0x11c306 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process darwinbg, IO

tier 2>

```
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (suhelperd + 8888) [0x108e0c2b8] 1-17
17 ??? (suhelperd + 26532) [0x108e107a4] 1-17
17 mach_msg_server + 369 (libsystem_kernel.dylib + 77652) [0x7fff52f05f54] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
```

1-17

Binary Images:

```
0x108e0a000 - 0x108e36fff suhelperd (1091.9) <836D622E-B166-34A4-9FF2-70C27F7F3B50> /System/Library/CoreServices/Software
Update.app/Contents/Resources/suhelperd
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

Process: symptomsd [330]

Path: /usr/libexec/symptomsd

Architecture: x86_64

Parent: launchd [1]

UID: 24

Sudden Term: Tracked (allows idle exit)

Task size: 10.39 MB

CPU Time: <0.001s (130.0K cycles, 21.2K instructions, 6.14c/i)

Note: 2 idle work queue threads omitted

Thread 0x667 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

```
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (symptomsd + 6082) [0x1002ab7c2] 1-17
17 CFRRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
```

1-17

```
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
```

1-17

Binary Images:

0x1002aa000 - 0x1002abfff symptomsd (820.60.3)
<EA6F62D9-07BE-35F4-96DF-004F86D0441B> /usr/libexec/symptomsd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: syncdefaults [13593]

Path: /System/Library/PrivateFrameworks/SyncedDefaults.framework/Support/
syncdefaults

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Task size: 14.83 MB

Note: 1 idle work queue thread omitted

Thread 0x232871 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)

<thread QoS default (requested default), process sudden termination clean, process
unclamped, IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (syncdefaults + 35784) [0x10d29dbc8] 1-17

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17

17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17

17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17

17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17

17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Binary Images:

0x10d295000 - 0x10d2effff syncdefaults (273)
 <0BEEA64B-7074-3AD9-B732-03150DB4B761> /System/Library/PrivateFrameworks/
 SyncedDefaults.framework/Support/syncdefaults
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
 <2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
 Foundation.framework/Versions/C/Foundation
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: sysdiagnose [68064]
 Path: /usr/bin/sysdiagnose
 Architecture: x86_64
 Parent: launchd [1]
 UID: 0
 Sudden Term: Tracked (allows idle exit)
 Task size: 7016 KB
 Note: 1 idle work queue thread omitted

Thread 0x101758 DispatchQueue 11 17 samples (1-17) priority 31
 (base 31)
 <thread QoS default (requested default), process sudden termination clean, IO tier 0
 and passive>
 17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
 17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
 1-17
 *17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10ed16000 - 0x10ed85fff sysdiagnose (510.60.5)
 <2BA0F70B-3CB4-3ACA-BF7A-5D0FF9CBA524> /usr/bin/sysdiagnose
 0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
 A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: syslogd [59]

Path: /usr/sbin/syslogd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 1148 KB
Note: 3 idle work queue threads omitted

Thread 0x31f DispatchQueue 10 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2 and passive>
17 start_wqthread + 13 (libsystem_pthread.dylib + 11241) [0x7fff530d6be9] 1-17
17 _pthread_wqthread + 1387 (libsystem_pthread.dylib + 12649) [0x7fff530d7169] 1-17
17 _dispatch_worker_thread3 + 101 (libdispatch.dylib + 14165) [0x7fff52d87755] 1-17
17 _dispatch_root_queue_drain + 902 (libdispatch.dylib + 15148) [0x7fff52d87b2c] 1-17
17 _dispatch_client_callout + 8 (libdispatch.dylib + 7608) [0x7fff52d85db8] 1-17
17 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 38394) [0x7fff52d8d5fa] 1-17
17 ??? (syslogd + 35599) [0x10d2acb0f] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x320 DispatchQueue 11 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2 and passive>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10d2a4000 - 0x10d2bcfff syslogd (356.70.1)
<F949D6BA-807A-3D42-B4D3-C8D36B3D5D08> /usr/sbin/syslogd
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/libsystem_pthread.dylib

*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: sysmond [33411]
Path: /usr/libexec/sysmond
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 4420 KB
Note: 1 idle work queue thread omitted

Thread 0x7b541 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x100da5000 - 0x100daafff sysmond (100)
<98E583F3-4A49-3229-BD84-F1D11DF296F2> /usr/libexec/sysmond
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: syspolicyd [302]
Path: /usr/libexec/syspolicyd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 17.01 MB
Note: 1 idle work queue thread omitted

Thread 0x5e6 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x1049b9000 - 0x1049dcfff syspolicyd (45.60.3) <4141A439-CF1B-32EF-B336-E519FCE234EB> /usr/libexec/syspolicyd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: system_installd [68061]
Path: /System/Library/PrivateFrameworks/PackageKit.framework/Resources/system_installd
Architecture: x86_64
Task size: 14.00 MB
Note: 1 idle work queue thread omitted

Thread 0x1016b3 DispatchQueue 1 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (system_installd + 6866) [0x109baaad2] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x109ba9000 - 0x109baafff system_installd (735.5)
<76DE825B-5A52-3768-9A11-8D72942EC0CE> /System/Library/PrivateFrameworks/PackageKit.framework/Resources/system_installd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: systemsoundserverd [40723]
Path: /usr/sbin/systemsoundserverd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 6416 KB
Note: 1 idle work queue thread omitted

Thread 0x99646 DispatchQueue 11 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x23301c 17 samples (1-17) priority 31 (base 31)
<process sudden termination clean, IO tier 0>
*17 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] 1-17

Binary Images:

0x104469000 - 0x10448dfff systemsoundserverd (975.4.21.24)
<5273B158-07E3-3268-B91A-06348F4A6453> /usr/sbin/systemsoundserverd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1) <E64F7A49-
CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/
MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: systemstats [71]
Path: /usr/sbin/systemstats
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 10.69 MB
Note: 1 idle work queue thread omitted

Thread 0x284 DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

```

17 ??? (systemstats + 69518) [0x10b698f8e] 1-17
17 ??? (systemstats + 108288) [0x10b6a2700] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x10b688000 - 0x10b7a9fff systemstats (403.50.9) <0E3BB256-
E154-3D1D-ABD3-1FE1C5E68145> /usr/sbin/systemstats
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    systemstats [398]
Path:      /usr/sbin/systemstats
Architecture: x86_64
Parent:    systemstats [71]
Responsible: systemstats [71]
UID:      0
Task size: 9028 KB
Note:     1 idle work queue thread omitted

```

```

Thread 0x86e      DispatchQueue 1      17 samples (1-17)      priority 4 (base
4)

```

```

<thread QoS background (requested background), thread darwinbg, process
darwinbg, IO tier 2>

```

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x23333b 17 samples (1-17) priority 4 (base 4)
<thread QoS background, thread darwinbg, process darwinbg, IO tier 2>

*17 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] 1-17

Binary Images:

0x106722000 - 0x106843fff systemstats (403.50.9) <0E3BB256-E154-3D1D-ABD3-1FE1C5E68145> /usr/sbin/systemstats

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff7f810f1000 - 0xfffff7f810fcfff com.apple.kec.pthread 1.0 (1) <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/pthread.kext/Contents/MacOS/pthread

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: SystemUIServer [2037]

Path: /System/Library/CoreServices/SystemUIServer.app/Contents/MacOS/SystemUIServer

Architecture: x86_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked

Task size: 45.82 MB

CPU Time: 0.002s (4.7M cycles, 1719.7K instructions, 2.72c/i)

Note: 2 idle work queue threads omitted

Thread 0x15fd DispatchQueue 1 17 samples (1-17) priority 47
(base 47) cpu time 0.002s (4.4M cycles, 1659.5K instructions, 2.66c/i)
<process frontmost, thread QoS user interactive (requested user interactive), process sudden termination clean, IO tier 0>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (SystemUIServer + 21334) [0x10d4ee356] 1-17

17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17

17 -[NSApplication(NSEvent)

_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17

17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17

17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox + 194692) [0x7fff2a098884] 1-17

17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06] 1-17

17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)


```

[0x7fff2a098d96] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
    *3 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-3
    <process unclamped>
    *2 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 4-5
    <process clamped>
    *12 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 6-17

```

```

Thread 0x17b9      Thread name "com.apple.NSEventThread"      17
samples (1-17)    priority 47 (base 47)
    <process frontmost, thread QoS user interactive (requested user interactive), process
sudden termination clean, IO tier 0>
    17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
    17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
    17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
    17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *3 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-3
    <process unclamped>
    *2 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
4-5
    <process clamped>
    *12 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 6-17

```

Binary Images:

```

0x10d4e9000 - 0x10d53afff com.apple.systemuiserver 1.7 (462)
<1C56AF12-72A6-37D4-A741-469E868C9EFF> /System/Library/CoreServices/
SystemUIServer.app/Contents/MacOS/SystemUIServer

```

```

    0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
    0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
    *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    taskgated [2324]
Path:       /usr/libexec/taskgated
Architecture: x86_64
Parent:     launchd [1]
UID:        0
Sudden Term: Tracked
Task size:  3932 KB

```

```

Thread 0x1b3c      17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (taskgated + 5797) [0x106be66a5] 1-17
17 ??? (taskgated + 17471) [0x106be943f] 1-17
17 ??? (taskgated + 18209) [0x106be9721] 1-17
17 mach_msg_overwrite_trap + 10 (libsystem_kernel.dylib + 78342)
[0x7fff52f06206] 1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

```

Binary Images:

```

    0x106be5000 - 0x106beffff taskgated (55172.1.1)
<A16B40A0-54F2-3AEF-B8BB-32FF9BF1EA15> /usr/libexec/taskgated
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)

```

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: tccd [2046]
Path: /System/Library/PrivateFrameworks/TCC.framework/Versions/A/Resources/tccd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 9960 KB
Note: 1 idle work queue thread omitted

Thread 0x1675 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10e531000 - 0x10e543fff tccd (221.50.6)

<F4EF5ED2-57CF-3EC9-A59B-E3C839F56270> /System/Library/PrivateFrameworks/TCC.framework/Versions/A/Resources/tccd

0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib

*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: tccd [35134]
Path: /System/Library/PrivateFrameworks/TCC.framework/Versions/A/Resources/tccd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 8564 KB
Note: 1 idle work queue thread omitted

Thread 0x7e09a DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10de3d000 - 0x10de4ffff tccd (221.50.6)
<F4EF5ED2-57CF-3EC9-A59B-E3C839F56270> /System/Library/PrivateFrameworks/
TCC.framework/Versions/A/Resources/tccd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: TextEdit [3870]
Path: /Applications/TextEdit.app/Contents/MacOS/TextEdit
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 57.44 MB
Note: 2 idle work queue threads omitted

Thread 0x2177e7 DispatchQueue 1 17 samples (1-17) priority 46
(base 46)
<thread QoS user interactive (requested user interactive), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

```

Thread 0x21789c      Thread name "com.apple.NSEventThread"      17
samples (1-17)      priority 46 (base 46)
<thread QoS user interactive (requested user interactive), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x223019      17 samples (1-17)      priority 37 (base 37)
<thread QoS user initiated (requested user initiated), IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 void*
std::__1::__thread_proxy<std::__1::tuple<std::__1::unique_ptr<std::__1::__thread_struct
, std::__1::default_delete<std::__1::__thread_struct>, void (*) (bmalloc::Scavenger*),
bmalloc::Scavenger*>> (void*) + 40 (JavaScriptCore + 12744344) [0x7fff2ea52698]
1-17
17 bmalloc::Scavenger::threadEntryPoint(bmalloc::Scavenger*) + 9
(JavaScriptCore + 12743513) [0x7fff2ea52359] 1-17
17 bmalloc::Scavenger::threadRunLoop() + 251 (JavaScriptCore + 12744027)
[0x7fff2ea5255b] 1-17
17 void
std::__1::condition_variable_any::wait<std::__1::unique_lock<bmalloc::Mutex>
>(std::__1::unique_lock<bmalloc::Mutex>&) + 86 (JavaScriptCore + 12744870)
[0x7fff2ea528a6] 1-17
17
std::__1::condition_variable::wait(std::__1::unique_lock<std::__1::mutex>&) + 18 (libc+
+.1.dylib + 27824) [0x7fff50d13cb0] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16]
1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xfffff7f810fa824] 1-17

```

Binary Images:

```

0x10a64c000 - 0x10a666fff com.apple.TextEdit 1.13 (333)
<66D99BF9-2E51-32C9-84C4-4015264330E1> /Applications/TextEdit.app/Contents/
MacOS/TextEdit

```

0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
 <3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
 AppKit.framework/Versions/C/AppKit
 0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
 <8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
 Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
 0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
 <8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
 CoreFoundation.framework/Versions/A/CoreFoundation
 0x7fff2de2b000 - 0x7fff2eb11fff com.apple.JavaScriptCore 13605 (13605.3.8)
 <FCD40D3C-87D5-3738-A19F-F5DB84A643B7> /System/Library/Frameworks/
 JavaScriptCore.framework/Versions/A/JavaScriptCore
 0x7fff50d0d000 - 0x7fff50d63fff libc++.1.dylib (400.9) <142D6292-
 F30F-3949-9F37-3C97A579F540> /usr/lib/libc++.1.dylib
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
 DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xffffffff7f810f1000 - 0xffffffff7f810fcfff com.apple.kec.pthread 1.0 (1)
 <E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
 pthread.kext/Contents/MacOS/pthread
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: timed [33545]
 Path: /usr/libexec/timed
 Architecture: x86_64
 Parent: launchd [1]
 UID: 266
 Sudden Term: Tracked (allows idle exit)
 Task size: 6428 KB
 Note: 1 idle work queue thread omitted

Thread 0x7bbfc DispatchQueue 1 17 samples (1-17) priority 31
 (base 31)
 <thread QoS default (requested default), process sudden termination clean, IO tier 0>
 17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
 17 ??? (timed + 11190) [0x10b2d8bb6] 1-17
 17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
 1-17
 17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
 136966) [0x7fff2ced4706] 1-17
 17 CFRRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

```

1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

    0x10b2d6000 - 0x10b317fff timed (224.5.2)
<B25B48E6-9E0F-336E-960A-09A592D1BB9E> /usr/libexec/timed
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    *0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    TISwitcher [2332]
Path:       /System/Library/CoreServices/Menu Extras/TextInput.menu/Contents/
SharedSupport/TISwitcher.app/Contents/MacOS/TISwitcher
Architecture: x86_64
Parent:     launchd [1]
UID:        501
Task size:  11.65 MB
CPU Time:   <0.001s (241.2K cycles, 72.0K instructions, 3.35c/i)
Note:       1 idle work queue thread omitted

```

```

Thread 0x1b62    DispatchQueue 1    17 samples (1-17)    priority 31
(base 31)    cpu time <0.001s (151.7K cycles, 42.3K instructions, 3.58c/i)
<thread QoS default (requested default), IO tier 0>
    17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
    17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
    17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
    17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
    17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17

```

```

    17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
    17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
    17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

```

Thread 0x1d3d      Thread name "com.apple.NSEventThread"      17
samples (1-17)    priority 37 (base 37)
<thread QoS user initiated (requested user interactive), IO tier 0>
    17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
    17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
    17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
    17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
    17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
    17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
    17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
    17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
    *17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

    0x1044a0000 - 0x1044a3fff com.apple.TISwitcher 1.1 (1.1)
<5CE6446E-FF50-3C42-9F82-1968DB478A67> /System/Library/CoreServices/Menu
Extras/TextInput.menu/Contents/SharedSupport/TISwitcher.app/Contents/MacOS/
TISwitcher
    0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
    0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
    0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)

```



```

<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
    0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)          <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
    0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
    0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
    *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    trustd [221]
Path:       /usr/libexec/trustd
Architecture: x86_64
Parent:     launchd [1]
UID:        0
Sudden Term: Tracked (allows idle exit)
Task size:  18.09 MB
Note:       1 idle work queue thread omitted

```

```

Thread 0x4e6          Thread name "com.apple.CFStream.LegacyThread"    17
samples (1-17)        priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

```

```

Thread 0x505          17 samples (1-17)        priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

```

```

Thread 0x6b5f2        Thread name "com.apple.NSURLConnectionLoader"    17
samples (1-17)        priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

```

```

Thread 0x6b5f5        Thread name "com.apple.CFSocket.private"    17 samples

```

(1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x100d8d000 - 0x100de0fff trustd (58286.70.15)
<E0BD87BF-7850-3301-88A5-8F21979780FD> /usr/libexec/trustd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: trustd [2031]
Path: /usr/libexec/trustd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 10212 KB
Note: 1 idle work queue thread omitted

Thread 0x15cc 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x15cd Thread name "com.apple.CFStream.LegacyThread" 17
samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10461f000 - 0x104672fff trustd (58286.70.15)
<E0BD87BF-7850-3301-88A5-8F21979780FD> /usr/libexec/trustd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: trustd [25261]
Path: /usr/libexec/trustd
Architecture: x86_64
Parent: launchd [1]
UID: 89
Sudden Term: Tracked (allows idle exit)
Task size: 9548 KB
Note: 1 idle work queue thread omitted

Thread 0x1cadf3 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 _dispatch_sig_thread + 53 (libdispatch.dylib + 56512) [0x7fff52d91cc0] 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0x1cadf4 Thread name "com.apple.CFStream.LegacyThread" 17
samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _legacyStreamRunLoop_workThread + 261 (CoreFoundation + 1489525)
[0x7fff2aea2a75] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x2235fc 17 samples (1-17) priority 4 (base 4)
<thread QoS background, process sudden termination clean, thread darwinbg,
process darwinbg, IO tier 2>
*17 wq_unpark_continue + 0 (pthread + 15235) [0xfffff7f810f4b83] 1-17

Binary Images:

```

0x1009e5000 - 0x100a38fff trustd (58286.70.15)
<E0BD87BF-7850-3301-88A5-8F21979780FD> /usr/libexec/trustd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52d84000 - 0x7fff52dbdfff libdispatch.dylib (913.60.3) <285526B6-
A2A6-316D-A1CC-37803B71E203> /usr/lib/system/libdispatch.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      uninstalld [65]
Path:         /System/Library/PrivateFrameworks/Uninstall.framework/Versions/A/
Resources/uninstalld
Architecture: x86_64
Parent:       launchd [1]
UID:          0
Task size:    7968 KB (+8192 B)
CPU Time:     <0.001s (462.6K cycles, 122.6K instructions, 3.77c/i)
Note:         2 idle work queue threads omitted

```

```

Thread 0x260      DispatchQueue 1      17 samples (1-17)      priority 20
(base 20)  cpu time <0.001s (107.5K cycles, 26.8K instructions, 4.02c/i)
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 3>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (uninstalld + 8630) [0x10c43c1b6] 1-17
17 -[NSRunLoop(NSRunLoop) runUntilDate:] + 114 (Foundation + 685829)
[0x7fff2cf5a705] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

```

[0xfffff8000251950] 1-17

Binary Images:

0x10c43a000 - 0x10c442fff uninstalld (221)
<285F6CCC-5B75-3E28-B3B8-D9DE20D6E7E7> /System/Library/PrivateFrameworks/
Uninstall.framework/Versions/A/Resources/uninstalld
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: universalaccessd [2034]
Path: /usr/sbin/universalaccessd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 12.99 MB (+4096 B)
CPU Time: <0.001s (2.6M cycles, 865.2K instructions, 2.95c/i)
Note: 2 idle work queue threads omitted

Thread 0x15f5 DispatchQueue 1 17 samples (1-17) priority 31
(base 31) cpu time <0.001s (1850.1K cycles, 650.2K instructions, 2.85c/i)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (universalaccessd + 5404) [0x10ee5651c] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x1ab0 Thread name "AXEEEventTap thread: Passive tap location:
Session mask: 1c00" 17 samples (1-17) priority 37 (base 37)
<thread QoS user initiated (requested user initiated), process sudden termination

clean, IO tier 0>

```
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __NSThread__start__ + 1197 (Foundation + 195032) [0x7fff2cee29d8] 1-17
17 __61+[AXFRunLoopThread
detachNewThreadWithName:qualityOfService:]_block_invoke + 272
(AccessibilityFoundation + 122770) [0x7fff3a8aff92] 1-17
17 -[AXFRunLoopThread _spin:] + 89 (AccessibilityFoundation + 123021)
[0x7fff3a8b008d] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17
```

Binary Images:

```
0x10ee55000 - 0x10ee56fff universalaccessd (361.13.8)
<8C3E5022-9C27-3B98-845C-BF027050681F> /usr/sbin/universalaccessd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff3a892000 - 0x7fff3a8cefff com.apple.AccessibilityFoundation 2.0 (91.1)
<698A9326-33E2-3991-BEC3-CA431530C15E> /System/Library/PrivateFrameworks/
AccessibilitySupport.framework/Versions/A/Frameworks/
AccessibilityFoundation.framework/Versions/A/AccessibilityFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel
```

Process: USBAgent [48119]

Path: /usr/libexec/USBAgent

Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 7328 KB
Note: 1 idle work queue thread omitted

Thread 0xdd48 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x101e7e000 - 0x101e81fff USBAgent (929.50.8)
<681D9E8A-36C0-320C-8740-F356B4445D6E> /usr/libexec/USBAgent
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: usbd [44657]
Path: /usr/libexec/usbd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked (allows idle exit)
Task size: 8268 KB
Note: 1 idle work queue thread omitted

Thread 0xc645b 17 samples (1-17) priority 4 (base 4)
<thread QoS background (requested background), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10e1c8000 - 0x10e1cefff usbd (929.50.8)
<161636EF-84A1-3D44-91DE-0A6EF5A242EB> /usr/libexec/usbd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: usbmuxd [104]
Path: /System/Library/PrivateFrameworks/MobileDevice.framework/Versions/A/
Resources/usbmuxd
Architecture: x86_64
Parent: launchd [1]
UID: 213
Sudden Term: Tracked
Task size: 5012 KB
Note: 1 idle work queue thread omitted

Thread 0x299 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (usbmuxd + 7391) [0x104beacdf] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-17

Thread 0x47f Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x104be9000 - 0x104c03fff usbmuxd (474.120.1) <85AF0A32-AA71-39E1-B1F2-62B4CE0BD586> /System/Library/PrivateFrameworks/
MobileDevice.framework/Versions/A/Resources/usbmuxd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)

<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: useractivityd [2183]
Path: /System/Library/PrivateFrameworks/UserActivity.framework/Agents/
useractivityd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 9000 KB
Note: 1 idle work queue thread omitted

Thread 0x18f5 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (useractivityd + 79606) [0x10b5756f6] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10b562000 - 0x10b646fff useractivityd (98.10)
<B46554FD-418B-305C-B662-C2AB96658F27> /System/Library/PrivateFrameworks/
UserActivity.framework/Agents/useractivityd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: UserEventAgent [60]
Path: /usr/libexec/UserEventAgent
Architecture: x86_64
Parent: launchd [1]
UID: 0
Sudden Term: Tracked
Task size: 16.61 MB
CPU Time: <0.001s (242.1K cycles, 81.9K instructions, 2.95c/i)
Note: 1 idle work queue thread omitted

Thread 0x25a DispatchQueue 1 17 samples (1-17) priority 31
(base 31) cpu time <0.001s (105.6K cycles, 28.4K instructions, 3.72c/i)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (UserEventAgent + 5276) [0x10574e49c] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Thread 0x5bf 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Thread 0x5c0 Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Binary Images:

0x10574d000 - 0x10574ffff UserEventAgent (227.50.8)
<A371A562-5D3A-33BD-94D9-37488646C4FC> /usr/libexec/UserEventAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: UserEventAgent [2032]
Path: /usr/libexec/UserEventAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 28.94 MB
Note: 1 idle work queue thread omitted

Thread 0x15f2 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (UserEventAgent + 5276) [0x10fd6449c] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xffffffff8000251950] 1-17

Thread 0x1644 Thread name "com.apple.CFSocket.private" 17 samples
(1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 __select + 10 (libsystem_kernel.dylib + 118002) [0x7fff52f0fcf2] 1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10fd63000 - 0x10fd65fff UserEventAgent (227.50.8)
<A371A562-5D3A-33BD-94D9-37488646C4FC> /usr/libexec/UserEventAgent
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: usernoted [2051]
Path: /usr/sbin/usernoted
Architecture: x86_64
Parent: launchd [1]
UID: 501
Task size: 12.01 MB
Note: 1 idle work queue thread omitted

Thread 0x16a2 DispatchQueue 1 17 samples (1-17) priority 31
(base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? (usernoted + 14973) [0x10c77da7d] 1-17
17 autoreleasepool<A>(invoking:) + 56 (libswiftObjectiveC.dylib + 15464)
[0x7fff4e075c68] 1-17
17 ??? (usernoted + 17134) [0x10c77e2ee] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]

1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Binary Images:

0x10c77a000 - 0x10c8e3fff usernoted (639.12)
<0877BEDB-1C7D-3F4F-8826-44D814F7811D> /usr/sbin/usernoted
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff4e072000 - 0x7fff4e077fff libswiftObjectiveC.dylib (900.8.49.1)
<CC36ECB4-5503-322D-A93E-91442C757FA2> /System/Library/PrivateFrameworks/
Swift/libswiftObjectiveC.dylib
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: VDCAssistant [328]
Path: /System/Library/Frameworks/CoreMediaIO.framework/Versions/A/
Resources/VDC.plugin/Contents/Resources/VDCAssistant
Architecture: x86_64
Parent: launchd [1]
UID: 262
Sudden Term: Tracked
Task size: 10056 KB
Note: 1 idle work queue thread omitted

Thread 0xbdb 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Thread 0xbe3 17 samples (1-17) priority 97 (base 97)
<process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x10d5ea000 - 0x10d675fff VDCAssistant (4995)
<62BE6FD7-7677-3BEF-8AAA-70FAC108631E> /System/Library/Frameworks/
CoreMediaIO.framework/Versions/A/Resources/VDC.plugin/Contents/Resources/
VDCAssistant
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: videosubscriptionsd [50357]
Path: /usr/libexec/videosubscriptionsd
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 5440 KB
Note: 1 idle work queue thread omitted

Thread 0xe3539 DispatchQueue 11 17 samples (1-17) priority 4
(base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

Binary Images:

0x10905c000 - 0x10905cfff videosubscriptionsd (260.1)
<80C85333-6DFD-37FE-8E30-54D85DD4960B> /usr/libexec/videosubscriptionsd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: ViewBridgeAuxiliary [9926]
Path: /System/Library/PrivateFrameworks/ViewBridge.framework/Versions/A/
XPCServices/ViewBridgeAuxiliary.xpc/Contents/MacOS/ViewBridgeAuxiliary
Architecture: x86_64
Parent: launchd [1]
UID: 501

Sudden Term: Tracked (allows idle exit)
Task size: 11.32 MB
CPU Time: 0.002s (2.9M cycles, 1466.5K instructions, 2.01c/i)
Note: 1 idle work queue thread omitted

Thread 0x84b3 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)
cpu time <0.001s (973.4K cycles, 326.1K instructions, 2.99c/i)
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ViewBridgeAuxiliaryMain + 29 (ViewBridge + 484884) [0x7fff4f981614] 1-17
17 -[NSXPCSharedListener resume] + 16 (ViewBridge + 19477) [0x7fff4f90fc15] 1-17
17 xpc_main + 433 (libxpc.dylib + 63918) [0x7fff531199ae] 1-17
17 _xpc_objc_main + 536 (libxpc.dylib + 68911) [0x7fff5311ad2f] 1-17
17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de] 1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation + 136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117) [0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Thread 0x23319e 1 sample (11) priority 4 (base 4) cpu time <0.001s
<Thread in another stack for 10 samples, thread QoS background (requested user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>
1 start_wqthread + 1 (libsystem_pthread.dylib + 11229) [0x7fff530d6bdd] (running) 11

Binary Images:

0x103d6a000 - 0x103d6afff com.apple.ViewBridgeAuxiliary (343.2)
<2A2863B9-BF2F-383F-BE8B-C9E7550271D1> /System/Library/PrivateFrameworks/ViewBridge.framework/Versions/A/XPCServices/ViewBridgeAuxiliary.xpc/Contents/MacOS/ViewBridgeAuxiliary
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

```

0x7fff4f90b000 - 0x7fff4f9dafff com.apple.ViewBridge 343.2 (343.2)
<0A295791-B763-3E58-A9DD-8E4F40E815C9> /System/Library/PrivateFrameworks/
ViewBridge.framework/Versions/A/ViewBridge
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
0x7fff5310a000 - 0x7fff53137fff libxpc.dylib (1205.70.15)
<CB6D9536-51A7-38B7-9FC0-D542415944B1> /usr/lib/system/libxpc.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:    warmd [81]
Path:       /usr/libexec/warmd
Architecture: x86_64
Parent:     launchd [1]
UID:        0
Sudden Term: Tracked
Task size:  11.84 MB
Note:       2 idle work queue threads omitted

```

```

Thread 0x37e      17 samples (1-17)      priority 31 (base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 kevent + 10 (libsystem_kernel.dylib + 121834) [0x7fff52f10bea] 1-17
*17 ??? (kernel + 5250928) [0xffffffff8000701f70] 1-17

```

```

Thread 0xaec      DispatchQueue 11      17 samples (1-17)      priority 31
(base 31)
<thread QoS default (requested default), process sudden termination clean, IO tier 0>
17 <truncated backtrace> 1-17
17 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 118818) [0x7fff52f10022]
1-17
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

```

Binary Images:

```

0x1096aa000 - 0x1096cafff warmd (66)
<172F03BB-8BC2-381E-9F3C-B224D718A1F3> /usr/libexec/warmd
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)

```


<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: watchdogd [395]
Path: /usr/libexec/watchdogd
Architecture: x86_64
Parent: launchd [1]
UID: 0
Task size: 3984 KB
Note: 1 idle work queue thread omitted

Thread 0x803 DispatchQueue 1 Thread name
"com.apple.watchdogd.main-thread" 17 samples (1-17) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 ??? [0x10bfd292d] 1-17
17 CFRunLoopRun + 99 (CoreFoundation + 785571) [0x7fff2adf6ca3] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950]
1-17

Thread 0x80f Thread name "com.apple.watchdogd.watchdog-thread" 17
samples (1-17) priority 97 (base 97)
<IO tier 0>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 ??? [0x10bfd3776] 1-17
17 __psynch_cvwait + 10 (libsystem_kernel.dylib + 117270) [0x7fff52f0fa16] 1-17
*17 psynch_cvcontinue + 0 (pthread + 38948) [0xffffffff7f810fa824] 1-17

Binary Images:

0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)

<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xfffff7f810f1000 - 0xfffff7f810fcff com.apple.kec.pthread 1.0 (1)
<E64F7A49-CBF0-3251-9F02-3655E3B3DD31> /System/Library/Extensions/
pthread.kext/Contents/MacOS/pthread
*0xfffff8000200000 - 0xfffff80009ffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: WiFiAgent [2053]
Path: /System/Library/CoreServices/WiFiAgent.app/Contents/MacOS/WiFiAgent
Architecture: x86_64
Parent: launchd [1]
UID: 501
Sudden Term: Tracked
Task size: 12.41 MB
CPU Time: <0.001s (191.1K cycles, 60.4K instructions, 3.16c/i)
Note: 1 idle work queue thread omitted

Thread 0x16b8 DispatchQueue 1 17 samples (1-17) priority 4 (base
4) cpu time <0.001s (109.5K cycles, 31.5K instructions, 3.47c/i)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17 NSApplicationMain + 804 (AppKit + 23098) [0x7fff28309a3a] 1-17
17 -[NSApplication run] + 764 (AppKit + 223309) [0x7fff2833a84d] 1-17
17 -[NSApplication(NSEvent)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 3044 (AppKit + 8224308)
[0x7fff28adbe34] 1-17
17 _DPSNextEvent + 2085 (AppKit + 268859) [0x7fff28345a3b] 1-17
17 _BlockUntilNextEventMatchingListInModeWithFilter + 64 (HIToolbox +
194692) [0x7fff2a098884] 1-17
17 ReceiveNextEventCommon + 613 (HIToolbox + 195334) [0x7fff2a098b06]
1-17
17 RunCurrentEventLoopInMode + 286 (HIToolbox + 195990)
[0x7fff2a098d96] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423)
[0x7fff2adb87f7] 1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871)
[0x7fff2adb9187] 1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)

[0xfffff8000251950] 1-17

Thread 0x17c7 Thread name "com.apple.NSEventThread" 17
samples (1-17) priority 4 (base 4)
<thread QoS background (requested user interactive), process sudden termination
clean, thread darwinbg, process darwinbg, IO tier 2>
17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17
17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17
17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17
17 _NSEventThread + 184 (AppKit + 1568708) [0x7fff28482fc4] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

Thread 0x17cf Thread name "Cloud Sync Engine" 17 samples
(1-17) priority 4 (base 4)
<thread QoS background (requested default), process sudden termination clean,
thread darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950] 1-17

Binary Images:

0x1027cc000 - 0x1027ddfff com.apple.wifi.WiFiAgent 13.0 (1370.4)
<2D2ED168-9ED0-3C43-BC28-DA0424B3AF87> /System/Library/CoreServices/
WiFiAgent.app/Contents/MacOS/WiFiAgent
0x7fff28304000 - 0x7fff29162fff com.apple.AppKit 6.9 (1561.61.100)
<3AB30D3C-ACD6-3738-BE81-0E1A24CB4FF5> /System/Library/Frameworks/
AppKit.framework/Versions/C/AppKit
0x7fff2a069000 - 0x7fff2a36efff com.apple.HIToolbox 2.1.1 (911.10)
<8D2EBE85-9AF0-38BC-ACD3-1ED978643907> /System/Library/Frameworks/
Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)

<283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
libsystem_pthread.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: WiFiProxy [2425]
Path: /System/Library/PrivateFrameworks/CoreWLANKit.framework/Versions/A/
XPCServices/WiFiProxy.xpc/Contents/MacOS/WiFiProxy
Architecture: x86_64
Parent: launchd [1]
Responsible: SystemUIServer [2037]
UID: 501
Sudden Term: Tracked (allows idle exit)
Task size: 11.61 MB
Note: 1 idle work queue thread omitted

Thread 0x1c56 DispatchQueue 1 17 samples (1-17) priority 4 (base
4)
<thread QoS background (requested default), process sudden termination dirty, thread
darwinbg, process darwinbg, IO tier 2>
17 <truncated backtrace> 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xffffffff8000251950] 1-17

Binary Images:

0x10e856000 - 0x10e85dfff com.apple.WiFiProxy 13.0 (1370.4)
<A7C704D5-2B44-39F8-B300-A15D322DF52D> /System/Library/PrivateFrameworks/
CoreWLANKit.framework/Versions/A/XPCServices/WiFiProxy.xpc/Contents/MacOS/
WiFiProxy
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: WindowServer [215]
Path: /System/Library/PrivateFrameworks/SkyLight.framework/Versions/A/
Resources/WindowServer
Architecture: x86_64
Parent: launchd [1]
UID: 88
Task size: 82.14 MB (+224 KB)
CPU Time: 0.107s (279.1M cycles, 154.1M instructions, 1.81c/i)
Note: 3 idle work queue threads omitted

Thread 0x4be DispatchQueue 1 17 samples (1-17) priority 79

```

(base 79)  cpu time 0.096s (255.8M cycles, 146.8M instructions, 1.74c/i)
<IO tier 0>
17  start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17
17  ??? (WindowServer + 3550) [0x1042a6dde] 1-17
17  SLXServer + 832 (SkyLight + 2416004) [0x7fff4cd3dd84] 1-17
14  CGXRunOneServicesPass + 460 (SkyLight + 2413214) [0x7fff4cd3d29e] 1-14
3   run_one_server_pass + 337 (SkyLight + 2413668) [0x7fff4cd3d464] 1-3
3   mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-3
*3  ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
1-3
11  run_one_server_pass + 279 (SkyLight + 2413610) [0x7fff4cd3d42a] 4-14
11  mach_msg_overwrite_trap + 10 (libsystem_kernel.dylib + 78342)
[0x7fff52f06206] 4-14
*11 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]
4-14
3   CGXRunOneServicesPass + 247 (SkyLight + 2413001) [0x7fff4cd3d1c9] 15-17
3   run_timer_pass + 495 (SkyLight + 2225490) [0x7fff4cd0f552] 15-17
3   update_display_callback(void*, double) + 257 (SkyLight + 1935482)
[0x7fff4ccc887a] 15-17
1   CGXUpdateDisplay + 13802 (SkyLight + 1949922) [0x7fff4cccc0e2] 15
1   WS::DisplaySurface::Present(DisplaySurfaceSyncType) + 74 (SkyLight +
1648648) [0x7fff4cc82808] 15
1   CGXReleaseDisplayDeviceSurface + 272 (CoreDisplay + 646288)
[0x7fff2acf0c90] 15
1   glrATI_Hwl_SubmitPacketsWithToken + 362
(AMDRadeonX3000GLDriver + 324338) [0x14cd102f2] 15
1   gpusSubmitDataBuffers + 156 (libGPUSupportMercury.dylib + 13498)
[0x7fff438ac4ba] 15
1   IOAccelContextSubmitDataBuffersExt2 + 248 (IOAccelerator +
14113) [0x7fff4504c721] 15
1   IOConnectCallStructMethod + 38 (IOKit + 18295) [0x7fff2d595777]
15
1   IOConnectCallMethod + 244 (IOKit + 13950) [0x7fff2d59467e] 15
1   io_connect_method + 369 (IOKit + 14359) [0x7fff2d594817] 15
1   mach_msg_trap + 10 (libsystem_kernel.dylib + 78330)
[0x7fff52f061fa] 15
*1  hndl_mach_scall64 + 22 (kernel + 120422) [0xfffff800021d666]
15
*1  mach_call_munger64 + 509 (kernel + 1508077)
[0xfffff80003702ed] 15
*1  mach_msg_overwrite_trap + 891 (kernel + 393691)
[0xfffff80002601db] 15
*1  ipc_kmsg_send + 189 (kernel + 317133)
[0xfffff800024d6cd] 15
*1  ipc_kobject_server + 304 (kernel + 459616)
[0xfffff8000270360] 15
*1  ??? (kernel + 1316756) [0xfffff8000341794] 15

```

```

*1 is_io_connect_method + 535 (kernel + 7115735)
[0xffffffff80008c93d7] 15
*1 IOUserClient::externalMethod(unsigned int,
IOExternalMethodArguments*, IOExternalMethodDispatch*, OSObject*, void*) + 832
(kernel + 7080304) [0xffffffff80008c0970] 15
*1 shim_io_connect_method_structure1_structureO +
457 (kernel + 7088105) [0xffffffff80008c27e9] 15
*1
IOAccelContext2::submit_data_buffers(IOAccelContextSubmitDataBuffersIn*,
IOAccelContextSubmitDataBuffersOut*, unsigned long long, unsigned long long*) +
1185 (IOAcceleratorFamily2 + 24429) [0xffffffff7f82f65f6d] 15
*1
IOAccelGLContext2::processDataBuffers(unsigned int) + 804 (IOAcceleratorFamily2 +
59786) [0xffffffff7f82f6e98a] 15
*1 IOAccelContext2::processDataBuffers(unsigned
int) + 85 (IOAcceleratorFamily2 + 33963) [0xffffffff7f82f684ab] 15
*1
AMD RadeonX3000_AMD R8xxGLContext::processSidebandBuffer(IOAccelCommandD
escriptor*, bool) + 229 (AMD RadeonX3000 + 219869) [0xffffffff7f8303eadd] 15
*1
IOAccelContext2::processSidebandBuffer(IOAccelCommandDescriptor*, bool) + 273
(IOAcceleratorFamily2 + 32665) [0xffffffff7f82f67f99] 15
*1
AMD RadeonX3000_AMD R8xxGLContext::handle_BindObjects(IOAccelCommandStrea
mInfo&) + 388 (AMD RadeonX3000 + 189436) [0xffffffff7f830373fc] 15
*1
AMD RadeonX3000_AMD R8xxGLContext::bindResource(IOAccelCommandStreamInfo
&, IOAccelResource2*, bool, IOAccelChannel2*, unsigned int) + 106
(AMD RadeonX3000 + 220410) [0xffffffff7f8303ecfa] 15
*1
AMD RadeonX3000_AMD AccelResource::prepare() + 24 (AMD RadeonX3000 + 78148)
[0xffffffff7f8301c144] 15
*1 IOAccelResource2::prepare() + 404
(IOAcceleratorFamily2 + 107838) [0xffffffff7f82f7a53e] 15
*1 IOAccelResource2::load() + 37
(IOAcceleratorFamily2 + 98511) [0xffffffff7f82f780cf] 15
*1 IOAccelResource2::pageonIfNeeded()
+ 338 (IOAcceleratorFamily2 + 99894) [0xffffffff7f82f78636] 15
*1
AMD RadeonX3000_AMD AccelResource::pageon(IOAccelEvent*, bool, unsigned long
long) + 800 (AMD RadeonX3000 + 57950) [0xffffffff7f8301725e] 15
*1
AMD RadeonX3000_AMD AccelResource::pageTexture(bool, IOAccelMemoryMap*,
IOAccelMemoryMap*) + 349 (AMD RadeonX3000 + 77637) [0xffffffff7f8301bf45] 15
*1
AMD RadeonX3000_AMD AccelResource::pageTextureWithStretch(bool,
IOAccelMemoryMap*, IOAccelMemoryMap*, IOAccelChannel2*) + 849

```

(AMDRadeonX3000 + 82039) [0xfffff7f8301d077] 15
*1
AMDRadeonX3000_AMDAtomicBlitManager::doStretch(_UBM_STRETCHINFO*,
ABM_OPTIONS const*) + 203 (AMDRadeonX3000 + 161029) [0xfffff7f83030505] 15
*1
AMDRadeonX3000_AMDBltMgr::Stretch(_UBM_STRETCHINFO*,
_UBM_E_RETURNCODE*) + 28 (AMDRadeonX3000 + 278360) [0xfffff7f8304cf58] 15
1 BltMgr::Stretch(BltDevice,
_UBM_STRETCHINFO*) + 1944 (AMDRadeonX3000 + 496398) [0xfffff7f8308230e] 15
*1
R800BltMgr::ExecuteBlt(BltInfo*) + 384 (AMDRadeonX3000 + 592688)
[0xfffff7f83099b30] 15
*1
R800BltMgr::DrawRects(BltInfo*) + 237 (AMDRadeonX3000 + 591483)
[0xfffff7f8309967b] 15
*1
R800BltMgr::AdjustSurfAddresses(BltInfo*) + 6 (AMDRadeonX3000 + 591792)
[0xfffff7f830997b0] (running) 15
2 CGXUpdateDisplay + 5572 (SkyLight + 1941692) [0x7fff4ccca0bc] 16-17
2 prepare_CoreAnimation_update_state(CGXConnection*,
CGXWindowSubArray, bool, bool) + 554 (SkyLight + 1953145) [0x7fff4cccd79] 16-17
2 CGXBeginSurfaceLayerUpdate + 2154 (SkyLight + 1284833)
[0x7fff4cc29ae1] 16-17
2 CARenderUpdateAddContext2 + 48 (QuartzCore + 1063622)
[0x7fff36244ac6] 16-17
1 CA::Render::Updater::add_context(CA::Render::Context*,
CA::Render::Layer*, CA::Transform const*) + 1591 (QuartzCore + 229109)
[0x7fff36178ef5] 16
1
CA::Render::Updater::prepare_layer(CA::Render::Updater::GlobalState&,
CA::Render::Updater::LocalState&, CA::Render::LayerNode*,
CA::Render::Updater::LayerShapes&, unsigned long long*) + 7287 (QuartzCore +
1053414) [0x7fff362422e6] 16
1
CA::Render::Updater::prepare_layer(CA::Render::Updater::GlobalState&,
CA::Render::Updater::LocalState&, CA::Render::LayerNode*,
CA::Render::Updater::LayerShapes&, unsigned long long*) + 7287 (QuartzCore +
1053414) [0x7fff362422e6] 16
1
CA::Render::Updater::prepare_layer(CA::Render::Updater::GlobalState&,
CA::Render::Updater::LocalState&, CA::Render::LayerNode*,
CA::Render::Updater::LayerShapes&, unsigned long long*) + 7287 (QuartzCore +
1053414) [0x7fff362422e6] 16
1
CA::Render::Updater::prepare_layer(CA::Render::Updater::GlobalState&,
CA::Render::Updater::LocalState&, CA::Render::LayerNode*,
CA::Render::Updater::LayerShapes&, unsigned long long*) + 7287 (QuartzCore +

1053414) [0x7fff362422e6] 16

1

CA::Render::Updater::prepare_layer(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState&, CA::Render::LayerNode*, CA::Render::Updater::LayerShapes&, unsigned long long*) + 8611 (QuartzCore + 1054738) [0x7fff36242812] 16

1

CA::Render::Updater::add_background_filters_(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState&, CA::Render::Layer*, CA::Render::LayerNode*, CA::Render::Updater::LayerShapes*) + 829 (QuartzCore + 1059234) [0x7fff362439a2] (running) 16

1

CA::Render::Update::add_context(CA::Render::Context*, CA::Render::Layer*, CA::Transform const*) + 1442 (QuartzCore + 228960) [0x7fff36178e60] 17

1

CA::Render::Updater::prepare_layer0(CA::Render::Updater::GlobalState&, CA::Render::LayerNode*, CA::Render::Layer*, CA::Render::Updater::LocalState0&, unsigned long long) + 11114 (QuartzCore + 1043185) [0x7fff3623faf1] 17

1

CA::Render::Updater::prepare_sublayer0(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState0&, CA::Render::Layer*) + 123 (QuartzCore + 1031621) [0x7fff3623cdc5] 17

1

CA::Render::Updater::prepare_layer0(CA::Render::Updater::GlobalState&, CA::Render::LayerNode*, CA::Render::Layer*, CA::Render::Updater::LocalState0&, unsigned long long) + 11114 (QuartzCore + 1043185) [0x7fff3623faf1] 17

1

CA::Render::Updater::prepare_sublayer0(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState0&, CA::Render::Layer*) + 123 (QuartzCore + 1031621) [0x7fff3623cdc5] 17

1

CA::Render::Updater::prepare_layer0(CA::Render::Updater::GlobalState&, CA::Render::LayerNode*, CA::Render::Layer*, CA::Render::Updater::LocalState0&, unsigned long long) + 11114 (QuartzCore + 1043185) [0x7fff3623faf1] 17

1

CA::Render::Updater::prepare_sublayer0(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState0&, CA::Render::Layer*) + 123 (QuartzCore + 1031621) [0x7fff3623cdc5] 17

1

CA::Render::Updater::prepare_layer0(CA::Render::Updater::GlobalState&, CA::Render::LayerNode*, CA::Render::Layer*, CA::Render::Updater::LocalState0&, unsigned long long) + 11114 (QuartzCore + 1043185) [0x7fff3623faf1] 17

1

CA::Render::Updater::prepare_sublayer0(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState0&, CA::Render::Layer*) + 123 (QuartzCore + 1031621) [0x7fff3623cdc5] 17

1

CA::Render::Updater::prepare_layer0(CA::Render::Updater::GlobalState&, CA::Render::LayerNode*, CA::Render::Layer*, CA::Render::Updater::LocalState0&, unsigned long long) + 10900 (QuartzCore + 1042971) [0x7fff3623fa1b] 17

1

CA::Render::Updater::prepare_sublayer0(CA::Render::Updater::GlobalState&, CA::Render::Updater::LocalState0&, CA::Render::Layer*) + 123 (QuartzCore + 1031621) [0x7fff3623cdc5] 17

1

CA::Render::Updater::prepare_layer0(CA::Render::Updater::GlobalState&, CA::Render::LayerNode*, CA::Render::Layer*, CA::Render::Updater::LocalState0&, unsigned long long) + 59 (QuartzCore + 1032130) [0x7fff3623cfc2] (running) 17

Thread 0x8c3 17 samples (1-17) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 ??? (CoreDisplay + 718867) [0x7fff2ad02813] 1-17

17 ??? (CoreDisplay + 718469) [0x7fff2ad02685] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Thread 0xbe2 Thread name "com.apple.coreanimation.render-server" 17 samples (1-17) priority 79 (base 79) cpu time 0.003s (8.3M cycles, 3.3M instructions, 2.51c/i)

<IO tier 0>

17 thread_start + 13 (libsystem_pthread.dylib + 11257) [0x7fff530d6bf9] 1-17

17 _pthread_start + 377 (libsystem_pthread.dylib + 13581) [0x7fff530d750d] 1-17

17 _pthread_body + 340 (libsystem_pthread.dylib + 13921) [0x7fff530d7661] 1-17

17 thread_fun + 25 (QuartzCore + 6886) [0x7fff36142ae6] 1-17

17 CA::Render::Server::server_thread(void*) + 870 (QuartzCore + 7778)

[0x7fff36142e62] 1-17

17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa] 1-17

*17 ipc_mqueue_receive_continue + 0 (kernel + 334160) [0xfffff8000251950]

1-17

Binary Images:

0x1042a6000 - 0x1042a6fff WindowServer (312.103.12)

<A741EC80-F596-323D-B0BC-18455029CD9E> /System/Library/PrivateFrameworks/SkyLight.framework/Versions/A/Resources/WindowServer

0x14ccc1000 - 0x14cd79fff com.apple.AMDRadeonX3000GLDriver 1.68.24

(1.6.8) <3D2F28CE-ADE1-35B8-B226-2C4A5EE33D38> /System/Library/Extensions/AMDRadeonX3000GLDriver.bundle/Contents/MacOS/AMDRadeonX3000GLDriver

0x7fff2ac53000 - 0x7fff2ad36fff com.apple.CoreDisplay 99.14 (99.14)

<9B2B211D-EC0A-3569-BB37-887768CD6105> /System/Library/Frameworks/

CoreDisplay.framework/Versions/A/CoreDisplay
 0x7fff2d591000 - 0x7fff2d62cfff com.apple.framework.IOKit 2.0.2 (1445.71.6)
 <4B5C715C-6A49-366B-9080-ABADE6A3B3BD> /System/Library/Frameworks/
 IOKit.framework/Versions/A/IOKit
 0x7fff36141000 - 0x7fff3638dfff com.apple.QuartzCore 1.11 (584.64.2)
 <FD9A3180-479E-3DAC-9CF0-0D214C7E46A7> /System/Library/Frameworks/
 QuartzCore.framework/Versions/A/QuartzCore
 0x7fff438a9000 - 0x7fff438b4fff libGPUSupportMercury.dylib (16.7.4)
 <7C01AE23-9849-3EE6-AEAC-84D4BC1788BE> /System/Library/PrivateFrameworks/
 GPUSupport.framework/Versions/A/Libraries/libGPUSupportMercury.dylib
 0x7fff45049000 - 0x7fff45050fff com.apple.IOAccelerator 378.28 (378.28)
 <F109E4CB-49D9-37FB-974A-8A3E9E8A61DA> /System/Library/PrivateFrameworks/
 IOAccelerator.framework/Versions/A/IOAccelerator
 0x7fff4caf0000 - 0x7fff4cd8dfff com.apple.SkyLight 1.600.0 (312.103.12)
 <A65B547C-B7CA-3E33-A0C5-58AB436A8467> /System/Library/PrivateFrameworks/
 SkyLight.framework/Versions/A/SkyLight
 0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5)
 <49ABA86D-DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
 0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
 <594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
 0x7fff530d4000 - 0x7fff530dffff libsystem_pthread.dylib (301.50.1)
 <283E64A7-A2B2-3212-95BA-4D21F9AE36CF> /usr/lib/system/
 libsystem_pthread.dylib
 *0xffffffff7f82f60000 - 0xffffffff7f82fb0fff com.apple.iokit.IOAcceleratorFamily2 378.28
 (378.28) <D342FE41-0457-3586-ABB0-38E8E3947C4F> /System/Library/Extensions/
 IOAcceleratorFamily2.kext/Contents/MacOS/IOAcceleratorFamily2
 *0xffffffff7f83009000 - 0xffffffff7f83228fff com.apple.kext.AMDRadeonX3000 1.68.24
 (1.6.8) <4A1B14F0-7E2F-34FB-9C2A-A3B1B5B0EEF9> /System/Library/
 Extensions/AMDRadeonX3000.kext/Contents/MacOS/AMDRadeonX3000
 *0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
 <0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

Process: wirelessproxd [2176]
 Path: /usr/sbin/wirelessproxd
 Architecture: x86_64
 Parent: launchd [1]
 UID: 0
 Task size: 6700 KB
 Note: 1 idle work queue thread omitted

Thread 0x18c3 DispatchQueue 1 17 samples (1-17) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

17 start + 1 (libdyld.dylib + 4117) [0x7fff52dbf015] 1-17

17 ??? (wirelessproxd + 97475) [0x100952cc3] 1-17

```

17 -[NSRunLoop(NSRunLoop) run] + 76 (Foundation + 136670) [0x7fff2ced45de]
1-17
17 -[NSRunLoop(NSRunLoop) runMode:beforeDate:] + 277 (Foundation +
136966) [0x7fff2ced4706] 1-17
17 CFRunLoopRunSpecific + 487 (CoreFoundation + 530423) [0x7fff2adb87f7]
1-17
17 __CFRunLoopRun + 1783 (CoreFoundation + 532871) [0x7fff2adb9187]
1-17
17 __CFRunLoopServiceMachPort + 341 (CoreFoundation + 536117)
[0x7fff2adb9e35] 1-17
17 mach_msg_trap + 10 (libsystem_kernel.dylib + 78330) [0x7fff52f061fa]
1-17
*17 ipc_mqueue_receive_continue + 0 (kernel + 334160)
[0xfffff8000251950] 1-17

```

Binary Images:

```

0x10093b000 - 0x10099efff wirelessproxd (169.3)
<6EF6C035-8EC7-3323-8C19-84C1BD6EA26B> /usr/sbin/wirelessproxd
0x7fff2ad37000 - 0x7fff2b1d3fff com.apple.CoreFoundation 6.9 (1455.122)
<8DFA8989-783F-3AF8-8BA7-05AF335B7827> /System/Library/Frameworks/
CoreFoundation.framework/Versions/A/CoreFoundation
0x7fff2ceb3000 - 0x7fff2d27afff com.apple.Foundation 6.9 (1455.122)
<2DA81E9F-DF81-3D69-8E82-B662017E0D18> /System/Library/Frameworks/
Foundation.framework/Versions/C/Foundation
0x7fff52dbe000 - 0x7fff52ddbfff libdyld.dylib (551.5) <49ABA86D-
DD48-3133-9B14-B9A564EEBC66> /usr/lib/system/libdyld.dylib
0x7fff52ef3000 - 0x7fff52f19fff libsystem_kernel.dylib (4570.71.80.1)
<594769D7-F104-3810-8F10-DB45D2B9CA7E> /usr/lib/system/libsystem_kernel.dylib
*0xfffff8000200000 - 0xfffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

```

Process:      kernel_task [0]
Path:         /System/Library/Kernels/kernel
Architecture: x86_64
UID:          0
Version:      Darwin Kernel Version 17.7.0: Wed May 27 17:00:02 PDT 2020;
root:xnu-4570.71.80.1~1/RELEASE_X86_64
Task size:    1568.02 MB (-444 KB)
CPU Time:     0.038s (64.2M cycles, 22.1M instructions, 2.90c/i)

```

```

Thread 0x65      Thread name "VM_pageout_scan"      17 samples
(1-17)      priority 91 (base 91)
<IO tier 0>
*17 vm_pageout_continue + 0 (kernel + 1138576) [0xfffff8000315f90] 1-17

```

```

Thread 0x66      Thread name "idle #0"      17 samples (1-17)      priority 0 (base

```

0) idle time 1.459s (153.2M cycles, 51.7M instructions, 2.96c/i)

<IO tier 0>

```
*1 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1
*1 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 1
  *1 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 1
    *1 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 1
*1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 2
*1 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 3
*1 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 3
  *1 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 3
    *1 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 3
*8 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 4-11
*1 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 12
*1 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 12
  *1 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 12
    *1 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 12
*5 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 13-17
```

Thread 0x67 Thread name "sched_maintenance_thread" 17 samples
(1-17) priority 95 (base 95) cpu time <0.001s (195.1K cycles, 69.5K instructions, 2.81c/i)

<IO tier 0>

```
*17 sched_timeshare_maintenance_continue + 0 (kernel + 551056)
[0xffffffff8000286890] 1-17
```

Thread 0x68 17 samples (1-17) priority 80 (base 80) cpu time 0.002s
(2.9M cycles, 1166.9K instructions, 2.48c/i)

<IO tier 0>

```
*17 ??? (kernel + 651824) [0xffffffff800029f230] 1-17
```

Thread 0x69 17 samples (1-17) priority 93 (base 93)

<IO tier 0>

```
*17 ??? (kernel + 653024) [0xffffffff800029f6e0] 1-17
```

Thread 0x6a 17 samples (1-17) priority 80 (base 80)

<IO tier 0>

```
*17 ??? (kernel + 653616) [0xffffffff800029f930] 1-17
```

Thread 0x6b 17 samples (1-17) priority 95 (base 95)

<IO tier 0>

```
*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 745459) [0xffffffff80002b5ff3] 1-17
  *17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
    *17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
      *17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17
```

Thread 0x6c 17 samples (1-17) priority 95 (base 95)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 745459) [0xffffffff80002b5ff3] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17

Thread 0x6d Thread name "thread_call_daemon" 17 samples
(1-17) priority 94 (base 94)

<IO tier 0>

*17 ??? (kernel + 671696) [0xffffffff80002a3fd0] 1-17

Thread 0x6e 17 samples (1-17) priority 95 (base 95)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 mapping_replenish + 465 (kernel + 1502337) [0xffffffff800036ec81] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17

Thread 0x6f Thread name "IOServiceTerminateThread" 17 samples
(1-17) priority 81 (base 81) cpu time <0.001s (115.3K cycles, 51.9K instructions,
2.22c/i)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
17 IOService::terminateThread(void, int) + 132 (kernel + 6781684)
[0xffffffff8000877af4] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17

Thread 0x70 Thread name "AppleACPIButton" 17 samples
(1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x72 Thread name "IOPCI2PCIBridge" 17 samples
(1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x74 Thread name "IOPMrootDomain" 17 samples
(1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x76 Thread name "AppleCredentialManager" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x84 17 samples (1-17) priority 95 (base 95)
<IO tier 0>
*17 ??? (kernel + 1083088) [0xffffffff80003086d0] 1-17

Thread 0x85 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Thread 0x87 Thread name "AppleKeyStore" 17 samples (1-17)
priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x89 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 pmlnitThread + 885 (AppleIntelCPUPowerManagement + 25052)
[0xffffffff7f8275f1dc] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17

Thread 0x8e Thread name "idle #1" 17 samples (1-17) priority 0 (base
0) idle time 1.513s (114.3M cycles, 39.6M instructions, 2.89c/i)
<IO tier 0>
*1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 1
*9 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 2-10
*9 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 2-10
*9 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 2-10
*9 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 2-10
*2 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 11-12
*5 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 13-17
*5 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 13-17
*5 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 13-17
*5 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 13-17

Thread 0x91 Thread name "idle #2" 17 samples (1-17) priority 0 (base
0) idle time 1.499s (97.6M cycles, 33.8M instructions, 2.89c/i)
<IO tier 0>
*1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 1
*9 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 2-10

- *9 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 2-10
- *9 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 2-10
- *9 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 2-10
- *1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 11
- *4 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 12-15
- *4 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 12-15
- *4 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 12-15
- *4 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 12-15
- *2 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 16-17

Thread 0x94 Thread name "idle #3" 17 samples (1-17) priority 0 (base 0)
 idle time 1.522s (100.0M cycles, 36.3M instructions, 2.76c/i)
 <IO tier 0>

- *2 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-2
- *2 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 1-2
- *2 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 1-2
- *2 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 1-2
- *1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 3
- *7 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 4-10
- *7 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 4-10
- *7 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 4-10
- *7 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 4-10
- *1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 11
- *3 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 12-14
- *3 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 12-14
- *3 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 12-14
- *3 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 12-14
- *1 idle_thread + 0 (kernel + 563408) [0xffffffff80002898d0] (runnable) 15
- *2 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 16-17
- *2 idle_thread + 32 (kernel + 563440) [0xffffffff80002898f0] 16-17
- *2 processor_idle + 210 (kernel + 561954) [0xffffffff8000289322] 16-17
- *2 machine_idle + 778 (kernel + 1606970) [0xffffffff800038853a] (runnable) 16-17

Thread 0x99 Thread name "AppleACPIEC" 17 samples (1-17) priority 81 (base 81)
 <IO tier 0>

- *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xaf Thread name "AppleACPIButton" 17 samples (1-17) priority 81 (base 81)
 <IO tier 0>

- *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xb0 Thread name "AppleSMC" 17 samples (1-17) priority 81 (base 81)
 <IO tier 0>

- *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xc1 Thread name "AppleUSBHostResources" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xc6 Thread name "AppleUSBLegacyRoot" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xcb Thread name "AppleUSBECIPCI" 17 samples
(1-17) priority 81 (base 81) cpu time 0.004s (6.1M cycles, 1567.0K instructions,
3.88c/i)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xd9 Thread name "AppleUSBECIPCI" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xdb Thread name "AppleFWOHCI" 17 samples (1-17) priority
81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xeb Thread name "AppleThunderboltHAL" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xef Thread name "AppleIntelPchSeriesAHCIPort" 17 samples
(1-17) priority 81 (base 81) cpu time <0.001s (60.1K cycles, 12.1K instructions,
4.98c/i)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xf3 17 samples (1-17) priority 97 (base 97)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xf4 Thread name "AppleFWOHCI_MultisochReceiver" 17
samples (1-17) priority 97 (base 97)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0xf7 Thread name "AppleIntelPchSeriesAHCIPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x123 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 2725248) [0xffffffff8000499580] 1-17

Thread 0x125 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5652576) [0xffffffff8000764060] 1-17

Thread 0x126 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5068768) [0xffffffff80006d57e0] 1-17

Thread 0x127 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5129152) [0xffffffff80006e43c0] 1-17

Thread 0x128 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5129152) [0xffffffff80006e43c0] 1-17

Thread 0x129 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5129152) [0xffffffff80006e43c0] 1-17

Thread 0x12a 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5129152) [0xffffffff80006e43c0] 1-17

Thread 0x12b 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Thread 0x12c 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Thread 0x12d 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5426704) [0xffffffff800072ce10] 1-17

Thread 0x12e 17 samples (1-17) priority 81 (base 81)
<IO tier 0>

```

*17 call_continuation + 23 (kernel + 116055) [0xfffff800021c557] 1-17
*17 ??? (kernel + 3148337) [0xfffff8000500a31] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xfffff8000381e3d]
1-17

```

```

Thread 0x12f          17 samples (1-17)      priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

```

```

Thread 0x130          17 samples (1-17)      priority 81 (base 81)
<IO tier 0>
*17 ??? (kernel + 5426704) [0xfffff800072ce10] 1-17

```

```

Thread 0x131          Thread name "VM_memorystatus"          17 samples
(1-17)      priority 95 (base 95)
<IO tier 0>
*17 ??? (kernel + 5452688) [0xfffff8000733390] 1-17

```

```

Thread 0x133          17 samples (1-17)      priority 81 (base 81)
<IO tier 0>
*17 sockwall_gc_thread + 0 (ALF + 23580) [0xfffff7f839bec1c] 1-17

```

```

Thread 0x136          17 samples (1-17)      priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

```

```

Thread 0x138          Thread name "IOHIDSystem" 17 samples (1-17)      priority 81
(base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

```

```

Thread 0x13b          Thread name "AirPort_AtherosNewma40"          17 samples
(1-17)      priority 82 (base 82)      cpu time 0.001s (2.4M cycles, 416.0K instructions,
5.82c/i)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

```

```

Thread 0x13d          Thread name "BCM5701Enet" 17 samples (1-17)      priority
82 (base 82)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

```

```

Thread 0x148          Thread name "AppleUSBEHCIPort"          17 samples

```

(1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x14b Thread name "AppleUSBEHCIPort" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x14f Thread name "AppleUSBEHCIPort" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x158 Thread name "AppleUSBController" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x159 Thread name "AppleUSBRootHubDevice" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x15a Thread name "AppleUSBController" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x15b Thread name "AppleUSBRootHubDevice" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x160 Thread name "AppleUSB20HubPort" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x162 Thread name "AppleUSB20HubPort" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>
 *17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x164 Thread name "AppleUSB20HubPort" 17 samples
 (1-17) priority 81 (base 81)
 <IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x166 Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x168 Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x16a Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x16c Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x172 Thread name "thread call high #9" 17 samples
(1-17) priority 93 (base 93)
<IO tier 0>

*17 ??? (kernel + 672528) [0xffffffff80002a4310] 1-17

Thread 0x17d Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81) cpu time 0.005s (8.6M cycles, 3.0M instructions,
2.87c/i)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x17f Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x181 Thread name "AppleUSB20HubPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x183 Thread name "thread call high #5" 17 samples
(1-17) priority 93 (base 93)
<IO tier 0>

*17 ??? (kernel + 672528) [0xffffffff80002a4310] 1-17

Thread 0x184 Thread name "thread call high #6" 17 samples
(1-17) priority 93 (base 93)

<IO tier 0>

*17 ??? (kernel + 672528) [0xffffffff80002a4310] 1-17

Thread 0x1a0 17 samples (1-17) priority 81 (base 81)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17

*17 ??? (kernel + 5945722) [0xffffffff80007ab97a] 1-17

*17 mach_msg_receive + 178 (kernel + 392690) [0xffffffff800025fdf2] 1-17

*17 ipc_mqueue_receive + 119 (kernel + 334503) [0xffffffff8000251aa7] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]

1-17

Thread 0x1a2 17 samples (1-17) priority 91 (base 91)

<IO tier 2>

*17 ??? (kernel + 1144288) [0xffffffff80003175e0] 1-17

Thread 0x1a3 17 samples (1-17) priority 31 (base 31)

<IO tier 0>

*17 vm_pageout_garbage_collect + 0 (kernel + 1136928) [0xffffffff8000315920] 1-17

Thread 0x1a4 17 samples (1-17) priority 31 (base 31)

<IO tier 0>

*17 vm_pressure_thread + 0 (kernel + 1138176) [0xffffffff8000315e00] 1-17

Thread 0x1a5 17 samples (1-17) priority 91 (base 91)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17

*17 ??? (kernel + 1083660) [0xffffffff800030890c] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17

Thread 0x1a6 Thread name "VM_cswap_trigger" 17 samples
(1-17) priority 91 (base 91)

<IO tier 0>

*17 ??? (kernel + 894912) [0xffffffff80002da7c0] 1-17

Thread 0x1a7 Thread name "VM_compressor" 17 samples
(1-17) priority 91 (base 91)

<IO tier 0>

*17 vm_pageout_iothread_internal_continue + 0 (kernel + 1138976)
[0xffffffff8000316120] 1-17

Thread 0x1a8 Thread name "VM_compressor" 17 samples
(1-17) priority 91 (base 91)
<IO tier 0>
*17 vm_pageout_iothread_internal_continue + 0 (kernel + 1138976)
[0xffffffff8000316120] 1-17

Thread 0x1a9 17 samples (1-17) priority 91 (base 91)
<IO tier 2 and passive>
*17 ??? (kernel + 919568) [0xffffffff80002e0810] 1-17

Thread 0x1aa 17 samples (1-17) priority 91 (base 91)
<IO tier 0>
*17 ??? (kernel + 921024) [0xffffffff80002e0dc0] 1-17

Thread 0x1ab 17 samples (1-17) priority 91 (base 91)
<IO tier 2 and passive>
*17 ??? (kernel + 921680) [0xffffffff80002e1050] 1-17

Thread 0x1b8 Thread name "AppleIntelPchSeriesAHCIPort" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x1d1 17 samples (1-17) priority 81 (base 81) cpu time
<0.001s (16.4K cycles, 7.1K instructions, 2.31c/i)
<IO tier 0>
*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 5876396) [0xffffffff800079aaac] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]
1-17

Thread 0x387 17 samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 3149825) [0xffffffff8000501001] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]
1-17

Thread 0x388 Thread name "ifnet_start_en0" 17 samples (1-17)
priority 82 (base 82)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 3184695) [0xffffffff8000509837] 1-17
*17 msleep + 98 (kernel + 5427330) [0xffffffff800072d082] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]

1-17

Thread 0x389 17 samples (1-17) priority 82 (base 82)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 3185189) [0xffffffff8000509a25] 1-17
*17 msleep + 98 (kernel + 5427330) [0xffffffff800072d082] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]

1-17

Thread 0x48f Thread name "dlil_input_en1" 17 samples (1-17)
priority 81 (base 81)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 3152415) [0xffffffff8000501a1f] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]

1-17

Thread 0x490 Thread name "ifnet_start_en1" 17 samples (1-17)
priority 82 (base 82)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17
*17 ??? (kernel + 3184695) [0xffffffff8000509837] 1-17
*17 msleep + 98 (kernel + 5427330) [0xffffffff800072d082] 1-17
*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]
1-17

Thread 0x758 Thread name "IOGraphicsSystemWorkLoop" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x759 Thread name "AGDCBacklightControl" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x75a Thread name "AppleIntelPanelA" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x75c Thread name "AppleHDAController" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x761 Thread name "dlil_input_en2" 17 samples (1-17)
priority 81 (base 81)
<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17

*17 ??? (kernel + 3152415) [0xffffffff8000501a1f] 1-17

*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17

*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]

1-17

Thread 0x762 Thread name "ifnet_start_en2" 17 samples (1-17)
priority 82 (base 82)
<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17

*17 ??? (kernel + 3184695) [0xffffffff8000509837] 1-17

*17 msleep + 98 (kernel + 5427330) [0xffffffff800072d082] 1-17

*17 ??? (kernel + 5426102) [0xffffffff800072cbb6] 1-17

*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]

1-17

Thread 0x769 Thread name "jp_co_roland_RDUSB012FDev_AudioDevice" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x772 17 samples (1-17) priority 97 (base 97)
<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17

*17 AppleOSXWatchdog::watchdogMainThread() + 133 (AppleOSXWatchdog +
5613) [0xffffffff7f8253b5ed] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d] 1-17

Thread 0x77d Thread name "com_cycling74_driver_SoundflowerDevice"
17 samples (1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x77e Thread name "AppleIntelSlowAdaptiveClockingManager" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x780 Thread name "AppleGPUWrangler" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x781 Thread name "IOFBController" 17 samples (1-17)
priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x785 Thread name "AppleSSE" 17 samples (1-17) priority 81
(base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x788 Thread name "AppleMCCSPParameterHandler" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x78a Thread name "IOBluetoothHCIController" 17 samples
(1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x78c Thread name "IOBluetoothSerialManager" 17 samples
(1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x78f Thread name "IOSurfaceRoot" 17 samples (1-17)
priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x791 17 samples (1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x793 17 samples (1-17) priority 81 (base 81) cpu time 0.004s
(6.8M cycles, 2.9M instructions, 2.33c/i)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xffffffff800021c557] 1-17

17 IOCommandGate::runAction(int ()(OSObject*, void*, void*, void*, void*), void*,
void*, void*, void*) + 312 (kernel + 6921208) [0xffffffff8000899bf8] 1-17

17 IOWorkQueue::processWorkCallFromSingleThreadAction(OSObject, void*,
void*, void*, void*) + 45 (IOBluetoothFamily + 236113) [0xffffffff7f81b34a51] 1-17

*17 IOWorkQueue::processWorkCallFromSingleThreadWL() + 284
(IOBluetoothFamily + 236408) [0xffffffff7f81b34b78] 1-17

17 IOEventSource::sleepGate(void, unsigned int) + 76 (kernel + 6914796)
[0xffffffff80008982ec] 1-17

17 IOWorkLoop::sleepGate(void, unsigned int) + 123 (kernel + 6908587)
[0xffffffff8000896aab] 1-17

*17 lck_mtx_sleep + 126 (kernel + 500094) [0xffffffff800027a17e] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xffffffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xffffffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xffffffff8000381e3d]
1-17

Thread 0x799 Thread name "Terminus" 17 samples (1-17) priority 81
(base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7a3 Thread name "AMDRadeonX3000_AMDAccelEventMachine"
17 samples (1-17) priority 81 (base 81) cpu time <0.001s (11.4K cycles, 4.6K
instructions, 2.46c/i)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7a4 Thread name "AMDTurksGraphicsAccelerator" 17
samples (1-17) priority 81 (base 81) cpu time <0.001s (6.3K cycles, 3.4K
instructions, 1.86c/i)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7a5 Thread name "IOAccelFenceMachine" 17 samples
(1-17) priority 81 (base 81) cpu time 0.004s (7.1M cycles, 3.3M instructions,
2.17c/i)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7a6 Thread name "AMDRadeonX3000_AMDCPEvent" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7a8 Thread name "AMDRadeonX3000_AMDAccelDisplayPipe" 17
samples (1-17) priority 81 (base 81) cpu time 0.005s (9.3M cycles, 3.6M
instructions, 2.61c/i)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7a9 Thread name "AMDRadeonX3000_AMDAccelDisplayPipe" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7aa Thread name "AMDRadeonX3000_AMDAccelDisplayPipe" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7ab Thread name "AMDRadeonX3000_AMDAccelDisplayPipe" 17
samples (1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7c9 Thread name "AppleHDAController" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>
*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xffffffff8000896380] 1-17

Thread 0x7cf Thread name "AppleHDAHDMI_DPDriver" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

Thread 0x7e5 Thread name "AppleMikeyDriver" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

Thread 0x7f7 Thread name "AppleHDADriver" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

Thread 0x804 Thread name "Gen6Accelerator" 17 samples
(1-17) priority 81 (base 81)
<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

Thread 0x84c Thread name "dlil_input_p2p0" 17 samples (1-17)
priority 81 (base 81)
<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xfffff800021c557] 1-17

*17 ??? (kernel + 3152415) [0xfffff8000501a1f] 1-17

*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17

*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xfffff8000381e3d]

1-17

Thread 0x84d Thread name "ifnet_start_p2p0" 17 samples (1-17)
priority 82 (base 82)
<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xfffff800021c557] 1-17

*17 ??? (kernel + 3184695) [0xfffff8000509837] 1-17

*17 msleep + 98 (kernel + 5427330) [0xfffff800072d082] 1-17

*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17

*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17

*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17

*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17

*17 machine_switch_context + 205 (kernel + 1580605) [0xfffff8000381e3d]

1-17

Thread 0x8de Thread name "thread call high #5" 17 samples
(1-17) priority 93 (base 93) cpu time <0.001s (1793.0K cycles, 548.2K
instructions, 3.27c/i)
<IO tier 0>

*17 ??? (kernel + 672528) [0xfffff80002a4310] 1-17

Thread 0x1f54 Thread name "ifnet_start_utun0" 17 samples (1-17)
priority 82 (base 82)

<IO tier 0>

*17 call_continuation + 23 (kernel + 116055) [0xfffff800021c557] 1-17
*17 ??? (kernel + 3184695) [0xfffff8000509837] 1-17
*17 msleep + 98 (kernel + 5427330) [0xfffff800072d082] 1-17
*17 ??? (kernel + 5426102) [0xfffff800072cbb6] 1-17
*17 lck_mtx_sleep + 126 (kernel + 500094) [0xfffff800027a17e] 1-17
*17 thread_block_reason + 175 (kernel + 545983) [0xfffff80002854bf] 1-17
*17 ??? (kernel + 550138) [0xfffff80002864fa] 1-17
*17 machine_switch_context + 205 (kernel + 1580605) [0xfffff8000381e3d]

1-17

Thread 0x1d0ae3 Thread name "thread call kernel #2" 17 samples
(1-17) priority 81 (base 81) cpu time <0.001s (192.0K cycles, 51.6K instructions,
3.72c/i)

<IO tier 0>

*17 ??? (kernel + 672528) [0xfffff80002a4310] 1-17

Thread 0x2060ff Thread name "BNBMouseDevice" 17 samples
(1-17) priority 81 (base 81) cpu time 0.003s (5.0M cycles, 1604.6K instructions,
3.14c/i)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

Thread 0x20613a 17 samples (1-17) priority 81 (base 81)

<IO tier 0>

*17 IOWorkLoop::threadMain() + 0 (kernel + 6906752) [0xfffff8000896380] 1-17

Thread 0x20ddda Thread name "thread call kernel-high #3" 17 samples
(1-17) priority 92 (base 92)

<IO tier 0>

*17 ??? (kernel + 672528) [0xfffff80002a4310] 1-17

Thread 0x22d8b7 Thread name "thread call kernel-high #3" 17 samples
(1-17) priority 92 (base 92) cpu time 0.001s (2.3M cycles, 581.0K instructions,
4.01c/i)

<IO tier 0>

*17 ??? (kernel + 672528) [0xfffff80002a4310] 1-17

Binary Images:

*0xfffff7f81afb000 - 0xfffff7f81b8afff com.apple.iokit.IOBluetoothFamily 6.0.7
(6.0.7f20) <4C50A32F-F50D-335E-86CA-7811BC01B549> /System/Library/
Extensions/IOBluetoothFamily.kext/Contents/MacOS/IOBluetoothFamily

*0xfffff7f8253a000 - 0xfffff7f8253bfff com.apple.driver.AppleOSXWatchdog 1.0 (1)
<10AB980B-BF01-317D-8CE7-51079C8E304C> /System/Library/Extensions/

```

AppleOSXWatchdog.kext/Contents/MacOS/AppleOSXWatchdog
*0xffffffff7f82759000 - 0xffffffff7f82775fff
com.apple.driver.AppleIntelCPUPowerManagement 220.50.1 (220.50.1) <692E9397-
F6EE-3529-BC1D-49D102BE92D2> /System/Library/Extensions/
AppleIntelCPUPowerManagement.kext/Contents/MacOS/
AppleIntelCPUPowerManagement
*0xffffffff7f839b9000 - 0xffffffff7f839bffff com.apple.nke.applicationfirewall 5.0 (186)
<7C44CC6B-A1DC-317F-BD6D-934B0CEC859E> /System/Library/Extensions/
ALF.kext/Contents/MacOS/ALF
*0xffffffff8000200000 - 0xffffffff80009fffff kernel (4570.71.80.1)
<0A445176-9BE8-37C4-B1F1-E2BBA2711C6B> /System/Library/Kernels/kernel

```

Kextstat:

Index	Refs	Address	Size	Wired	Name (Version)	UUID <Linked Against>
1	115	0xffffffff7f80a18000	0x9e30	0x9e30	com.apple.kpi.bsd (17.7.0)	11D42F8E-6949-4E0F-B811-B809EF5C0874
2	10	0xffffffff7f80fa5000	0x3990	0x3990	com.apple.kpi.dsep (17.7.0)	92782AD0-A226-4873-8958-0B7A92A7A7FC
3	147	0xffffffff7f80a70000	0x21150	0x21150	com.apple.kpi.iokit (17.7.0)	D886ACEE-003C-4CE7-A6BE-48146ED45B9F
4	152	0xffffffff7f80a00000	0xd460	0xd460	com.apple.kpi.libkern (17.7.0)	5457DFE8-D06D-4364-8240-3D95A11B0741
5	136	0xffffffff7f80a14000	0x3f60	0x3f60	com.apple.kpi.mach (17.7.0)	0F943DA7-F562-4B00-B43C-35739C4ABD2E
6	78	0xffffffff7f80a63000	0xce70	0xce70	com.apple.kpi.private (17.7.0)	C01615B9-20DD-49B1-A4F0-A224ACA22849
7	79	0xffffffff7f80a0e000	0x5ea0	0x5ea0	com.apple.kpi.unsupported (17.7.0)	6BAFA082-DB23-4929-A0AA-218CA83CDE77
8	1	0xffffffff7f80a92000	0x10000	0x10000	com.apple.kec.Libm (1)	BC3F7DA4-03EA-30F7-B44A-62C249D51C10 <4>
9	7	0xffffffff7f80fc7000	0xb0000	0xb0000	com.apple.kec.corecrypto (1.0)	5B97D05D-D661-3885-A71A-28388A981CED <7 6 5 4 3 1>
10	0	0xffffffff7f810f1000	0xf000	0xf000	com.apple.kec.pthread (1)	E64F7A49-CBF0-3251-9F02-3655E3B3DD31 <7 6 5 4 3 1>
11	29	0xffffffff7f80b94000	0x9000	0x9000	com.apple.iokit.IOACPIFamily (1.4)	95DA39BB-7C39-3742-A2E5-86C555E21D67 <7 6 4 3>
12	41	0xffffffff7f80b9d000	0x35000	0x35000	com.apple.iokit.IOPCIFamily (2.9)	C728EA79-4D1D-3E5E-98E4-99F9015748F6 <7 6 5 4 3>
13	7	0xffffffff7f80bd8000	0x1d000	0x1d000	com.apple.driver.AppleSMC (3.1.9)	0249444C-80D4-3184-9060-F70DA3BEB17D <12 11 7 6 5 4 3 1>
14	2	0xffffffff7f82ba1000	0x9c000	0x9c000	com.apple.driver.AppleACPIPlatform (6.1)	B0282791-F78C-3A3D-A829-629AD847C7EA <13 12 11 7 6 5 4 3 1>
15	11	0xffffffff7f8125d000	0x30000	0x30000	com.apple.iokit.IONetworkingFamily (3.4)	5A99D802-B477-3D83-9F76-304605479B9F <7 6 5 4 3 1>
16	2	0xffffffff7f816bf000	0x2d000	0x2d000	com.apple.iokit.IOTimeSyncFamily (680.15)	6DD2AAD0-FC4B-32EC-B0FD-AC55A727A789 <15 5 4 3 1>

17 4 0xffffffff7f81896000 0x7000 0x7000 com.apple.iokit.IOReportFamily (31)
 D2F2FBDF-4EE4-38BA-99F5-B699F886F413 <5 4 3>
 18 12 0xffffffff7f81096000 0x28000 0x28000 com.apple.iokit.IOStorageFamily
 (2.1) F27A8A2A-6662-3608-83BD-415037509E01 <7 6 5 4 3 1>
 19 0 0xffffffff7f81a2f000 0x19000 0x19000 com.apple.driver.DiskImages
 (480.60.3) 3B9B12B3-C2DE-3343-8304-41237B3F2BEC <18 7 6 5 4 3 1>
 20 4 0xffffffff7f81822000 0x7000 0x7000 com.apple.driver.IOSlaveProcessor (1)
 582BDE04-9EB3-3A87-8842-4FF06D1F72C6 <4 3>
 21 3 0xffffffff7f82465000 0x18000 0x18000 com.apple.driver.AppleSEPManager
 (1.0.1) 52D654B2-BC1C-3DB9-895A-8EAE7993B17B <20 12 9 7 6 5 4 3 1>
 22 1 0xffffffff7f80bf7000 0x8000 0x8000
 com.apple.driver.AppleBusPowerController (1.0) 79B78C02-CBE8-3C9B-A19D-
 D8AB5875A429 <13 11 6 5 4 3>
 23 8 0xffffffff7f80bff000 0x8000 0x8000
 com.apple.driver.usb.AppleUSBCommon (1.0) FB0D8863-27B6-39BE-889D-
 E4A32ED357F8 <5 4 3 1>
 24 18 0xffffffff7f80c07000 0x79000 0x79000 com.apple.iokit.IOUSBHostFamily
 (1.2) 93B5E6D7-8F74-39E2-A9C6-6B25F334733D <23 22 7 6 5 4 3 1>
 25 3 0xffffffff7f8112a000 0x1d000 0x1d000 com.apple.driver.KernelRelayHost (1)
 49218104-0F45-3612-AF32-76BE251F5B29 <24 5 4 3>
 26 1 0xffffffff7f8258d000 0x3c000 0x3c000
 com.apple.driver.AppleCredentialManager (1.0) 56F9E63D-81D4-35B8-83E9-
 E4BD2202AAB2 <25 21 20 9 7 6 5 4 3 1>
 27 7 0xffffffff7f80cb5000 0x2b000 0x2b000
 com.apple.iokit.IOSCSIArchitectureModelFamily (404.30.3) 2E28EF6C-9898-3506-
 AB5A-433B83CDD983 <6 5 4 3 1>
 28 2 0xffffffff7f8117a000 0x19000 0x19000
 com.apple.iokit.IOSCSIBlockCommandsDevice (404.30.3) 66A63094-72B6-3E25-
 BE1C-6CEB28186627 <27 18 6 5 4 3 1>
 29 2 0xffffffff7f812a0000 0x2e000 0x2e000
 com.apple.iokit.IOUSBMassStorageDriver (140.70.2) 91925DA5-1D2A-3444-
 A53B-1432B6363BA7 <27 24 18 6 5 4 3 1>
 30 5 0xffffffff7f81077000 0x1a000 0x1a000
 com.apple.driver.AppleMobileFileIntegrity (1.0.5) CC716BFE-4F62-33A3-
 BA21-931EE1F91097 <9 7 6 5 4 3 2 1>
 31 1 0xffffffff7f8241e000 0x12000 0x12000 com.apple.driver.AppleUSBTDM
 (439.70.3) 1CE56483-ADE1-3C2B-ABF6-2F7BA1E3B14E <30 29 28 27 24 18 7 6 5 4 3
 1>
 32 0 0xffffffff7f825c9000 0x64000 0x64000 com.apple.driver.AppleKeyStore (2)
 12E23166-032B-36C0-9690-35235E68E387 <31 30 26 25 21 20 9 7 6 5 4 3 1>
 33 0 0xffffffff7f82759000 0x2a000 0x2a000
 com.apple.driver.AppleIntelCPUPowerManagement (220.50.1) 692E9397-F6EE-3529-
 BC1D-49D102BE92D2 <7 6 5 4 3 1>
 34 1 0xffffffff7f82b38000 0xc000 0xc000
 com.apple.driver.AppleEffaceableStorage (1.0) CA2AB641-FF39-316A-
 BA4F-5AF561C66AC7 <7 5 4 3 1>
 35 0 0xffffffff7f82b44000 0xc000 0xc000 com.apple.driver.AppleFDEKeyStore

(28.30) 691E35C5-E9F8-33D8-8492-9731EC9D2A6D <34 9 7 6 5 4 3 1>
 36 0 0xffffffff7f80fa9000 0x2000 0x2000 com.apple.security.TMSafetyNet (8)
 5B78C369-AA3C-326F-8AE3-C200955DD9A7 <7 6 5 4 2 1>
 37 2 0xffffffff7f81091000 0x5000 0x5000 com.apple.kext.AppleMatch (1.0.0d1)
 2D2996CA-A15E-39E6-9D6B-2BE6DF131972 <4 1>
 38 1 0xffffffff7f810c6000 0x21000 0x21000 com.apple.security.sandbox (300.0)
 BDFF700A-6746-3643-A0A1-852628695B04 <37 30 18 7 6 5 4 3 2 1>
 39 0 0xffffffff7f810e7000 0x9000 0x9000 com.apple.security.quarantine (3)
 0F937585-B1FE-3485-A4F0-FB9063D6F65F <38 37 7 6 5 4 2 1>
 40 0 0xffffffff7f839b9000 0x8000 0x8000 com.apple.nke.applicationfirewall (186)
 7C44CC6B-A1DC-317F-BD6D-934B0CEC859E <7 6 5 4 3 1>
 41 0 0xffffffff7f82754000 0x3000 0x3000
 com.apple.driver.AppleIntelCPUPowerManagementClient (220.50.1) BD8088CF-
 E7E1-3286-B511-17CD98C121CB <7 6 5 4 3 1>
 42 0 0xffffffff7f82b79000 0x3000 0x3000 com.apple.driver.AppleAPIC (1.7)
 9E5B1713-854A-32DC-89E7-E1765F4B3AE3 <12 4 3>
 43 11 0xffffffff7f81396000 0x7b000 0x7b000 com.apple.iokit.IOHIDFamily (2.0.0)
 0DD0A3A0-A812-3B96-AEEB-6F257C2147CA <7 6 5 4 3 2 1>
 44 2 0xffffffff7f81819000 0x4000 0x4000 com.apple.iokit.IOSMBusFamily (1.1)
 9CFF73D8-2872-3FC0-AEE5-334587EAA4D0 <5 4 3>
 45 0 0xffffffff7f82c46000 0x7000 0x7000 com.apple.driver.AppleACPIEC (6.1)
 4044E1DF-C416-3F42-B056-C07B8D2B305C <44 43 17 14 11 7 6 5 4 3 1>
 46 0 0xffffffff7f824b1000 0x4000 0x4000 com.apple.driver.AppleSMBIOS (2.1)
 93D205A0-CB89-3661-9164-52C412DF576C <7 4 3>
 47 0 0xffffffff7f827d5000 0x3000 0x3000 com.apple.driver.AppleHPET (1.8)
 53185B91-044A-3437-BCB4-DA18945A2BB9 <11 7 5 4 3>
 48 0 0xffffffff7f82c50000 0x4000 0x4000 com.apple.driver.AppleACPIButtons
 (6.1) EFE249E3-EE2D-3C1D-817B-6187E020735A <43 17 14 11 7 6 5 4 3 1>
 49 0 0xffffffff7f824e2000 0x8000 0x8000 com.apple.driver.AppleRTC (2.0)
 5B5EE4F4-FBE6-3577-B809-8BA838B40DE9 <11 7 5 4 3 1>
 50 2 0xffffffff7f818d7000 0x5000 0x5000 com.apple.driver.AppleEFIRuntime
 (2.1) 45F80912-F34B-3EE9-AA62-F35448246837 <7 6 5 4 3>
 51 1 0xffffffff7f818dc000 0xb000 0xb000 com.apple.driver.AppleEFINVRAM
 (2.1) F35A52E2-CF80-3BA9-92B5-25EFE216094F <50 7 6 5 4 3 2 1>
 52 0 0xffffffff7f815fc000 0x4000 0x4000
 com.apple.driver.AppleUSBHostMergeProperties (1.2) 44EB5210-4018-3991-B77F-
 D030310F6941 <4 3 1>
 53 0 0xffffffff7f812d5000 0x9b000 0x9b000 com.apple.iokit.IOUSBFamily
 (900.4.1) 2837DD62-F2B0-3357-A164-D44FEF6810E0 <24 23 12 7 5 4 3 1>
 54 0 0xffffffff7f815f7000 0x5000 0x5000
 com.apple.driver.usb.AppleUSBHostPacketFilter (1.0) 614FC3BF-7282-3D0E-A1A4-
 F5C6F2D6C1AB <24 23 7 6 5 4 3 1>
 55 1 0xffffffff7f81517000 0x46000 0x46000 com.apple.driver.usb.AppleUSBEHCI
 (1.2) 4769FC9B-CFB7-3B33-A088-72D3258AAB82 <24 23 11 7 6 5 4 3 1>
 56 0 0xffffffff7f8160c000 0xf000 0xf000 com.apple.driver.usb.AppleUSBEHCIPCI
 (1.2) E06F6BE8-7DE6-38E9-8EDB-BF68BE994D50 <55 24 23 12 11 7 6 5 4 3 1>
 57 1 0xffffffff7f81db9000 0x2a000 0x2a000 com.apple.driver.corecapture (1.0.4)

628D1E92-6155-3541-A46E-0A7BA6DDBC09 <7 6 5 4 3 1>
58 1 0xffffffff7f81dec000 0xf5000 0xf5000 com.apple.iokit.IO80211Family
(1200.12.2) 8643F87E-C3F9-3E0F-B1DA-172CC512B5BC <57 30 15 9 7 6 5 4 3 1>
59 0 0xffffffff7f81eec000 0x148000 0x148000 com.apple.driver.AirPort.Atheros40
(700.74.5) 9753F22E-5C85-3E95-B543-0870CF03838A <58 15 12 7 5 4 3 1>
61 3 0xffffffff7f81d64000 0x1a000 0x1a000 com.apple.iokit.IOAHCIFamily (288)
50673EBC-47A0-329A-B58C-081A6EDF6BF4 <5 4 3 1>
62 0 0xffffffff7f82b7e000 0x14000 0x14000 com.apple.driver.AppleAHCIPort
(329.50.2) 312FA732-CA91-3180-8373-5BE2E893339F <61 12 5 4 3 1>
65 2 0xffffffff7f8119d000 0x73000 0x73000 com.apple.iokit.IOFireWireFamily
(4.7.2) 35741F64-7484-39D5-81B9-9240CD5A50DB <5 4 3 1>
66 0 0xffffffff7f81a98000 0x26000 0x26000 com.apple.driver.AppleFWOHCI
(5.5.9) B774B8EA-3452-3A10-A98E-62C53B1BD4D1 <65 12 7 6 5 4 3 1>
67 1 0xffffffff7f8192d000 0x8000 0x8000
com.apple.driver.mDNSOffloadUserClient (1.0.1b8) 378074CD-44A2-3884-9C27-
FE4D45DEB99E <15 4 3 1>
68 3 0xffffffff7f81967000 0x7000 0x7000
com.apple.iokit.IOEthernetAVBController (1.1.0) 0B1D1184-C655-3A04-
A741-4704652016B6 <15 5 4 3 1>
69 0 0xffffffff7f8196e000 0x44000 0x44000
com.apple.iokit.AppleBCM5701Ethernet (10.3.1) 2741164A-412A-3562-AA38-
CAA0290AD2E8 <68 67 15 12 11 6 5 4 3 1>
70 7 0xffffffff7f816f3000 0xec000 0xec000 com.apple.iokit.IOTThunderboltFamily
(6.7.10) 1D51F6D2-FB98-3020-B5DF-3E6A77AFF22F <5 4 3 1>
71 0 0xffffffff7f8235f000 0x1e000 0x1e000 com.apple.driver.AppleThunderboltNHI
(4.7.3) 95EE351A-5AC5-3BEB-A721-C5C17B400A16 <70 12 11 6 5 4 3 1>
72 0 0xffffffff7f81d8e000 0x27000 0x27000 com.apple.iokit.IOAHCIBlockStorage
(301.40.2) 0D9325A5-E989-39F7-B3CF-75FC51C60627 <61 18 6 5 4 3 1>
75 0 0xffffffff7f8234d000 0x5000 0x5000
com.apple.driver.AppleThunderboltPCIDownAdapter (2.1.3) 4C938DD2-AEA9-3D36-
BCB9-8CF72108050D <70 12 5 4 3 1>
76 3 0xffffffff7f823a2000 0xf000 0xf000
com.apple.driver.AppleThunderboltDPAAdapterFamily (5.5.5) C8D87A2B-6071-3B09-
A4F9-32ADB5BEDC87 <70 11 5 4 3 1>
77 1 0xffffffff7f823b1000 0xb000 0xb000
com.apple.driver.AppleThunderboltDPOutAdapter (5.5.5) 6FB9E4BD-ED31-302D-
B545-62F04E12B443 <76 70 5 4 3 1>
78 0 0xffffffff7f823c9000 0x6000 0x6000
com.apple.driver.AppleThunderboltDPInAdapter (5.5.5) 6748C5EB-
BB07-3EDE-9380-308D262EBC1F <76 70 5 4 3 1>
79 1 0xffffffff7f8206a000 0x8000 0x8000
com.apple.filesystems.hfs.encodings.kext (1) F737F125-223E-3B67-
B4FF-5AB56291D4FE <7 6 5 4 3 1>
80 4 0xffffffff7f82072000 0x67000 0x67000 com.apple.filesystems.hfs.kext
(407.50.6) 09445723-F283-31E5-B409-43D905BA81C6 <79 7 6 5 4 3 1>
81 0 0xffffffff7f821e3000 0xd000 0xd000 com.apple.BootCache (40)
D4B1BD0D-E85C-3EAA-B921-F540E223A140 <7 6 5 4 3 1>

82 0 0xffffffff7f823cf000 0x5000 0x5000 com.apple.AppleSystemPolicy (1.0)
153CF29A-7684-3332-A4A7-4012672C4D60 <7 6 5 4 3 2 1>
83 0 0xffffffff7f82b1b000 0xd000 0xd000
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib (1.0.0) DA62C15B-
A42F-3641-A439-C60EC8B1193F <6 4 3 2 1>
84 0 0xffffffff7f82b2b000 0x3000 0x3000
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless (1.0.0d1)
3B67C87D-2D57-3C8A-AC27-474171D2C9A1 <7 6 4 3 2 1>
86 0 0xffffffff7f815ba000 0x35000 0x35000 com.apple.driver.usb.AppleUSBHub
(1.2) 4DC20C7F-DE24-3DF0-8C19-DCF8A72BD96B <24 23 11 5 4 3 1>
87 1 0xffffffff7f81600000 0x8000 0x8000
com.apple.driver.usb.AppleUSBHostCompositeDevice (1.2) 79F2A05F-62FF-3DAB-
BC73-C94F21EFA6A4 <24 23 6 5 4 3 1>
88 0 0xffffffff7f82226000 0x8000 0x8000 com.apple.driver.usb.networking (5.0.0)
10A6B606-2429-3CF7-8D59-70ACAF6E81B8 <24 6 5 4 3 1>
90 0 0xffffffff7f82442000 0xd000 0xd000
com.apple.driver.AppleUSBCardReader (439.70.3) BA4F1ED6-BD2B-3031-
AEBE-7E2304249FC0 <29 28 27 24 18 5 4 3 1>
93 1 0xffffffff7f81427000 0xc000 0xc000
com.apple.driver.usb.IOUSBHostHIDDevice (1.2) CFA1E71D-F288-397A-
B045-885E45E380F3 <43 24 23 5 4 3 1>
94 0 0xffffffff7f8262d000 0x7000 0x7000 com.apple.driver.AppleIRController
(353) B53D4B4A-6553-3452-9F11-1706CE6D0327 <93 87 43 24 5 4 3>
95 0 0xffffffff7f81842000 0x7000 0x7000 com.apple.iokit.SCSITaskUserClient
(404.30.3) 95A89B80-5F7D-3B0C-8B9A-90D5EDBDDE1F <27 18 5 4 3 1>
97 5 0xffffffff7f81afb000 0xf2000 0xf2000 com.apple.iokit.IOBluetoothFamily
(6.0.7f20) 4C50A32F-F50D-335E-86CA-7811BC01B549 <24 17 11 7 6 5 4 3 1>
98 2 0xffffffff7f81c31000 0xb000 0xb000
com.apple.iokit.IOBluetoothHostControllerTransport (6.0.7f20) 94A9EC50-3D47-3C98-
AA69-CADDE5E67CA2 <97 24 12 11 7 6 5 4 3 1>
99 1 0xffffffff7f81c47000 0x20000 0x20000
com.apple.iokit.IOBluetoothHostControllerUSBTransport (6.0.7f20)
F3112FF8-284E-34E2-9464-805C896B3C69 <98 97 24 12 11 7 6 5 4 3 1>
100 0 0xffffffff7f81c67000 0xc000 0xc000
com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport (6.0.7f20)
06AB3E06-21F2-3CBE-AE92-DCE431BC095C <99 98 97 24 12 11 7 6 5 4 3>
101 0 0xffffffff7f81d81000 0xd000 0xd000 com.apple.iokit.IOAHCIISerialATAPI
(267.50.1) 69D03500-D387-3DE0-95AE-CA90DA9C5AC1 <61 27 5 4 3 1>
102 3 0xffffffff7f8184d000 0xe000 0xe000 com.apple.iokit.IOCDStorageFamily
(1.8) 10D6835C-B1AC-355F-A550-EE1EF94C5DFF <18 5 4 3 1>
103 2 0xffffffff7f8185e000 0xb000 0xb000 com.apple.iokit.IODVDStorageFamily
(1.8) B68029BC-17A8-386F-B3B3-84ADF3A194BE <102 18 5 4 3 1>
104 1 0xffffffff7f8186c000 0x9000 0x9000 com.apple.iokit.IOBDStorageFamily
(1.8) AE09847F-632A-3265-94B4-9C008420CDA1 <103 102 18 5 4 3 1>
105 0 0xffffffff7f81878000 0x1a000 0x1a000
com.apple.iokit.IOSCSIMultimediaCommandsDevice (404.30.3) 003D0B04-
A9F7-3268-890A-0F71BC239E93 <104 103 102 27 18 6 5 4 3 1>

106 19 0xffffffff7f819c9000 0x49000 0x49000 com.apple.iokit.IOGraphicsFamily
 (519.23) 81D774E8-DD11-3866-B90A-E855215EDB60 <12 7 5 4 3 1>
 107 2 0xffffffff7f8249f000 0xf000 0xf000 com.apple.driver.AppleSMBusController
 (1.0.18d1) 42F7ACFC-82B8-3A3C-9C1D-B2EEBDE3680B <44 12 11 5 4 3>
 108 0 0xffffffff7f8254b000 0x10000 0x10000 com.apple.driver.AppleMCCSControl
 (1.5.5) 8025FFC5-B9D5-3B12-ACF3-C27A43838AC0 <107 106 13 12 11 7 5 4 3 1>
 109 4 0xffffffff7f81a1f000 0x10000 0x10000 com.apple.iokit.IONDRVSupport
 (519.21) B9EB0174-55E4-3CB1-9802-E74BB1BD5EF0 <106 12 7 5 4 3>
 110 1 0xffffffff7f82b0e000 0x6000 0x6000 com.apple.driver.AppleBacklightExpert
 (1.1.0) B914C331-D34D-3C2A-A213-B030389F577C <109 106 13 12 5 4 3>
 111 0 0xffffffff7f82b71000 0x5000 0x5000 com.apple.driver.AppleBacklight
 (170.12.6) 5B2C1589-CD83-390D-83C1-E1F4A6CF6C6F <110 109 106 12 5 4 3>
 112 3 0xffffffff7f82ab2000 0xa000 0xa000
 com.apple.AppleGraphicsDeviceControl (3.20.18) 39C0D061-25CF-3D9B-815F-
 D99FF4E1455B <106 12 7 6 5 4 3 1>
 114 2 0xffffffff7f80aa2000 0xab000 0xab000 com.apple.vecLib.kext (1.2.0)
 F41EEA34-47C4-3ADE-BA77-D7A3CCA437B9 <8 6 5 4 3>
 115 7 0xffffffff7f80b4d000 0x3f000 0x3f000 com.apple.iokit.IOAudioFamily (206.5)
 2F090399-C028-3F14-AE4F-BF49A3D602E5 <114 5 4 3 1>
 116 2 0xffffffff7f827ef000 0xc000 0xc000 com.apple.iokit.IOHDAFamily (281.52)
 3D7ADFBF-A913-31F3-A713-32A20B7B2249 <5 4 3 1>
 117 1 0xffffffff7f82826000 0x1d000 0x1d000 com.apple.driver.AppleHDAController
 (281.52) 0CEE0F18-1D22-3D90-9FD5-ECCD63F81428 <116 115 106 12 7 6 5 4 3 1>
 118 0 0xffffffff7f8263a000 0x2d000 0x2d000
 com.apple.driver.AppleIntelSNBGraphicsFB (10.0.4) 628D2F1C-66EC-340F-
 AB0A-576401250CCC <106 12 11 7 6 5 4 3 1>
 119 5 0xffffffff7f8189d000 0xa000 0xa000
 com.apple.driver.IOPlatformPluginFamily (6.0.0d8) 344AAFD5-4547-377C-
 B3BF-477D78BF7025 <11 7 6 5 4 3>
 120 1 0xffffffff7f818ac000 0x12000 0x12000
 com.apple.driver.IOPlatformPluginLegacy (1.0.0) A5847A71-D148-3758-
 A5ED-37DC713B8067 <119 11 7 6 5 4 3>
 121 0 0xffffffff7f818c0000 0x10000 0x10000
 com.apple.driver.ACPI_SMC_PlatformPlugin (1.0.0) EBF4D8D7-DA25-31C3-
 BAC0-936CC4E1BDC4 <120 119 13 12 11 7 6 5 4 3>
 122 2 0xffffffff7f83646000 0x122000 0x122000 com.apple.kext.AMDLegacySupport
 (1.6.8) 4522DEAC-96A4-3768-8B69-2F610807678F <106 12 11 7 5 4 3 1>
 123 0 0xffffffff7f823bc000 0xd000 0xd000
 com.apple.driver.AppleThunderboltEDMSink (4.1.4)
 9DB1918A-76E2-3179-84A2-83A5A67790C9 <77 76 70 5 4 3 1>
 124 0 0xffffffff7f82382000 0x16000 0x16000 com.apple.driver.AppleThunderboltIP
 (3.1.1) BF0DE571-A2D0-3533-94F2-058034930B61 <70 15 12 5 4 3 1>
 125 0 0xffffffff7f82588000 0x3000 0x3000 com.apple.driver.AppleLPC (3.1)
 7C24E741-BD4A-3917-83AC-E956A03ADC20 <119 12 5 4 3>
 126 0 0xffffffff7f8249c000 0x3000 0x3000 com.apple.driver.AppleSMBusPCI
 (1.0.14d1) 60757613-A302-3BB0-B68B-653306645108 <12 5 4 3>
 127 0 0xffffffff7f82493000 0x6000 0x6000 com.apple.driver.AppleSMCLMU (211)

8CD5D253-5FB2-33B7-A2FE-9BB15D95ED1D <106 13 5 4 3>
 129 0 0xffffffff7f818a7000 0x3000 0x3000 com.apple.driver.AppleSMCPDRC
 (1.0.0) C8B41CAE-079F-3268-877F-1E9D60627783 <119 12 6 4 3>
 130 0 0xffffffff7f81a88000 0xe000 0xe000 com.apple.iokit.IOFireWireIP (2.2.9)
 AD37305B-E664-3DFB-961B-FB9260E508E9 <65 15 5 4 3 1>
 131 0 0xffffffff7f80c88000 0x26000 0x26000 jp.co.roland.RDUSB012FDev (1.5.4)
 97D74927-F603-3910-AF8E-02D34BE67FC4 <115 24 5 4 3>
 132 0 0xffffffff7f837ab000 0x12e000 0x12e000 com.apple.kext.AMD6000Controller
 (1.6.8) E0A9764B-F349-3FE6-B186-8D246A1487B0 <122 106 12 11 5 4 3 1>
 133 0 0xffffffff7f820e0000 0x3000 0x3000 com.apple.driver.eficheck (1)
 2AB9331F-103D-3D56-886C-7BEBA27EAB56 <50 12 4 3 1>
 134 1 0xffffffff7f8181d000 0x5000 0x5000
 com.apple.iokit.IOSlowAdaptiveClockingFamily (1.0.0) CBE56568-AC91-3F56-
 A06E-9A29D6F70BDA <7 6 5 4 3 1>
 135 0 0xffffffff7f82679000 0x2000 0x2000
 com.apple.driver.AppleIntelSlowAdaptiveClocking (4.0.0)
 7DFBC6BB-39A0-3639-9683-99472E9AAC69 <134 4 3>
 136 0 0xffffffff7f82aff000 0xb000 0xb000 com.apple.AppleGPUWrangler
 (3.20.18) 66D4F026-06AE-38E0-8E6D-C724F518AB4F <112 106 12 7 6 5 4 3 1>
 137 0 0xffffffff7f826cc000 0x61000 0x61000
 com.apple.driver.AppleIntelHD3000Graphics (10.0.4) CBD85CDD-
 F82B-3216-8FBD-86DA6AAB1E21 <106 12 7 5 4 3 1>
 139 0 0xffffffff7f8253a000 0x4000 0x4000 com.apple.driver.AppleOSXWatchdog
 (1) 10AB980B-BF01-317D-8CE7-51079C8E304C <12 7 6 5 4 3 1>
 140 0 0xffffffff7f82794000 0x9000 0x9000 com.apple.driver.AppleHV (1)
 AB15E880-DDD7-3DAA-B463-750DFC73D456 <7 6 5 4 3 1>
 141 0 0xffffffff7f82480000 0xc000 0xc000 com.apple.driver.AppleSSE (1.0)
 61602D2B-CD0E-371F-AB92-39DFC768AF93 <25 21 20 7 5 4 3 1>
 142 0 0xffffffff7f820e6000 0x5000 0x5000 com.apple.Dont_Steal_Mac_OS_X
 (7.0.0) 6F899B4B-5B97-3559-85B1-7798E34AE7EE <13 9 7 4 3 1>
 143 1 0xffffffff7f81c73000 0x98000 0x98000 com.apple.plugin.IOGPTPlugin
 (680.15) AF4DE083-B00F-373D-9241-8ACE6742D61F <68 43 16 15 6 5 4 3 1>
 144 0 0xffffffff7f81d1e000 0x10000 0x10000 com.apple.iokit.IOAVBFamily (683.1)
 727F5C95-C893-3F15-9072-A409247A0DFF <143 68 16 15 6 5 4 3 1>
 145 2 0xffffffff7f817fe000 0x19000 0x19000 com.apple.iokit.IOSurface (211.15)
 37BCC686-AF99-3381-AC4F-E54A347E0F40 <7 6 5 4 3 1>
 146 1 0xffffffff7f82f60000 0x99000 0x99000 com.apple.iokit.IOAcceleratorFamily2
 (378.28) D342FE41-0457-3586-ABB0-38E8E3947C4F <145 106 30 12 7 6 5 4 3 1>
 147 0 0xffffffff7f83009000 0x568000 0x568000 com.apple.kext.AMDRadeonX3000
 (1.6.8) 4A1B14F0-7E2F-34FB-9C2A-A3B1B5B0EEF9 <146 145 106 12 7 5 4 3 1>
 148 1 0xffffffff7f81831000 0xe000 0xe000 com.apple.iokit.IOSerialFamily (11)
 6FE74518-ECD9-32D6-88BE-8F5BCAC911D4 <7 6 5 4 3 1>
 149 0 0xffffffff7f81c21000 0xa000 0xa000
 com.apple.iokit.IOBluetoothSerialManager (6.0.7f20) E80C17B4-8143-3340-8C2A-
 ED469E2B4A1B <148 7 5 4 3 1>
 150 0 0xffffffff7f81294000 0x6000 0x6000 com.apple.iokit.IOUserEthernet (1.0.1)
 227C4C3C-7AA7-366C-A2FA-73609D667F8F <15 6 5 4 3 1>

151 0 0xffffffff7f81100000 0x12000 0x12000 com.apple.driver.pmtelemetry (1)
8163B2F1-7332-3811-B253-96BB4FD30750 <7 6 5 4 3>
152 0 0xffffffff7f80fbb000 0x6000 0x6000 com.Cycling74.driver.Soundflower
(1.6.7) 3579CD1C-ADE2-32EE-87C0-B8DD7E3A4CBB <115 5 4 3>
153 0 0xffffffff7f80fac000 0x7000 0x7000 com.hzsystems.terminus.driver (4)
A34AA04A-490F-DEE3-BF42-CDAE5B86833D <115 5 4 3 1>
154 0 0xffffffff7f82202000 0x5000 0x5000 com.apple.driver.AudioAUUC (1.70)
71FC1A81-3747-3E5A-857E-8C657B2D2BD9 <115 106 12 11 7 5 4 3 1>
155 0 0xffffffff7f83775000 0x22000 0x22000
com.apple.kext.AMDLegacyFramebuffer (1.6.8) B061597C-4E08-3B0F-
AB42-293F0E469193 <122 106 12 11 7 5 4 3 1>
156 0 0xffffffff7f82b0a000 0x3000 0x3000 com.apple.AGDCPluginDisplayMetrics
(3.20.18) C20C9147-7825-34DB-8BB5-B55A6C51C45A <112 7 6 5 4 3 1>
159 0 0xffffffff7f82296000 0x5000 0x5000
com.apple.driver.AppleUpstreamUserClient (3.6.5) BA12F5B7-39D0-366F-
B8EC-4BCAAFD285AA <106 12 11 7 5 4 3 1>
160 1 0xffffffff7f82845000 0x13000 0x13000 com.apple.kext.OSvKernDSPLib
(526) C618CB87-7AA5-3DAE-9399-1CC9D9447F06 <5 4>
161 1 0xffffffff7f82858000 0x143000 0x143000 com.apple.driver.DspFuncLib
(281.52) 2239A97C-1C33-37BB-A79B-156177CB886C <160 115 114 51 6 5 4 3 1>
162 0 0xffffffff7f829a6000 0xb7000 0xb7000 com.apple.driver.AppleHDA (281.52)
119A5EAE-5FD8-3CF3-A0CA-73EDDDC23DBE <161 117 116 115 109 106 6 5 4 3 1>
165 0 0xffffffff7f827fe000 0x16000 0x16000 com.apple.driver.AppleMikeyDriver
(281.52) EB901A5C-1DA8-3287-9F5E-CC9C4AC348D6 <107 11 5 4 3 1>
166 0 0xffffffff7f82541000 0x2000 0x2000 com.apple.driver.AppleMikeyHIDDriver
(131) 64004532-CB84-3246-BEF9-6C5ECFCCF380 <43 7 4 3 1>
167 1 0xffffffff7f821f2000 0x5000 0x5000 com.apple.kext.triggers (1.0)
07B2B764-310E-3EC7-9B2B-52376B0E3743 <7 6 5 4 3 1>
168 0 0xffffffff7f821f7000 0x9000 0x9000 com.apple.filesystems.autofs (3.0)
C865A375-E424-3C76-8BB4-2322629CFA55 <167 7 6 5 4 3 2 1>
169 0 0xffffffff7f82abe000 0x19000 0x19000 com.apple.driver.AGPM (110.23.37)
57080476-7028-3602-AE28-C557A2BFC7CA <119 112 109 106 12 6 5 4 3>
171 0 0xffffffff7f8278b000 0x5000 0x5000 com.apple.driver.AppleHWSensor
(1.9.5d0) D1A8CE3E-2398-34FD-BA1A-F37AEF1A334A <5 4 3>
174 2 0xffffffff7f81c01000 0x1a000 0x1a000
com.apple.driver.IOBluetoothHIDDriver (6.0.7f20)
BB58D28D-81A5-33EE-8774-09B8745F23EB <97 43 5 4 3>
176 1 0xffffffff7f822f4000 0xb000 0xb000 com.apple.driver.AppleHIDKeyboard
(205.1) 799BE70E-8ED0-3117-8611-51C832CEA9A9 <43 5 4 3>
177 0 0xffffffff7f827e7000 0x4000 0x4000
com.apple.driver.AppleBluetoothHIDKeyboard (205.1)
946902EA-4CF5-3024-9C94-37DA6FF16CBE <176 174 43 4 3>
184 1 0xffffffff7f839c3000 0x16000 0x16000
com.apple.driver.AppleInputDeviceSupport (1614.13) 0E4FFCA5-67E0-3A27-9FCD-
AE8758BB4EF8 <5 4 3 1>
185 1 0xffffffff7f839d9000 0x29000 0x29000
com.apple.driver.AppleMultitouchDriver (1614.1) 3DD716EB-B325-35F2-A4A9-

F11D91EDA2F4 <184 43 17 7 5 4 3 1>
 186 0 0xfffff7f83a02000 0xb000 0xb000
 com.apple.driver.AppleBluetoothMultitouch (92)
 D44AB0FD-9E31-31B9-8911-498AB95FE54D <185 174 97 43 5 4 3>

----FPS Report Legend:-----

Raw Instantaneous FPS:

30FPS delimiter: '|'

10FPS delimiter: '+'

1FPS delimiter: '-'

Defer+Work Instantaneous FPS: 'X'

Work Instantaneous FPS: '^'

Equal Work and Defer+Work Instantaneous FPS: '*'

====Frame Rate Report:=====

Frame Length [SampleRange]	WS Wait Length [SampleRange]	Defer Length [SampleRange]	WS Work Length [SampleRange]	Frame Rate
11.68 ms[No samples]	0.00 ms[No samples]	10.34 ms[No samples]		
1.33 ms[No samples]	85.64 FPS -----+-----+----- -----+-----+-----*			
33.67 ms[No samples]	24.53 ms[No samples]	7.30 ms[No samples]		
1.83 ms[No samples]	29.70 FPS -----+-----+----- -----+-----+-----*			
17.08 ms[No samples]	7.38 ms[No samples]	8.12 ms[No samples]		
1.58 ms[No samples]	58.55 FPS -----+-----+----- -----+-----+-----*			
16.28 ms[No samples]	6.98 ms[No samples]	7.88 ms[No samples]		
1.43 ms[No samples]	61.42 FPS -----+-----+----- -----+-----+-----*			
17.44 ms[2]	7.71 ms[2]	7.90 ms[No samples]	1.84	
ms[No samples]	57.32 FPS -----+-----+----- -----+-----+-----*			
16.25 ms[No samples]	6.63 ms[No samples]	8.18 ms[No samples]		
1.43 ms[No samples]	61.55 FPS -----+-----+----- -----+-----+-----*			
16.82 ms[No samples]	7.42 ms[No samples]	7.91 ms[No samples]		
1.49 ms[No samples]	59.44 FPS -----+-----+----- -----+-----+-----*			
16.72 ms[No samples]	7.00 ms[No samples]	8.22 ms[No samples]		
1.51 ms[No samples]	59.81 FPS -----+-----+----- -----+-----+-----*			
16.50 ms[No samples]	7.06 ms[No samples]	8.02 ms[No samples]		
1.43 ms[No samples]	60.59 FPS -----+-----+----- -----+-----+-----*			
16.86 ms[No samples]	7.25 ms[No samples]	8.14 ms[No samples]		
1.46 ms[No samples]	59.31 FPS -----+-----+----- -----+-----+-----*			
16.69 ms[3]	7.04 ms[3]	8.02 ms[No samples]	1.63	
ms[No samples]	59.92 FPS -----+-----+----- -----+-----+-----*			
16.58 ms[No samples]	6.93 ms[No samples]	8.42 ms[No samples]		
1.24 ms[No samples]	60.31 FPS -----+-----+----- -----+-----+-----*			
16.72 ms[No samples]	0.85 ms[No samples]	14.68 ms[No samples]		
1.19 ms[No samples]	59.80 FPS -----+-----+----- -----+-----+-----*			
16.81 ms[No samples]	0.91 ms[No samples]	13.90 ms[No samples]		
2.00 ms[No samples]	59.48 FPS -----+-----+----- -----+-----+-----*			

16.64 ms[No samples] 9.42 ms[No samples] 5.95 ms[No samples]
1.26 ms[No samples] 60.11 FPS|-----+-----+-----|-----+-----+-----*

|
WS Idle: 632.56ms
|

635.22 ms[4-10] 632.56 ms[4-10] 1.22 ms[No samples] 1.44
ms[No samples] 1.57 FPS *

|
WS Idle: 342.43ms
|

351.60 ms[11-13] 342.43 ms[11-13] 7.35 ms[No samples]
1.82 ms[No samples] 2.84 FPS *

|
WS Idle: 116.31ms
|

134.36 ms[14-15] 116.31 ms[14] 15.15 ms[No samples] 2.90
ms[15] 7.44 FPS X ^

16.14 ms[No samples] 5.88 ms[No samples] 8.41 ms[No samples]
1.85 ms[No samples] 61.96 FPS|-----+-----+-----|-----+-----+-----*

15.53 ms[No samples] 6.44 ms[No samples] 7.76 ms[No samples]
1.32 ms[No samples] 64.41 FPS|-----+-----+-----|-----+-----+-----*

17.13 ms[No samples] 7.76 ms[No samples] 7.89 ms[No samples]
1.48 ms[No samples] 58.38 FPS|-----+-----+-----|-----+-----+-----*

16.83 ms[No samples] 7.35 ms[No samples] 8.12 ms[No samples]
1.35 ms[No samples] 59.43 FPS|-----+-----+-----|-----+-----+-----*

16.82 ms[No samples] 7.14 ms[No samples] 8.33 ms[No samples]
1.35 ms[No samples] 59.47 FPS|-----+-----+-----|-----+-----+-----*

18.19 ms[16] 7.43 ms[No samples] 7.98 ms[No samples]
2.78 ms[16] 54.96 FPS|-----+-----+-----|-----+-----+-----*

15.55 ms[No samples] 5.40 ms[No samples] 8.44 ms[No samples]
1.70 ms[No samples] 64.33 FPS|-----+-----+-----|-----+-----+-----*

16.78 ms[No samples] 7.09 ms[No samples] 8.30 ms[No samples]
1.39 ms[No samples] 59.61 FPS|-----+-----+-----|-----+-----+-----*

16.15 ms[No samples] 6.72 ms[No samples] 8.02 ms[No samples]
1.41 ms[No samples] 61.93 FPS|-----+-----+-----|-----+-----+-----*

16.35 ms[No samples] 7.52 ms[No samples] 7.60 ms[No samples]
1.23 ms[No samples] 61.16 FPS|-----+-----+-----|-----+-----+-----*

35.08 ms[17] 25.04 ms[No samples] 7.92 ms[No samples]
2.12 ms[17] 28.50 FPS|-----+-----+-----|-----+-----+-----*

Model: iMac12,1, BootROM 87.0.0.0.0, 4 processors, Intel Core i5, 2,5 GHz, 12 GB,
SMC 1.71f21

Graphics: AMD Radeon HD 6750M, AMD Radeon HD 6750M, PCIe

Memory Module: BANK 0/DIMM0, 2 GB, DDR3, 1333 MHz, 0x02FE,
0x45424A3231554538424655302D444A2D4620

Memory Module: BANK 1/DIMM0, 2 GB, DDR3, 1333 MHz, 0x02FE,
0x45424A3231554538424655302D444A2D4620

Memory Module: BANK 0/DIMM1, 4 GB, DDR3, 1333 MHz, 0x0198,

0x393930353432382D3035312E4130304C4620

Memory Module: BANK 1/DIMM1, 4 GB, DDR3, 1333 MHz, 0x0198,

0x393930353432382D3035312E4130304C4620

AirPort: spairport_wireless_card_type_airport_extreme (0x168C, 0x9A), Atheros 9380:
4.0.74.0-P2P

Bluetooth: Version 6.0.7f20, 3 services, 27 devices, 1 incoming serial ports

Network Service: AirPort, AirPort, en1

Serial ATA Device: ST3500418AS, 500,11 GB

Serial ATA Device: OPTIARC DVD RW AD-5690H

USB Device: USB 2.0 Bus

USB Device: FaceTime HD Camera (Built-in)

USB Device: Hub

USB Device: QUAD-CAPTURE

USB Device: BUP Slim BK

USB Device: BRCM2046 Hub

USB Device: Bluetooth USB Host Controller

USB Device: USB 2.0 Bus

USB Device: Hub

USB Device: IR Receiver

USB Device: Internal Memory Card Reader

Thunderbolt Bus: iMac, Apple Inc., 22.1